MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing:	: 08/03/2023 Date of co	mpilation: 04/05/2022	Version: 1
SECT	TION 1: IDENTIFICATION (DF THE SUBSTANCE/M	IXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	PF022887_IT2: CI022177_IT21 MOROCCANOII	
	Other means of identificat	ion:	
	Non-applicable		
1.2	Relevant identified uses of	the substance or mixtu	ire and uses advised against:
	Relevant uses: HAIR COLOR T	INT	
	Uses advised against: All uses	not specified in this section	n or in section 7.3
1.3	Details of the supplier of t	he safety data sheet:	
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com		
1.4	Emergency telephone num	ber: 1-888-700-1817	

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

 $\label{eq:contains} Contains (R^*, R^*)-a, 4-dimethyl-a-(4-methyl-3-pentenyl) cyclohex-3-ene-1-methanol, 2-(2, 4-diaminophenoxy) ethanol dihydrochloride, 2-methylresorcinol.$

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022887_IT21 CI022177_IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023

Date of compilation: 04/05/2022 Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

Acute Toxicity Estimate (ATE mix):

35,16 % (oral), 39,23 % (dermal), 37,4 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration	
	112-53-8 203-982-0 Non-applicable 01-2119787279-18- XXXX	Dodecan-1-ol(1) Regulation 1272/2008			
CAS:	7664-41-7	ammonia, anhydrous	ATP CLP00		
	231-635-3 007-001-00-5 01-2119488876-14- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Aquatic Acute 1: H400; Flam. Gas 2: H221; Press. Gas: H280; Skin Corr. 1B: H314 - Danger	1 - <2.5 %	
CAS:	615-50-9	2-methyl-p-phenyler	nediamine sulfate ⁽¹⁾ Self-classified		
EC: Index: REACH:	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	1 - <2.5 %	
CAS:	112-72-1	Tetradecanol ⁽¹⁾	Self-classified		
Index: REACH:	204-000-3 Non-applicable 01-2119485910-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1 - <2.5 %	
CAS: EC:	61789-40-0 263-058-8 Non-applicable 01-2120770501-61- XXXX	3-058-8 hydroxides, inner salts ⁽¹⁾			
Index: REACH:		Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	1 - <2.5 %	
CAS:	108-46-3	resorcinol ⁽¹⁾	ATP CLP00		
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - 🕐 🏠	<1 %	
CAS:	608-25-3	2-methylresorcinol ⁽¹	Self-classified		
EC: Index: REACH:	210-155-8 Non-applicable 01-2120030526-64- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger	<1 %	
CAS:	66422-95-5	2-(2,4-diaminophene	bxy)ethanol dihydrochloride ⁽¹⁾ Self-classified		
EC: Index: REACH:	266-357-1 Non-applicable 01-2120011817-60- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Sens. 1B: () 谷 🌢 H317 - Danger	<1 %	
CAS:	515-69-5	(R*,R*)-a,4-dimethy	I-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol ⁽¹⁾ Self-classified		
EC: Index: REACH:	208-205-9 Non-applicable Non-applicable	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning	<1 %	

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

	ON 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)
Γ	Identification	Specific concentration limit
		% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Date of compilation: 04/05/2022

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
resorcinol	IOELV (8h)	10 ppm	45 mg/m ³
CAS: 108-46-3 EC: 203-585-2	IOELV (STEL)		

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
ammonia, anhydrous	IOELV (8h)	20 ppm	14 mg/m ³	
CAS: 7664-41-7 EC: 231-635-3	IOELV (STEL)	50 ppm	36 mg/m ³	

DNEL (Workers):

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	313 mg/m ³	155 mg/m ³
ammonia, anhydrous	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-41-7	Dermal	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	47,6 mg/m ³	36 mg/m ³	47,6 mg/m ³	14 mg/m ³
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
Tetradecanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	313 mg/m ³	178 mg/m ³
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³
2-methylresorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 608-25-3	Dermal	Non-applicable	Non-applicable	1,4 mg/kg	Non-applicable
EC: 210-155-8	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable
2-(2,4-diaminophenoxy)ethanol dihydrochloride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 66422-95-5	Dermal	Non-applicable	Non-applicable	23,81 mg/kg	Non-applicable
EC: 266-357-1	Inhalation	Non-applicable	Non-applicable	0,7 mg/m ³	Non-applicable

DNEL (General population):

		Short e	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	77 mg/m ³	Non-applicable
ammonia, anhydrous	Oral	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
CAS: 7664-41-7	Dermal	68 mg/kg	Non-applicable	68 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	23,8 mg/m ³	7,2 mg/m ³	23,8 mg/m ³	2,8 mg/m ³
Tetradecanol	Oral	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	77 mg/m ³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) Short exposure Long exposure Identification Systemic Local Systemic Local Non-applicable Non-applicable 0,5 mg/kg Non-applicable 2-methylresorcinol Oral 0,5 mg/kg Non-applicable CAS: 608-25-3 Dermal Non-applicable Non-applicable Inhalation EC: 210-155-8 Non-applicable Non-applicable 0,87 mg/m³ Non-applicable PNEC: Identification STP Non-applicable Fresh water 0,001 mg/L Dodecan-1-ol CAS: 112-53-8 Soil 0,132 mg/kg Marine water 0 mg/L Intermittent Non-applicable Sediment (Fresh water) 0,666 mg/kg EC: 203-982-0 Oral Non-applicable Sediment (Marine water) 0,067 mg/kg STP 0,001 mg/L ammonia, anhydrous Non-applicable Fresh water 0,001 mg/L CAS: 7664-41-7 Soil Non-applicable Marine water Intermittent 0,007 mg/L Non-applicable EC: 231-635-3 Sediment (Fresh water) Oral Non-applicable Sediment (Marine water) Non-applicable 2-methyl-p-phenylenediamine sulfate STP 0,177 mg/L Fresh water 0,0126 mg/L CAS: 615-50-9 Soil 0,00259 mg/kg Marine water 0,00126 mg/L EC: 210-431-8 Intermittent 0,7 mg/L Sediment (Fresh water) 0,0112 mg/kg Oral Non-applicable Sediment (Marine water) 0,00112 mg/kg STP Non-applicable Fresh water 0,001 mg/L Tetradecanol Soil 0,428 mg/kg Marine water 0 mg/L CAS: 112-72-1 Sediment (Fresh water) Intermittent FC· 204-000-3 Non-applicable 2,14 mg/kg Ora Non-applicable Sediment (Marine water) 0,214 mg/kg 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-STP 300 mg/L Fresh water 0,0032 mg/L dimethyl-, N-coco acyl derivs., hydroxides, inner salts 0,0419 mg/kg 0,00032 mg/L Soi CAS: 61789-40-0 Marine water Intermittent 0,219 mg/kg EC: 263-058-8 0,02 mg/L Sediment (Fresh water) Oral Non-applicable Sediment (Marine water) 0,0219 mg/kg STP 0,79 mg/L 0,017 mg/L resorcinol Fresh water Soil 10 mg/kg 0,002 mg/L CAS: 108-46-3 Marine water EC: 203-585-2 Intermittent Non-applicable Sediment (Fresh water) 0,08 mg/kg Oral Non-applicable Sediment (Marine water) 0,008 mg/kg STP 0,32 mg/L Fresh water 0,249 mg/L 2-methylresorcinol Soil Marine water CAS: 608-25-3 0,709 mg/kg 0,0249 mg/L 0,00605 mg/l EC: 210-155-8 Intermittent Sediment (Fresh water) 4,28 mg/kg Oral Non-applicable Sediment (Marine water) 0,428 mg/kg 0,043 mg/L STP 50,1 mg/L Fresh water 2-(2,4-diaminophenoxy)ethanol dihydrochloride Soil 0,021 mg/kg Marine water 0,004 mg/L CAS: 66422-95-5 EC: 266-357-1 Intermittent Sediment (Fresh water) 0,231 mg/kg 0,65 mg/L Oral Sediment (Marine water) 0,023 mg/kg Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

CTIO	N 8: EXPOSURE	CONTROLS/PERSONA	AL PROTECTI	ION (continued)	
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of th contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
C	- Specific protection	n for the hands			
	Non-applicable				
D	- Eye and face prot	tection			
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically accordin the manufacturer's instructions. Use if there risk of splashing.
E	Body protection			•	•
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulat in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulat in EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerge	ency measures			
	Emergency mea	asure Sta	andards	Emergency measu	ure Standards
	Emergency sho	ISO 3864-1:202	5I Z358-1 11, ISO 3864-4:20	11 Eyewash station	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201
En		ne community legislation for product and its container.			s recommended to avoid environmenta 1 7.1.D
spi Vo	blatile organic co ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	2010/75/EU, this proc 0 % v 20 °C: 0 kg/r number: Non-a		lowing characteristics:	
spi Vo Wi ECTION	ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A	2010/75/EU, this proc 0 % v 20 °C: 0 kg/r number: Non-a	luct has the fol veight m ³ (0 g/L) applicable ERTIES cal properties		
spi Vo Wi ECTION .1 In For	ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A	ar weight: Non-a NND CHEMICAL PROP	luct has the fol veight m ³ (0 g/L) applicable ERTIES cal properties		

*Not relevant due to the nature of the product, not providing information property of its hazards.

inting:	08/03/2023 Date of compilation: 04/05/2022	Version: 1
SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Colour:	Ivory
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	100 - 300 °C
	Vapour pressure at 20 °C:	2288 Pa
	Vapour pressure at 50 °C:	12057 Pa (12,06 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	Non-applicable *
	Relative density at 20 °C:	0,975 - 1,015
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Non-applicable *
	pH:	10 - 11
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	259 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics: Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	Non-applicable *

SECTION 10: STABILITY AND REACTIVITY

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022887 IT21 CI022177 IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 0	8/03/2023	
-------------	-----------	--

Version: 1

Date of compilation: 04/05/2022 SECTION 10: STABILITY AND REACTIVITY (continued) 10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Precaution Not applicable Not applicable 10.5 Incompatible materials: Acids Water Oxidising materials Combustible materials Others Not applicable Avoid strong acids Avoid direct impact Not applicable Avoid alkalis or strong bas 10.6 Hazardous decomposition products: See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: resorcinol (3); Sodium sulphite (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023 Date of compilation: 04/05/2022

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
- hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	А	Acute toxicity	
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat
CAS: 615-50-9	LD50 dermal	1100 mg/kg (ATEi)	
EC: 210-431-8	LC50 inhalation	11 mg/L (ATEi)	
2-methylresorcinol	LD50 oral	200 mg/kg	Rat
CAS: 608-25-3	LD50 dermal	Non-applicable	
EC: 210-155-8	LC50 inhalation	Non-applicable	
Dodecan-1-ol	LD50 oral	26530 mg/kg	Rat
CAS: 112-53-8	LD50 dermal	Non-applicable	
EC: 203-982-0	LC50 inhalation	Non-applicable	
Tetradecanol	LD50 oral	>5000 mg/kg	Rat
CAS: 112-72-1	LD50 dermal	Non-applicable	
EC: 204-000-3	LC50 inhalation	Non-applicable	
ammonia, anhydrous	LD50 oral	Non-applicable	
CAS: 7664-41-7	LD50 dermal	Non-applicable	
EC: 231-635-3	LC50 inhalation	3 mg/L (ATEi)	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabbit
EC: 203-585-2	LC50 inhalation	Non-applicable	
2-(2,4-diaminophenoxy)ethanol dihydrochloride	LD50 oral	1000 mg/kg	Rat
CAS: 66422-95-5	LD50 dermal	45450 mg/kg	Rat
EC: 266-357-1	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	3541,11 mg/kg (Calculation method)	35,16 %
Dermal	38613,23 mg/kg (Calculation method)	39,23 %
Inhalation	81,47 mg/L (4 h) (Calculation method)	37,4 %

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
Dodecan-1-ol	LC50	1,01 mg/L (96 h)	Pimephales promelas	Fish
CAS: 112-53-8	EC50	320 mg/L (48 h)	Daphnia magna	Crustacear
EC: 203-982-0	EC50	0,97 mg/L (96 h)	Scenedesmus subspicatus	Algae
ammonia, anhydrous	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 7664-41-7	EC50	>0.1 - 1 mg/L (48 h)		Crustacear
EC: 231-635-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacear
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0	EC50	>10 - 100 mg/L (48 h)		Crustacear
EC: 263-058-8	EC50	>10 - 100 mg/L (72 h)		Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacear
EC: 203-585-2	EC50	Non-applicable		
2-methylresorcinol	LC50	58 mg/L (96 h)	N/A	Fish
CAS: 608-25-3	EC50	0,6 mg/L (48 h)	Daphnia magna	Crustacear
EC: 210-155-8	EC50	71 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
2-(2,4-diaminophenoxy)ethanol dihydrochloride	LC50	400 mg/L (96 h)	Danio rerio	Fish
CAS: 66422-95-5	EC50	6,49 mg/L (48 h)	Daphnia magna	Crustacear
EC: 266-357-1	EC50	37,4 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
(R*,R*)-a,4-dimethyl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1- methanol	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 515-69-5	EC50	>1 - 10 mg/L (48 h)		Crustacear
EC: 208-205-9	EC50	>1 - 10 mg/L (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Dodecan-1-ol	NOEC	0,26 mg/L	Pimephales promelas	Fish
CAS: 112-53-8 EC: 203-982-0	NOEC	0,014 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean
2-(2,4-diaminophenoxy)ethanol dihydrochloride	NOEC	Non-applicable		
CAS: 66422-95-5 EC: 266-357-1	NOEC	0,43 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	egradability	Biode	egradability
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
2-methylresorcinol	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 608-25-3	COD	Non-applicable	Period	28 days
EC: 210-155-8	BOD5/COD	Non-applicable	% Biodegradable	64 %
2-(2,4-diaminophenoxy)ethanol dihydrochloride	BOD5	Non-applicable	Concentration	30 mg/L
CAS: 66422-95-5	COD	Non-applicable	Period	28 days
EC: 266-357-1	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

CECTION 1			(continued)
SECTION L	Z: EUULUUIULAL	INFORMATION	(continued)

Identification	Bi	paccumulation potential
Dodecan-1-ol	BCF	180
CAS: 112-53-8	Pow Log	5.13
EC: 203-982-0	Potential	High
resorcinol	BCF	3
CAS: 108-46-3 EC: 203-585-2	Pow Log	0.8
	Potential	Low
2-methylresorcinol	BCF	5
CAS: 608-25-3 EC: 210-155-8	Pow Log	1.6
	Potential	Low
2-(2,4-diaminophenoxy)ethanol dihydrochloride	BCF	
CAS: 66422-95-5	Pow Log	-0.98
EC: 266-357-1	Potential	

12.4 Mobility in soil:

Identification	Absorp	tion/desorption		Volatility
Dodecan-1-ol	Кос	15000	Henry	2,25 Pa·m ³ /mol
CAS: 112-53-8	Conclusion	Immobile	Dry soil	Non-applicable
EC: 203-982-0	Surface tension	2,94E-2 N/m (25 °C)	Moist soil	Yes
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable
Tetradecanol	Кос	Non-applicable	Henry	Non-applicable
CAS: 112-72-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-000-3	Surface tension	1,198E-2 N/m (252,68 °C)	Moist soil	Non-applicable
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mo
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No
2-methylresorcinol	Кос	Non-applicable	Henry	0E+0 Pa·m ³ /mol
CAS: 608-25-3	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 210-155-8	Surface tension	Non-applicable	Moist soil	Non-applicable
2-(2,4-diaminophenoxy)ethanol dihydrochloride	Кос	17.8	Henry	Non-applicable
CAS: 66422-95-5	Conclusion	Very High	Dry soil	Non-applicable
EC: 266-357-1	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous	
Type of waste (Regulation (EU) No 1357/2014):			
HP14 Ecotoxic			
Waste management (disposal and evaluation):			

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022887_IT21 CI022177_IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022887_IT21 CI022177_IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.0

Printing: 08/03/2023	Date of compilation: 04/05/2022 Version: 1
SECTION 16: OTH	ER INFORMATION (continued)
H315: Causes H412: Harmful	serious eye irritation. skin irritation. I to aquatic life with long lasting effects. Ise an allergic skin reaction.
Texts of the	legislative phrases mentioned in section 3:
The phrases in individual com CLP Regulati Acute Tox. 3: I Acute Tox. 3: I Acute Tox. 4: I Acute Tox. 4: I Aquatic Chroni Aquatic Chroni Aquatic Chroni Eye Dam. 1: H Eye Irrit. 2: H Flam. Gas 2: F Press. Gas: H2 Skin Corr. 1B: Skin Irrit. 2: H	dicated do not refer to the product itself; they are present merely for informative purposes and refer to the ponents which appear in section 3 on (EC) No 1272/2008: H301 - Toxic if swallowed. H311 - Toxic if inhaled. H302 - Harmful if swallowed. H312+H332 - Harmful in contact with skin or if inhaled. 1: H400 - Very toxic to aquatic life. ic 1: H410 - Very toxic to aquatic life with long lasting effects. ic 2: H411 - Toxic to aquatic life with long lasting effects. ic 3: H412 - Harmful to aquatic life with long lasting effects. I318 - Causes serious eye damage. B19 - Causes serious eye irritation. H221 - Flammable gas. B0 - Contains gas under pressure, may explode if heated. H314 - Causes severe skin burns and eye damage. I315 - Causes skin irritation. H317 - May cause an allergic skin reaction.
Skin Sens. 1B: STOT RE 2: H3	H317 - May cause an allergic skin reaction. H317 - May cause an allergic skin reaction. 373 - May cause damage to organs through prolonged or repeated exposure (Oral).
Skin Irrit. 2: Ca Aquatic Chroni	n procedure: Iculation method alculation method c 3: Calculation method Calculation method
Advice relate	d to training:
interpretation	ommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and of this safety data sheet, as well as the label on the product. liographical sources:
http://echa.eu http://eur-lex.e	
• • • •	s and acronyms:
IMDG: Interna IATA: Internat ICAO: Internat COD: Chemica BOD5: 5day bi BCF: Bioconce LD50: Lethal D LC50: Lethal C EC50: Effective	Dose 50 Ioncentration 50 e concentration 50
Koc: Partition o UFI: unique fo	nolwater partition coefficient coefficient of organic carbon rmula identifier ional Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.