MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing:	: 08/03/2023 Date of compila	tion: 04/05/2022	Version: 1	
SECT	TION 1: IDENTIFICATION OF T	HE SUBSTANCE/M	IXTURE AND OF	THE COMPANY/UNDERTAKING
1.1	Product identifier:	PF022894_IT2: CI022184_IT21 MOROCCANOII		Y PERMANENT CREAM COLOR 4.00
	Other means of identification:			
	Non-applicable			
1.2	Relevant identified uses of the	substance or mixtu	ire and uses advi	sed against:
	Relevant uses: HAIR COLOR TINT			
	Uses advised against: All uses not	specified in this sectio	n or in section 7.3	
1.3	Details of the supplier of the sa	fety data sheet:		
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com			
1.4	Emergency telephone number:	1-888-700-1817		

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

 $\label{eq:contains} Contains (R^*, R^*)-a, 4-dimethyl-a-(4-methyl-3-pentenyl) cyclohex-3-ene-1-methanol, 2-(2, 4-diaminophenoxy) ethanol dihydrochloride, 2-methylresorcinol.$

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022894_IT21 CI022184_IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

Acute Toxicity Estimate (ATE mix):

35,39 % (oral), 39,46 % (dermal), 37,63 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

Date of compilation: 04/05/2022

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS: EC:	112-53-8 203-982-0	Dodecan-1-ol ⁽¹⁾	Self-classified	2.5 <10.0/
	Non-applicable 01-2119787279-18- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Eye Irrit. 2: H319 - Warning	2.5 - <10 %
CAS:	7664-41-7	ammonia, anhydrous	(1) ATP CLP00	
	231-635-3 007-001-00-5 01-2119488876-14- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Aquatic Acute 1: H400; Flam. Gas 2: H221; Press. Gas:	1 - <2.5 %
CAS:	615-50-9	2-methyl-p-phenyler	hediamine sulfate ⁽¹⁾ Self-classified	
EC: Index: REACH:	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	1 - <2.5 %
CAS:	112-72-1	Tetradecanol ⁽¹⁾	Self-classified	
EC: Index: REACH:	204-000-3 Non-applicable 01-2119485910-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1 - <2.5 %
CAS: EC:	61789-40-0 263-058-8	1-Propanaminium, 3 hydroxides, inner sa	-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., ts ⁽¹⁾	
Index: REACH:	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	1 - <2.5 %
CAS:	108-46-3	resorcinol ⁽¹⁾	ATP CLP00	
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - 🙌 🏠	<1 %
CAS:	608-25-3	2-methylresorcinol(1) Self-classified	
EC: Index: REACH:	210-155-8 Non-applicable 01-2120030526-64- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger	<1 %
CAS:	66422-95-5	2-(2,4-diaminophene	pxy)ethanol dihydrochloride ⁽¹⁾ Self-classified	
EC: Index: REACH:	266-357-1 Non-applicable 01-2120011817-60- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Sens. 1B: () 📀 🏠 H317 - Danger	<1 %
CAS:	515-69-5	(R*,R*)-a,4-dimethy	rl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol(1) Self-classified	
EC: Index: REACH:	208-205-9 Non-applicable Non-applicable	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning	<1 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

PF022894_IT21 CI022184_IT21 MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTI	ON 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)	
	Identification	Specific concentration limit	
		% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Date of compilation: 04/05/2022

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	Occupational exposure limits		
resorcinol	IOELV (8h)	10 ppm	45 mg/m ³	
CAS: 108-46-3 EC: 203-585-2	IOELV (STEL)			

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
ammonia, anhydrous	IOELV (8h)	20 ppm	14 mg/m ³	
CAS: 7664-41-7 EC: 231-635-3	IOELV (STEL)	50 ppm	36 mg/m ³	

DNEL (Workers):

		Short	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	313 mg/m ³	155 mg/m ³
ammonia, anhydrous	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-41-7	Dermal	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	47,6 mg/m ³	36 mg/m ³	47,6 mg/m ³	14 mg/m ³
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
Tetradecanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	313 mg/m ³	178 mg/m ³
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³
2-methylresorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 608-25-3	Dermal	Non-applicable	Non-applicable	1,4 mg/kg	Non-applicable
EC: 210-155-8	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable
2-(2,4-diaminophenoxy)ethanol dihydrochloride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 66422-95-5	Dermal	Non-applicable	Non-applicable	23,81 mg/kg	Non-applicable
EC: 266-357-1	Inhalation	Non-applicable	Non-applicable	0,7 mg/m ³	Non-applicable

DNEL (General population):

			Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable	
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable	
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	77 mg/m ³	Non-applicable	
ammonia, anhydrous	Oral	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable	
CAS: 7664-41-7	Dermal	68 mg/kg	Non-applicable	68 mg/kg	Non-applicable	
EC: 231-635-3	Inhalation	23,8 mg/m ³	7,2 mg/m ³	23,8 mg/m ³	2,8 mg/m ³	
Tetradecanol	Oral	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable	
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable	
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	77 mg/m ³	Non-applicable	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable	
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable	
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable	
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable	
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable	
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³	

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

		Short	exposure	L	ong exposure
Identification		Systemic	Local	Systemic	: Loc
2-methylresorcinol	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applic
CAS: 608-25-3	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-appli
EC: 210-155-8	Inhalation	Non-applicable	Non-applicable	0,87 mg/m ³	Non-appli
PNEC:					
Identification					
Dodecan-1-ol	STP	Non-applicable	Fresh water		0,001 mg/L
CAS: 112-53-8	Soil	0,132 mg/kg	Marine water		0 mg/L
EC: 203-982-0	Intermittent	Non-applicable	Sediment (Fresh	n water)	0,666 mg/kg
	Oral	Non-applicable	Sediment (Marir	ne water)	0,067 mg/kg
ammonia, anhydrous	STP	Non-applicable	Fresh water		0,001 mg/L
CAS: 7664-41-7	Soil	Non-applicable	Marine water		0,001 mg/L
EC: 231-635-3	Intermittent	0,007 mg/L	Sediment (Fresh	n water)	Non-applicable
	Oral	Non-applicable	Sediment (Marin	ne water)	Non-applicable
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water		0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water		0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh	n water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marin	ne water)	0,00112 mg/kg
Tetradecanol	STP	Non-applicable	Fresh water		0,001 mg/L
CAS: 112-72-1	Soil	0,428 mg/kg	Marine water		0 mg/L
EC: 204-000-3	Intermittent	Non-applicable	Sediment (Fresh	n water)	2,14 mg/kg
	Oral	Non-applicable	Sediment (Marin	ne water)	0,214 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water		0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water		0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh	n water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marin	ne water)	0,0219 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water		0,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water		0,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh	n water)	0,08 mg/kg
	Oral	Non-applicable	Sediment (Marin	ne water)	0,008 mg/kg
2-methylresorcinol	STP	0,32 mg/L	Fresh water		0,249 mg/L
CAS: 608-25-3	Soil	0,709 mg/kg	Marine water		0,0249 mg/L
EC: 210-155-8	Intermittent	0,00605 mg/L	Sediment (Fresh	n water)	4,28 mg/kg
	Oral	Non-applicable	Sediment (Marir	ne water)	0,428 mg/kg
2-(2,4-diaminophenoxy)ethanol dihydrochloride	STP	50,1 mg/L	Fresh water		0,043 mg/L
CAS: 66422-95-5	Soil	0,021 mg/kg	Marine water		0,004 mg/L
EC: 266-357-1	Intermittent	0,65 mg/L	Sediment (Fresh	n water)	0,231 mg/kg
	Oral	Non-applicable	Sediment (Marin		0,023 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

		CONTROLS/PERSON		ON (continued)	
ECTION	6: EXPUSURE	CONTROLS/PERSON	AL PROTECTI		
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory prespiratory tract	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
C	Specific protection	n for the hands			
	Non-applicable				
D	Eye and face prot	ection			
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according t the manufacturer's instructions. Use if there is risk of splashing.
E	Body protection				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration. Fc periods of prolonged exposure to the product fo professional/industrial users CE III is recommended, in accordance with the regulatior in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product fo professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007
'	Additional emerge	ency measures			
F	riadicional enterge				
F	Emergency mea	asure S	tandards	Emergency measu	re Standards
F	Emergency mea	AN ISO 3864-1:20	tandards SI Z358-1)11, ISO 3864-4:20		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
	-	AN ISO 3864-1:20 wer	SI Z358-1	• +	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Env In a spill Vol With	Emergency mea Emergency sho vironmental exp accordance with the lage of both the pr atile organic cord h regard to Direction V.O.C. (Supply): V.O.C. density at 2	AN ISO 3864-1:20 osure controls: ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/	SI Z358-1 011, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L)	11 Eyewash station: on of the environment it is nformation see subsection	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol	Emergency mea Emergency sho inconmental exp accordance with the lage of both the pr atile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at in Average carbon n	AN ISO 3864-1:20 osure controls: ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non-	SI Z358-1 D11, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L) applicable	11 Eyewash station: on of the environment it is nformation see subsection	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol	Emergency mea Emergency sho vironmental exp accordance with the lage of both the pr atile organic cord h regard to Direction V.O.C. (Supply): V.O.C. density at 2	AN ISO 3864-1:20 osure controls: ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non-	SI Z358-1 011, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L)	11 Eyewash station: on of the environment it is nformation see subsection	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol	Emergency mea Emergency sho Emergency sho vironmental exp accordance with the lage of both the pr atile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon ni Average molecula	AN ISO 3864-1:20 osure controls: ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non- r weight: Non-	SI Z358-1 Dil, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L) applicable applicable	11 Eyewash station: on of the environment it is nformation see subsection	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol	Emergency mea Emergency sho Emergency sho vironmental exp accordance with the lage of both the pr atile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon ni Average molecula	AN ISO 3864-1:20 osure controls: ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non-	SI Z358-1 Dil, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L) applicable applicable	11 Eyewash station: on of the environment it is nformation see subsection	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol With ECTION	Emergency mea Emergency mea Emergency sho Arironmental exp accordance with the lage of both the pr atile organic cord h regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula 9: PHYSICAL A ormation on bas	AN ISO 3864-1:20 osure controls: the community legislation roduct and its container. mpounds: tive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non- r weight: Non- AND CHEMICAL PROP sic physical and chem	SI Z358-1 D11, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties	11 Eyewash station on of the environment it is nformation see subsection lowing characteristics:	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol With ECTION	Emergency mea Emergency mea Emergency sho Arironmental exp accordance with the lage of both the pr atile organic cord h regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula 9: PHYSICAL A ormation on bas	AN ISO 3864-1:20 osure controls: ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non- r weight: Non-	SI Z358-1 D11, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties	11 Eyewash station on of the environment it is nformation see subsection lowing characteristics:	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol. With ECTION .1 Info For App	Emergency mea Emergency mea Emergency sho vironmental exp accordance with the lage of both the pr atile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at 1 Average carbon n Average molecula 9: PHYSICAL A ormation on bas complete informa pearance:	AN ISO 3864-1:20 osure controls: the community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non- r weight: Non- r weight: Non- sic physical and chem tion see the product dat	SI Z358-1 D11, ISO 3864-4:20 for the protection For additional in duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet.	11 Eyewash station: on of the environment it is nformation see subsection lowing characteristics:	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental
Env In a spill Vol. With ECTION .1 Info For App Phy.	Emergency mea Emergency mea Emergency sho inconmental exp accordance with the lage of both the pr atile organic cord h regard to Directi V.O.C. (Supply): V.O.C. density at in Average carbon n Average molecula 9: PHYSICAL A ormation on base complete information	AN ISO 3864-1:20 osure controls: the community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 0 % 20 °C: 0 kg/ umber: Non- r weight: Non- r weight: Non- sic physical and chem tion see the product dat	SI Z358-1 D11, ISO 3864-4:20 for the protection For additional in duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties	11 Eyewash station on of the environment it is nformation see subsection lowing characteristics:	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 s s recommended to avoid environmental

*Not relevant due to the nature of the product, not providing information property of its hazards.

PF022894_IT21 CI022184_IT21 MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

-	08/03/2023 Date of compilation: 04/05/2022	Version: 1
SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Colour:	Ivory
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	100 - 300 °C
	Vapour pressure at 20 °C:	2288 Pa
	Vapour pressure at 50 °C:	12055,07 Pa (12,06 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	Non-applicable *
	Relative density at 20 °C:	0,975 - 1,015
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Non-applicable *
	pH:	10 - 11
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	259 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	

SECTION 10: STABILITY AND REACTIVITY

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022894 IT21 CI022184 IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

rinting: 08/03/2023	Date of compilation:	04/05/2022

1/---- 1

mung.	06/03/2023 Da	ate of compliation. 04/05/2022	Version. 1					
SECT	TON 10: STABILITY	' AND REACTIVITY (contin	ued)					
10.1	Reactivity:							
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.							
10.2	Chemical stability:							
	Chemically stable under the indicated conditions of storage, handling and use.							
10.3	Possibility of hazar	dous reactions:						
	Under the specified o	onditions, hazardous reactions	that lead to excessive tem	peratures or pressure are	e not expected.			
10.4	Conditions to avoid	l:						
	Applicable for handlin	g and storage at room tempera	ature:					
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable	Not applicable	Precaution	Not applicable	Not applicable			
10.5	Incompatible mate	rials:						
	Acids	Water	Oxidising materials	Combustible materials	Others			
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases			
10.6	Hazardous decomp	osition products:						
	D.6 Hazardous decomposition products: See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO ₂), carbon monoxide and other organic compounds.							

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: resorcinol (3); Sodium sulphite (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023 Date of compilation: 04/05/2022 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
- hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	А	Acute toxicity	
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat
CAS: 615-50-9	LD50 dermal	1100 mg/kg (ATEi)	
EC: 210-431-8	LC50 inhalation	11 mg/L (ATEi)	
2-methylresorcinol	LD50 oral	200 mg/kg	Rat
CAS: 608-25-3	LD50 dermal	Non-applicable	
EC: 210-155-8	LC50 inhalation	Non-applicable	
Dodecan-1-ol	LD50 oral	26530 mg/kg	Rat
CAS: 112-53-8	LD50 dermal	Non-applicable	
EC: 203-982-0	LC50 inhalation	Non-applicable	
Tetradecanol	LD50 oral	>5000 mg/kg	Rat
CAS: 112-72-1	LD50 dermal	Non-applicable	
EC: 204-000-3	LC50 inhalation	Non-applicable	
ammonia, anhydrous	LD50 oral	Non-applicable	
CAS: 7664-41-7	LD50 dermal	Non-applicable	
EC: 231-635-3	LC50 inhalation	3 mg/L (ATEi)	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabbit
EC: 203-585-2	LC50 inhalation	Non-applicable	
2-(2,4-diaminophenoxy)ethanol dihydrochloride	LD50 oral	1000 mg/kg	Rat
CAS: 66422-95-5	LD50 dermal	45450 mg/kg	Rat
EC: 266-357-1	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	3393,31 mg/kg (Calculation method)	35,39 %
Dermal 37009,06 mg/kg (Calculation method)		39,46 %
Inhalation	80,52 mg/L (4 h) (Calculation method)	37,63 %

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
Dodecan-1-ol	LC50	1,01 mg/L (96 h)	Pimephales promelas	Fish
CAS: 112-53-8	EC50	320 mg/L (48 h)	Daphnia magna	Crustacear
EC: 203-982-0	EC50	0,97 mg/L (96 h)	Scenedesmus subspicatus	Algae
ammonia, anhydrous	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 7664-41-7	EC50	>0.1 - 1 mg/L (48 h)		Crustacear
EC: 231-635-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacea
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0	EC50	>10 - 100 mg/L (48 h)		Crustacea
EC: 263-058-8	EC50	>10 - 100 mg/L (72 h)		Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacea
EC: 203-585-2	EC50	Non-applicable		
2-methylresorcinol	LC50	58 mg/L (96 h)	N/A	Fish
CAS: 608-25-3	EC50	0,6 mg/L (48 h)	Daphnia magna	Crustacea
EC: 210-155-8	EC50	71 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
2-(2,4-diaminophenoxy)ethanol dihydrochloride	LC50	400 mg/L (96 h)	Danio rerio	Fish
CAS: 66422-95-5	EC50	6,49 mg/L (48 h)	Daphnia magna	Crustacea
EC: 266-357-1	EC50	37,4 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
(R*,R*)-a,4-dimethyl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1- methanol	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 515-69-5	EC50	>1 - 10 mg/L (48 h)		Crustacea
EC: 208-205-9	EC50	>1 - 10 mg/L (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Dodecan-1-ol	NOEC	0,26 mg/L	Pimephales promelas	Fish
CAS: 112-53-8 EC: 203-982-0	NOEC	0,014 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean
2-(2,4-diaminophenoxy)ethanol dihydrochloride	NOEC	Non-applicable		
CAS: 66422-95-5 EC: 266-357-1	NOEC	0,43 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	gradability	Biodegradability	
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
2-methylresorcinol	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 608-25-3	COD	Non-applicable	Period	28 days
EC: 210-155-8	BOD5/COD	Non-applicable	% Biodegradable	64 %
2-(2,4-diaminophenoxy)ethanol dihydrochloride	BOD5	Non-applicable	Concentration	30 mg/L
CAS: 66422-95-5	COD	Non-applicable	Period	28 days
EC: 266-357-1	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification	Bi	oaccumulation potential
Dodecan-1-ol	BCF	180
CAS: 112-53-8	Pow Log	5.13
EC: 203-982-0	Potential	High
resorcinol	BCF	3
CAS: 108-46-3	Pow Log	0.8
EC: 203-585-2	Potential	Low
2-methylresorcinol	BCF	5
CAS: 608-25-3	Pow Log	1.6
EC: 210-155-8	Potential	Low
2-(2,4-diaminophenoxy)ethanol dihydrochloride	BCF	
CAS: 66422-95-5	Pow Log	-0.98
EC: 266-357-1	Potential	

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Vola	atility
Dodecan-1-ol	Кос	15000	Henry	2,25 Pa·m ³ /mol
CAS: 112-53-8	Conclusion	Immobile	Dry soil	Non-applicable
EC: 203-982-0	Surface tension	2,94E-2 N/m (25 °C)	Moist soil	Yes
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable
Tetradecanol	Кос	Non-applicable	Henry	Non-applicable
CAS: 112-72-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-000-3	Surface tension	1,198E-2 N/m (252,68 °C)	Moist soil	Non-applicable
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mol
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No
2-methylresorcinol	Кос	Non-applicable	Henry	0E+0 Pa·m ³ /mol
CAS: 608-25-3	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 210-155-8	Surface tension	Non-applicable	Moist soil	Non-applicable
2-(2,4-diaminophenoxy)ethanol dihydrochloride	Кос	17.8	Henry	Non-applicable
CAS: 66422-95-5	Conclusion	Very High	Dry soil	Non-applicable
EC: 266-357-1	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)		
	It is not possible to assign a specific code, as it depends on the intended use by the user Dangerous			
Type of waste (Regulation (EU) No 1357/2014):				
HP14 Ecotoxic				
Waste management (disposal and evaluation):				

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022894_IT21 CI022184_IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022894_IT21 CI022184_IT21

MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 4.00

Printing: 08	B/03/2023 Date of compilation: 04/05/2022 Version: 1
SECTIO	ON 16: OTHER INFORMATION (continued)
F F	1319: Causes serious eye irritation. 1315: Causes skin irritation. 1412: Harmful to aquatic life with long lasting effects. 1317: May cause an allergic skin reaction.
	exts of the legislative phrases mentioned in section 3:
ir C <i>F</i> F F	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled. Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled. Acute Tox. 4: H300 - Very toxic to aquatic life.
A A A	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
E	Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Gas 2: H221 - Flammable gas.
	Press. Gas: H280 - Contains gas under pressure, may explode if heated. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction.
	TOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).
E S A	Classification procedure: Eye Irrit. 2: Calculation method kin Irrit. 2: Calculation method quatic Chronic 3: Calculation method kin Sens. 1A: Calculation method
A	dvice related to training:
ii	raining is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and nterpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources:
	ttp://echa.europa.eu ttp://eur-lex.europa.eu
	bbreviations and acronyms:
A I I I C E	DR: European agreement concerning the international carriage of dangerous goods by road MDG: International maritime dangerous goods code ATA: International Air Transport Association CAO: International Civil Aviation Organisation CDD: Chemical Oxygen Demand OD5: 5day biochemical oxygen demand ICF: Bioconcentration factor
L	D50: Lethal Dose 50 C50: Lethal Concentration 50 C50: Effective concentration 50 ogPOW: Octanolwater partition coefficient
K L	Sprow: Octaholwater partition coefficient Soc: Partition coefficient of organic carbon JFI: unique formula identifier ARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.