### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

Printing	: 08/03/2023 Date of	compilation: 04/05/2022	Version: 1	
SEC	TION 1: IDENTIFICATION	OF THE SUBSTANCE/MI	IXTURE AND OF	THE COMPANY/UNDERTAKING
1.1	Product identifier:	PF022906_IT21 CI022502_IT21 MOROCCANOIL		Y PERMANENT CREAM COLOR 5.34
	Other means of identific	ation:		
	Non-applicable			
1.2	Relevant identified uses	of the substance or mixtu	re and uses advi	sed against:
	Relevant uses: HAIR COLOF	₹ TINT		
	Uses advised against: All us	es not specified in this sectior	n or in section 7.3	
1.3	Details of the supplier of	the safety data sheet:		
	MOROCCANOIL			
	1 Moshe Levi st' Rishon Lezion - Israel			
	info@moroccanoil.com			
1.4	Emergency telephone nu	Imber: 1-888-700-1817		
SEC	TION 2: HAZARDS IDENT	IFICATION		
2.1	Classification of the sub	stance or mixture:		
		s as defined in REGULATION		forms, which are in the finished state, intended for the
	Classification of this produc	t has been carried out in acco	ordance with CLP R	egulation (EC) No 1272/2008.
	Aquatic Chronic 3: Hazardo	us to the aquatic environment	t. long-term hazard	1. Category 3. H412

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Warning



#### Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

#### Supplementary information:

Contains (R\*,R\*)-a,4-dimethyl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol.

### Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

### Acute Toxicity Estimate (ATE mix):

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

#### Printing: 08/03/2023

Version: 1

### SECTION 2: HAZARDS IDENTIFICATION (continued)

32,63 % (oral), 34,87 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

Date of compilation: 04/05/2022

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	112-53-8	Dodecan-1-ol <sup>(1)</sup>	Self-classified	
	203-982-0 Non-applicable 01-2119787279-18- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Eye Irrit. 2: H319 - Warning	2.5 - <10 %
CAS:	7664-41-7	ammonia, anhydrous	ATP CLP00	
	231-635-3 007-001-00-5 01-2119488876-14- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Aquatic Acute 1: H400; Flam. Gas 2: H221; Press. Gas: H280; Skin Corr. 1B: H314 - Danger	1 - <2.5 %
CAS:	112-72-1	Tetradecanol <sup>(1)</sup>	Self-classified	
	204-000-3 Non-applicable 01-2119485910-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1 - <2.5 %
CAS: EC:	61789-40-0 263-058-8	1-Propanaminium, 3 hydroxides, inner sa	-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., ts <sup>(1)</sup>	
	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	1 - <2.5 %
CAS:	615-50-9	2-methyl-p-phenyler	nediamine sulfate <sup>(1)</sup> Self-classified	
	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	<1 %
CAS:	108-46-3	resorcinol <sup>(1)</sup>	ATP CLP00	
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - 🔶 🏵	<1 %
CAS: EC:	123-30-8	4-aminophenol <sup>(1)</sup>	ATP CLP00	
Index:	204-616-2 612-128-00-X 01-2119535388-31- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Muta. 2: H341 - Warning	<1 %
CAS:	515-69-5	(R*,R*)-a,4-dimethy	I-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol <sup>(1)</sup> Self-classified	
EC: Index: REACH:	208-205-9 Non-applicable Non-applicable	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning	<1 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### Other information:

Identification	Specific concentration limit
	% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

#### Printing: 08/03/2023

Version: 1

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Date of compilation: 04/05/2022

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

#### Printing: 08/03/2023

Version: 1

### SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Wear protective equipment. Keep unprotected persons away. See section 8.

Date of compilation: 04/05/2022

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure lir	nits
resorcinol	IOELV (8h)	10 ppm	45 mg/m <sup>3</sup>
CAS: 108-46-3 EC: 203-585-2	IOELV (STEL)		
ammonia, anhydrous	IOELV (8h)	20 ppm	14 mg/m <sup>3</sup>
CAS: 7664-41-7 EC: 231-635-3	IOELV (STEL)	50 ppm	36 mg/m <sup>3</sup>

### DNEL (Workers):

## MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

### Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	313 mg/m <sup>3</sup>	155 mg/m <sup>3</sup>
ammonia, anhydrous	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-41-7	Dermal	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	47,6 mg/m <sup>3</sup>	36 mg/m <sup>3</sup>	47,6 mg/m <sup>3</sup>	14 mg/m <sup>3</sup>
Tetradecanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	313 mg/m <sup>3</sup>	178 mg/m <sup>3</sup>
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m <sup>3</sup>	Non-applicable
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m <sup>3</sup>	Non-applicable	0,49 mg/m <sup>3</sup>	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m <sup>3</sup>	132,8 mg/m <sup>3</sup>
4-aminophenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 123-30-8	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 204-616-2	Inhalation	Non-applicable	Non-applicable	2,1 mg/m <sup>3</sup>	Non-applicable

### DNEL (General population):

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	77 mg/m <sup>3</sup>	Non-applicable
ammonia, anhydrous	Oral	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
CAS: 7664-41-7	Dermal	68 mg/kg	Non-applicable	68 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	23,8 mg/m <sup>3</sup>	7,2 mg/m <sup>3</sup>	23,8 mg/m <sup>3</sup>	2,8 mg/m <sup>3</sup>
Tetradecanol	Oral	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	77 mg/m <sup>3</sup>	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m <sup>3</sup>	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m <sup>3</sup>	33 mg/m <sup>3</sup>

### PNEC:

Identification				
Dodecan-1-ol	STP	Non-applicable	Fresh water	0,001 mg/L
CAS: 112-53-8	Soil	0,132 mg/kg	Marine water	0 mg/L
EC: 203-982-0	Intermittent	Non-applicable	Sediment (Fresh water)	0,666 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,067 mg/kg
ammonia, anhydrous	STP	Non-applicable	Fresh water	0,001 mg/L
CAS: 7664-41-7	Soil	Non-applicable	Marine water	0,001 mg/L
EC: 231-635-3	Intermittent	0,007 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

#### PF022906\_IT21 CI022502\_IT21 COLOR PHARSONY DEPMANENT CP

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

#### Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Tetradecanol	STP	Non-applicable	Fresh water	0,001 mg/L
CAS: 112-72-1	Soil	0,428 mg/kg	Marine water	0 mg/L
EC: 204-000-3	Intermittent	Non-applicable	Sediment (Fresh water)	2,14 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,214 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00112 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water	0,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water	0,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh water)	0,08 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg
4-aminophenol	STP	0,265 mg/L	Fresh water	0,005 mg/L
CAS: 123-30-8	Soil	0,001 mg/kg	Marine water	0 mg/L
EC: 204-616-2	Intermittent	0,001 mg/L	Sediment (Fresh water)	0,019 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

## MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

ION 8: EXPOSURE CONT	ROLS/PERSUI	NAL PROTECTI			
Pictogram	PPE	Labelling	CEN Standard		Remarks
	ti-slip work shoes		EN ISO 20347:2012	period recom	e before any evidence of deterioratic s of prolonged exposure to the produ professional/industrial users CE III is nended, in accordance with the regu EN ISO 20345:2012 y EN 13832-1:20
F Additional emergency m	easures				
Emergency measure		Standards	Emergency measu	Jre	Standards
Emergency shower		NSI Z358-1 2011, ISO 3864-4:20	11 Eyewash station	S	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2
Environmental exposure	controls:		•	Ľ.	
With regard to Directive 20: V.O.C. (Supply): V.O.C. density at 20 °C: Average carbon number Average molecular weig	0 % 0 kg : Nor	oduct has the follo weight g/m <sup>3</sup> (0 g/L) h-applicable	lowing characteristics:		
For complete information se	-		5:		
For complete information se Appearance:	-	atasheet.			
For complete information se <b>Appearance:</b> Physical state at 20 °C:	-	atasheet. Liqui	d		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance:	-	atasheet. Liqui Crea	d m		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour:	-	atasheet. Liqui Creai Ivory	d m		
Information on basic phy For complete information se Appearance: Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold:	-	atasheet. Liqui Creat Ivory Chart	d m /		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold:	-	atasheet. Liqui Creat Ivory Chart	d m / acteristic		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b>	e the product da	atasheet. Liqui Creat Ivory Chart Non-	d m / acteristic		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric	e the product da	atasheet. Liqui Creat Ivory Chart Non-	d m / acteristic applicable * - 300 °C		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour:	e the product da	atasheet. Liqui Creai Ivory Char Non- 100 - 2292	d m / acteristic applicable * - 300 °C		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C:	e the product da	atasheet. Liqui Creat Ivory Chart Non- 100 - 2292 1207	d m / acteristic -applicable * - 300 °C ? Pa		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C:	e the product da	atasheet. Liqui Creat Ivory Chart Non- 100 - 2292 1207	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa)		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: <b>Product description:</b>	e the product da	atasheet. Liqui Creat Ivory Chart Non- 100 - 2292 1207 Non-	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa)		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 50 °C: Evaporation rate at 20 °C: <b>Product description:</b> Density at 20 °C:	e the product da	atasheet. Liqui Creat Ivory Chart Non- 100 - 2292 1207 Non- Non-	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) applicable *		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 20 °C: Evaporation rate at 20 °C: Evaporation rate at 20 °C: Evaporation rate at 20 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C:	e the product da	atasheet. Liqui Crea Ivory Char Non- 100 - 2292 1207 Non- Non- 0,97	d m / acteristic -applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) -applicable * -applicable * 5 - 1,015		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 20 °C: Evaporation rate at 20 °C: Evaporation rate at 20 °C: Relative density at 20 °C: Dynamic viscosity at 20 °C:	e the product da	atasheet. Liqui Creat Ivory Chart Non- 100 - 2292 1207 Non- 0,975 Non-	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) applicable * - applicable * 5 - 1,015 applicable *		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 20 °C: Evaporation rate at 20 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Dynamic viscosity at 20 °C:	e the product da	atasheet. Liqui Crea Ivory Char Non- 100 - 2292 1207 Non- Non- Non- Non- Non- Non-	d m / acteristic applicable * - 300 °C 2 Pa 24,52 Pa (12,07 kPa) applicable * - applicable * 5 - 1,015 - applicable * - applicable *		
For complete information se <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 50 °C:	e the product da	atasheet. Liqui Creai Ivory Char Non- 100 - 2292 1207 Non- 0,97! Non- 0,97! Non- Non- Non- Non- Non-	d m / acteristic -applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) -applicable * -applicable * 5 - 1,015 -applicable * -applicable * -applicable * -applicable * -applicable * -applicable *		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 20 °C: Evaporation rate at 20 °C: Evaporation rate at 20 °C: <b>Product description:</b> Density at 20 °C: Relative density at 20 °C: Cinematic viscosity at 20 °C: Kinematic viscosity at 40 °C Concentration:	e the product da	atasheet. Liqui Creat Ivory Chart Non- 2292 1207 Non- 0,97! Non- Non- Non- >20, Non-	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) applicable * - applicable * - 1,015 - applicable * - applicable * - applicable * - applicable *		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmospheric Vapour pressure at 20 °C: Vapour pressure at 20 °C: Vapour pressure at 20 °C: Evaporation rate at 20 °C: Product description: Density at 20 °C: Relative density at 20 °C: Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Kinematic viscosity at 40 °C Concentration: pH:	e the product da	atasheet. Liqui Crea Ivory Char Non- 100 - 2292 1207 Non- 0,97! Non- 0,97! Non- Non- 220, Non- Non- 10 -	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) applicable * - applicable *		
For complete information set <b>Appearance:</b> Physical state at 20 °C: Appearance: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour: Colour:	e the product da	atasheet. Liqui Crea Ivory Char Non- 2292 1207 Non- 0,97! Non- Non- Non- 220, Non- Non- Non- Non- Non- Non- Non- Non-	d m / acteristic applicable * - 300 °C ? Pa ?4,52 Pa (12,07 kPa) applicable * - applicable * - 1,015 - applicable * - applicable * - applicable * - applicable *		

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

rinting	: 08/03/2023 Date of compilation: 04/05/2022	2 Version: 1
SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTI	IES (continued)
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	259 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	asses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing in	nformation property of its hazards.

SECTION	10.01		DEAC	TT\ /ΤΤ
SECTION			REAL.	
02011011		/ (DIEI		

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Not applicable	Not applicable

### **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

### **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## PF022906\_IT21 CI022502\_IT21

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

Printing: 08/03/2023 Date of compilation: 04/05/2022

Version: 1

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

### **11.1** Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: resorcinol (3); Sodium sulphite (3)

- Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acı	Acute toxicity	
Dodecan-1-ol	LD50 oral	26530 mg/kg	Rat
CAS: 112-53-8	LD50 dermal	Non-applicable	
EC: 203-982-0	LC50 inhalation	Non-applicable	
Tetradecanol	LD50 oral	>5000 mg/kg	Rat
CAS: 112-72-1	LD50 dermal	Non-applicable	
EC: 204-000-3	LC50 inhalation	Non-applicable	

## MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

### Printing: 08/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification	A	cute toxicity	Genus
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat
CAS: 615-50-9	LD50 dermal	Non-applicable	
EC: 210-431-8	LC50 inhalation	Non-applicable	
ammonia, anhydrous	LD50 oral	Non-applicable	
CAS: 7664-41-7	LD50 dermal	Non-applicable	
EC: 231-635-3	LC50 inhalation	3 mg/L (ATEi)	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabb
EC: 203-585-2	LC50 inhalation	Non-applicable	
4-aminophenol	LD50 oral	393 mg/kg	Rat
CAS: 123-30-8	LD50 dermal	10000 mg/kg	Rabl
EC: 204-616-2	LC50 inhalation	Non-applicable	

### Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	9640,44 mg/kg (Calculation method)	32,63 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	106,6 mg/L (4 h) (Calculation method)	34,87 %

## **11.2** Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

### Other information

Non-applicable

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

#### Acute toxicity:

Identification		Concentration	Species	Genus
Dodecan-1-ol	LC50	1,01 mg/L (96 h)	Pimephales promelas	Fish
CAS: 112-53-8	EC50	320 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-982-0	EC50	0,97 mg/L (96 h)	Scenedesmus subspicatus	Algae
ammonia, anhydrous	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 7664-41-7	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 231-635-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 263-058-8	EC50	>10 - 100 mg/L (72 h)		Algae
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacean
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-585-2	EC50	Non-applicable		
4-aminophenol	LC50	0,82 mg/L (96 h)	Oryzias latipes	Fish
CAS: 123-30-8	EC50	0,18 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-616-2	EC50	0,25 mg/L (72 h)	Selenastrum capricornutum	Algae

## MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

### Printing: 08/03/2023

S

Date of compilation: 04/05/2022

Version: 1

SECTI	CTION 12: ECOLOGICAL INFORMATION (continued)						
	Identification		Concentration	Species	Genus		
	(R*,R*)-a,4-dimethyl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1- methanol	LC50	>1 - 10 mg/L (96 h)		Fish		
	CAS: 515-69-5	EC50	>1 - 10 mg/L (48 h)		Crustacean		
	EC: 208-205-9	EC50	>1 - 10 mg/L (72 h)		Algae		

#### **Chronic toxicity:**

Identification		Concentration	Species	Genus
Dodecan-1-ol	NOEC	0,26 mg/L	Pimephales promelas	Fish
CAS: 112-53-8 EC: 203-982-0	NOEC	0,014 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean
4-aminophenol	NOEC	0,049 mg/L	Oryzias latipes	Fish
CAS: 123-30-8 EC: 204-616-2	NOEC	0,206 mg/L	Daphnia magna	Crustacean

### 12.2 Persistence and degradability:

### Substance-specific information:

Identification	Degradability		Biodegradability	
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
4-aminophenol	BOD5	Non-applicable	Concentration	200 mg/L
CAS: 123-30-8	COD	Non-applicable	Period	5 days
EC: 204-616-2	BOD5/COD	Non-applicable	% Biodegradable	87 %

### 12.3 Bioaccumulative potential:

### Substance-specific information:

Identification	Bioaccumulation potential		
Dodecan-1-ol	BCF	180	
CAS: 112-53-8	Pow Log	5.13	
EC: 203-982-0	Potential	High	
resorcinol	BCF	3	
CAS: 108-46-3	Pow Log	0.8	
EC: 203-585-2	Potential	Low	

### 12.4 Mobility in soil:

Identification	Identification Absorption/desorption		Volatility	
Dodecan-1-ol	Кос	15000	Henry	2,25 Pa·m³/mol
CAS: 112-53-8	Conclusion	Immobile	Dry soil	Non-applicable
EC: 203-982-0	Surface tension	2,94E-2 N/m (25 °C)	Moist soil	Yes
Tetradecanol	Кос	Non-applicable	Henry	Non-applicable
CAS: 112-72-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-000-3	Surface tension	1,198E-2 N/m (252,68 °C)	Moist soil	Non-applicable
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable
resorcinol	Кос	10	Henry	1,001E-5 Pa·m <sup>3</sup> /mo
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No
4-aminophenol	Кос	3.85	Henry	0E+0 Pa·m <sup>3</sup> /mol
CAS: 123-30-8	Conclusion	Very High	Dry soil	No
EC: 204-616-2	Surface tension	Non-applicable	Moist soil	No

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

Printing: 08/03/2023

Version: 1

### SECTION 12: ECOLOGICAL INFORMATION (continued)

### **12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

Date of compilation: 04/05/2022

### **12.7** Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

#### Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## PF022906\_IT21 CI022502\_IT21

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

Printing: 08/03/2023

Version: 1

### SECTION 15: REGULATORY INFORMATION (continued)

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

Date of compilation: 04/05/2022

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox, 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Gas 2: H221 - Flammable gas. Muta. 2: H341 - Suspected of causing genetic defects. Press. Gas: H280 - Contains gas under pressure, may explode if heated. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). **Classification procedure:** Eve Irrit. 2: Calculation method Skin Irrit. 2: Calculation method Aquatic Chronic 3: Calculation method Skin Sens. 1A: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

## MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 5.34

Printing: 08/03/2023	Date of compilation: 04/05/2022	Version: 1			
SECTION 16: OTHER INFORMATION (continued)					
ADR: European agreement concerning the international carriage of dangerous goods by road					
IMDG: International maritime dangerous goods code					
IATA: International Air Transport Association					
ICAO: International Civil Aviation Organisation					
COD: Chemical Oxygen Demand					
BOD5: 5day biochemical oxygen demand					
BCF: Bioconcentration factor					
LD50: Lethal Dose 50					
LC50: Lethal Concentration 50					
EC50: Effective concentration 50					
LogPOW: Octanolwater partition coefficient					
Koc: Partition coefficient of organic carbon					
	UFI: unique formula identifier				
IARC: Internation	IARC: International Agency for Research on Cancer				

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.