#### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

rinting:	: 09/03/2023 Date of compilation	1: 04/05/2022	Version: 1	
SECT	TION 1: IDENTIFICATION OF THE	SUBSTANCE/MI>	(TURE AND OF <sup>-</sup>	THE COMPANY/UNDERTAKING
1.1	Product identifier:	PF022938_IT21 CI022230_IT21 MOROCCANOIL	Color Rhapsody	PERMANENT CREAM COLOR 10.1
	Other means of identification:			
	Non-applicable			
1.2	Relevant identified uses of the su	bstance or mixtur	e and uses advis	ed against:
	Relevant uses: HAIR COLOR TINT			
	Uses advised against: All uses not spe	cified in this section	or in section 7.3	
1.3	Details of the supplier of the safet	y data sheet:		
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com			
1.4	Emergency telephone number: 1	-888-700-1817		

#### 2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

### 2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



#### Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

#### Supplementary information:

EUH208: Contains (R\*,R\*)-a,4-dimethyl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol, 2-methyl-p-phenylenediamine sulfate. May produce an allergic reaction.

#### Acute Toxicity Estimate (ATE mix):

34 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

#### Printing: 09/03/2023

Date of compilation: 04/05/2022

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Version: 1

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration	
	112-53-8	Dodecan-1-ol <sup>(1)</sup>		Self-classified		
REACH:	203-982-0 Non-applicable 01-2119787279-18- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Eye Irrit. 2: H319 - Warning		2.5 - <10 %	
	7664-41-7	ammonia, anhydrous	5(1)	ATP CLP00		
Index: REACH:	231-635-3 007-001-00-5 01-2119488876-14- XXXX	01-00-5 Acute Tox. 3: H331; Aquatic Acute 1: H400; Flam. Gas 2: H221; Press. Gas:			1 - <2.5 %	
	112-72-1 204-000-3	Tetradecanol <sup>(1)</sup>		Self-classified		
Index: REACH:	Non-applicable 01-2119485910-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning		1 - <2.5 %	
CAS: 61789-40-0 <b>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl d</b> EC: 263-058-8 <b>hydroxides, inner salts<sup>(1)</sup></b>						
REACH:	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger		1 - <2.5 %	
	515-69-5	(R*,R*)-a,4-dimethy	l-α-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol <sup>(1)</sup>	Self-classified		
Index:	208-205-9 Non-applicable Non-applicable	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning		<1 %	
	615-50-9	2-methyl-p-phenyler	nediamine sulfate <sup>(1)</sup>	Self-classified		
Index: REACH:	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	<ul><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li></ul>	<1 %	
	108-46-3	resorcinol <sup>(2)</sup>		ATP CLP00		
Index: REACH:	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 Warning	- () (1)	<1 %	

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

(2) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

Identification	Specific concentration limit
	% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

#### Printing: 09/03/2023

Version: 1

#### SECTION 4: FIRST AID MEASURES (continued)

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Date of compilation: 04/05/2022

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

# PF022938\_IT21 CI022230\_IT21

# MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

#### Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Minimum Temp.: 40 °C
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
resorcinol	IOELV (8h)	10 ppm	45 mg/m <sup>3</sup>	
CAS: 108-46-3 EC: 203-585-2	IOELV (STEL)			
ammonia, anhydrous	IOELV (8h)	20 ppm	14 mg/m <sup>3</sup>	
CAS: 7664-41-7 EC: 231-635-3	IOELV (STEL)	50 ppm	36 mg/m <sup>3</sup>	

#### DNEL (Workers):

		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	313 mg/m <sup>3</sup>	155 mg/m <sup>3</sup>
ammonia, anhydrous	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-41-7	Dermal	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	47,6 mg/m <sup>3</sup>	36 mg/m <sup>3</sup>	47,6 mg/m <sup>3</sup>	14 mg/m <sup>3</sup>

### PF022938\_IT21 CI022230\_IT21 MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

### Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification	Identification		Local	Systemic	Local
Tetradecanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	89 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	313 mg/m <sup>3</sup>	178 mg/m <sup>3</sup>
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m <sup>3</sup>	Non-applicable
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m <sup>3</sup>	Non-applicable	0,49 mg/m <sup>3</sup>	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m <sup>3</sup>	132,8 mg/m <sup>3</sup>

### DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Dodecan-1-ol	Oral	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable
CAS: 112-53-8	Dermal	Non-applicable	Non-applicable	44,5 mg/kg	Non-applicable
EC: 203-982-0	Inhalation	Non-applicable	Non-applicable	77 mg/m³	Non-applicable
ammonia, anhydrous	Oral	6,8 mg/kg	Non-applicable	6,8 mg/kg	Non-applicable
CAS: 7664-41-7	Dermal	68 mg/kg	Non-applicable	68 mg/kg	Non-applicable
EC: 231-635-3	Inhalation	23,8 mg/m <sup>3</sup>	7,2 mg/m <sup>3</sup>	23,8 mg/m <sup>3</sup>	2,8 mg/m <sup>3</sup>
Tetradecanol	Oral	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable
CAS: 112-72-1	Dermal	Non-applicable	Non-applicable	44,4 mg/kg	Non-applicable
EC: 204-000-3	Inhalation	Non-applicable	Non-applicable	77 mg/m³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m <sup>3</sup>	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m <sup>3</sup>	33 mg/m <sup>3</sup>

PNEC:

Identification				
Dodecan-1-ol	STP	Non-applicable	Fresh water	0,001 mg/L
CAS: 112-53-8	Soil	0,132 mg/kg	Marine water	0 mg/L
EC: 203-982-0	Intermittent	Non-applicable	Sediment (Fresh water)	0,666 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,067 mg/kg
ammonia, anhydrous	STP	Non-applicable	Fresh water	0,001 mg/L
CAS: 7664-41-7	Soil	Non-applicable	Marine water	0,001 mg/L
EC: 231-635-3	Intermittent	0,007 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Tetradecanol	STP	Non-applicable	Fresh water	0,001 mg/L
CAS: 112-72-1	Soil	0,428 mg/kg	Marine water	0 mg/L
EC: 204-000-3	Intermittent	Non-applicable	Sediment (Fresh water)	2,14 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,214 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg

### PF022938\_IT21 CI022230\_IT21 MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

#### Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00112 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water	0,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water	0,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh water)	0,08 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

#### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Butyl, Breakthrough time: > 480 min, Thickness: 0.35 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

	Emergency measure	Standards	Emergency measure	Standards
	*		<b>•</b> +	
		ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	T	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
	Emergency shower		Eyewash stations	
En	vironmental exposure c	ontrols:		

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:** 

With regard to Directive 2010/75/EU, this product has the following characteristics:

nt
(0 g/L)
cable
cable

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical pro	perties:
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Cream
	Colour:	Ivory
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	100 - 300 °C
	Vapour pressure at 20 °C:	2294 Pa
	Vapour pressure at 50 °C:	12087,27 Pa (12,09 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	Non-applicable *
	Relative density at 20 °C:	0,975 - 1,015
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Non-applicable *
	pH:	10 - 11
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	259 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

- CONTINUED ON NEXT PAGE -

Date of compilation: 04/05/2022

Version: 1

### PF022938\_IT21 CI022230\_IT21 MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

Printing	: 09/03/2023 Date of compilation: 04/05/2022	Version: 1
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	prmation property of its hazards.
L		

# SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Not applicable	Not applicable

### **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):

# PF022938\_IT21 CI022230\_IT21

# MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

	MOROCCANOIE COLOR RHAPS				
: 09/03/2023	Date of compilation: 04/05/2022	Version: 1			
TION 11: TOX	ICOLOGICAL INFORMATION (contir	nued)			
as hazardo - Corrosiv classified a	oxicity : Based on available data, the class ous for inhalation. For more information se <i>i</i> ty/Irritability: Based on available data, th as hazardous for this effect. For more infor th the skin and the eyes (acute effect):	ee section 3. ne classification crite	eria are not met. H	,	
- Contact	with the skin: Produces skin inflammation with the eyes: Produces eye damage after	er contact.			
D- CMR effect	ts (carcinogenicity, mutagenicity and toxic	ity to reproduction)			
as hazardo IARC: re: - Mutager hazardous - Reprodu	genicity: Based on available data, the class ous for the effects mentioned. For more inf sorcinol (3); Sodium sulphite (3) nicity: Based on available data, the classifi for this effect. For more information see s uctive toxicity: Based on available data, the s hazardous for this effect. For more infor	formation see section fication criteria are r section 3. le classification crite	on 3. not met, as it does eria are not met, as	not contain substance	es classified
E- Sensitizing	effects:				
hazardous - Skin: Ba dangerous	tory: Based on available data, the classific with sensitising effects. For more informa ased on available data, the classification cr with sensitising effects. For more informa rget organ toxicity (STOT) - single exposu	ition see section 3. riteria are not met. ation see section 3.			
this effect.	available data, the classification criteria are For more information see section 3.		s not contain subs	tances classified as ha	zardous fo
	rget organ toxicity (STOT)-repeated expos				
However, it - Skin: Ba	target organ toxicity (STOT)-repeated exp t does contain substances classified as haz ased on available data, the classification or for this effect. For more information see s hazard:	zardous for this efferiteria are not met,	ect. For more inforr	mation see section 3.	
	available data, the classification criteria are For more information see section 3.	e not met, as it doe	s not contain subs	tances classified as ha	zardous fo
Non-applicable					
	cology information on the substances	5:			
	Identification			te toxicity	Genu
Dodecan-1-ol			LD50 oral	26530 mg/kg	Rat
CAS: 112-53-8			LD50 dermal	Non-applicable	<u> </u>
EC: 203-982-0			LC50 inhalation	Non-applicable	<u> </u>
Tetradecanol			LD50 oral	>5000 mg/kg	Rat
CAS: 112-72-1			LD50 dermal	Non-applicable	┫
EC: 204-000-3			LC50 inhalation	Non-applicable	
ammonia, anhyd	rous		LD50 oral	Non-applicable	

LD50 dermal

LD50 oral

LD50 oral

LD50 dermal

LC50 inhalation

LD50 dermal

LC50 inhalation

LC50 inhalation

Non-applicable

3 mg/L (ATEi)

Non-applicable

Non-applicable

102 mg/kg

310 mg/kg

2830 mg/kg

Non-applicable

Ingredient(s) of unknown toxicity

ATE mix

CAS: 7664-41-7 EC: 231-635-3

CAS: 615-50-9

EC: 210-431-8

CAS: 108-46-3

EC: 203-585-2

resorcinol

2-methyl-p-phenylenediamine sulfate

Acute Toxicity Estimate (ATE mix):

Rat

Rat

Rabbit

# MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

#### Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION II: TOXICOLOG	ICAL INFORMATION (continued)		
Oral	>2000 mg/kg (Calculation method)	Non-applicable	1
Dermal	>2000 mg/kg (Calculation method)	Non-applicable	
Inhalation	108,03 mg/L (4 h) (Calculation method)	34 %	
11.2 Tufemuchien an athen	have a second as		

11.2 Information on other hazards:

**Endocrine disrupting properties** 

Endocrine-disrupting properties: The product fails to meet the criteria.

#### **Other information**

Non-applicable

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

#### Acute toxicity:

Identification		Concentration	Species	Genus
Dodecan-1-ol	LC50	1,01 mg/L (96 h)	Pimephales promelas	Fish
CAS: 112-53-8	EC50	320 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-982-0	EC50	0,97 mg/L (96 h)	Scenedesmus subspicatus	Algae
ammonia, anhydrous	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 7664-41-7	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 231-635-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 263-058-8	EC50	>10 - 100 mg/L (72 h)		Algae
(R*,R*)-a,4-dimethyl-a-(4-methyl-3-pentenyl)cyclohex-3-ene-1- methanol	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 515-69-5	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 208-205-9	EC50	>1 - 10 mg/L (72 h)		Algae
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacean
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-585-2	EC50	Non-applicable		

#### **Chronic toxicity:**

Identification		Concentration	Species	Genus
Dodecan-1-ol	NOEC	0,26 mg/L	Pimephales promelas	Fish
CAS: 112-53-8 EC: 203-982-0	NOEC	0,014 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean

## 12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
2-methyl-p-phenylenediamine sulfate	BOD5 Non-applicable Co		Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
Bioaccumulative potential:				

#### 12.3 e p

Substance-specific information:

# MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification	Bioa	cumulation potential
Dodecan-1-ol	BCF	180
CAS: 112-53-8	Pow Log	5.13
EC: 203-982-0	Potential	High
resorcinol	BCF	3
CAS: 108-46-3	Pow Log	0.8
EC: 203-585-2	Potential	Low

#### 12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
Dodecan-1-ol	Кос	15000	Henry	2,25 Pa·m³/mol	
CAS: 112-53-8	Conclusion	Immobile	Dry soil	Non-applicable	
EC: 203-982-0	Surface tension	2,94E-2 N/m (25 °C)	Moist soil	Yes	
Tetradecanol	Кос	Non-applicable	Henry	Non-applicable	
CAS: 112-72-1	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 204-000-3	Surface tension	1,198E-2 N/m (252,68 °C)	Moist soil	Non-applicable	
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable	
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable	
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable	
resorcinol	Кос	10	Henry	1,001E-5 Pa·m <sup>3</sup> /mol	
CAS: 108-46-3	Conclusion	High	Dry soil	No	
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No	

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### **12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

#### 12.7 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# PF022938\_IT21 CI022230\_IT21

### MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

Printing: 09/03/2023

Date of compilation: 04/05/2022 Version: 1

### SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

#### Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H315: Causes skin irritation.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

> PF022938\_IT21 CI022230\_IT21

## MOROCCANOIL COLOR RHAPSODY PERMANENT CREAM COLOR 10.1

SECTION 16: OTHER INFORMATION (continued)         Acute Tox. 3: H301 - Toxic if inhaled.         Acute Tox. 4: H302 - Harmful in contact with skin or if inhaled.         Acute Tox. 4: H302 - Harmful in contact with skin or if inhaled.         Aquatic Acute 1: H400 - Very toxic to aquatic life.         Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.         Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.         Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.         Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.         Aquatic Chronic 2: H412 - Harmful to aquatic life with long lasting effects.         Eye Dam. 1: H318 - Causes serious eye damage.         Eye Intt. 2: H319 - Causes serious eye damage.         Skin Torn: 1B: H314 - Causes serious eye damage.         Skin Intt. 2: H319 - Causes serious eye damage.         Skin Intt. 2: H319 - Causes series exine mores and eye damage.         Skin Intt. 2: H319 - May cause an allergic skin reaction.         Skin Sens. 1: H317 - May cause an allergic skin reaction.         Skin Intt. 2: Calculation method         Skin Intt. 2: Calculatin method         Skin Intt. 2: Calculat	Printing: 09/03/2023	Date of compilation: 04/05/2022 Version: 1
Acute Tox. 3: H331 - Toxic if inhaled.         Acute Tox. 4: H302 - Harmful if swallowed.         Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled.         Aquatic Acute 1: H400 - Very toxic to aquatic life.         Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.         Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Aquatic Chronic 3: H413 - Causes serious eye damage.         Eye Parn. 1: H318 - Causes serious eye damage.         Skin Corr. 18: H314 - Causes serie skin burns and eye damage.         Skin Trit. 2: H315 - Causes sever skin burns and eye damage.         Skin Trit. 2: H315 - Causes sever skin burns and eye damage.         Skin Trit. 2: H315 - Causes sever skin reaction.         Skin Sens. 1: H317 - May cause an allergic skin reaction.         Skin Sens. 1: H317 - May cause an allergic skin reaction.         Skin Trit. 2: Calculation method         Advice related to training:         Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.         Principal bibliographical sources:         http://eurlex.europa.eu         http://eurlex.europa.eu         http://eurlex.europa.eu         http://eurlex.europa.eu         BDSe: International Air Transport Association <td>SECTION 16: OTHE</td> <td>R INFORMATION (continued)</td>	SECTION 16: OTHE	R INFORMATION (continued)
Classification procedure:         Eye Irrit. 2: Calculation method         Skin Irrit. 2: Calculation method         Advice related to training:         Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.         Principal bibliographical sources:         http://echa.europa.eu         http://eur-lex.europa.eu         Abbreviations and acronyms:         ADR: European agreement concerning the international carriage of dangerous goods by road         IMDG: International Maritime dangerous goods code         IATA: International Air Transport Association         ICAO: International Civil Aviation Organisation         COD: Chemical Oxygen Demand         BOD5: 5day biochemical oxygen demand         BCF: Bioconcentration factor         LD50: Lethal Dose 50	Acute Tox. 3: H3 Acute Tox. 4: H3 Acute Tox. 4: H3 Aquatic Acute 1: Aquatic Acute 1: Aquatic Chronic Aquatic Chronic Eye Dam. 1: H3 Eye Irrit. 2: H31 Flam. Gas 2: H2 Press. Gas: H28 Skin Corr. 1B: H3 Skin Irrit. 2: H33 Skin Sens. 1: H3 Skin Sens. 1A: H3	<ul> <li>31 - Toxic if inhaled.</li> <li>02 - Harmful if swallowed.</li> <li>12+H332 - Harmful in contact with skin or if inhaled.</li> <li>H400 - Very toxic to aquatic life.</li> <li>11 H410 - Very toxic to aquatic life with long lasting effects.</li> <li>12 H411 - Toxic to aquatic life with long lasting effects.</li> <li>13 H412 - Harmful to aquatic life with long lasting effects.</li> <li>14 - Causes serious eye damage.</li> <li>14 - Causes severe skin burns and eye damage.</li> <li>14 - Causes skin irritation.</li> <li>17 - May cause an allergic skin reaction.</li> </ul>
<ul> <li>Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.</li> <li><b>Principal bibliographical sources:</b> <ul> <li>http://echa.europa.eu</li> <li>http://eur-lex.europa.eu</li> </ul> </li> <li><b>Abbreviations and acronyms:</b> <ul> <li>ADR: European agreement concerning the international carriage of dangerous goods by road</li> <li>IMDG: International maritime dangerous goods code</li> <li>IATA: International Air Transport Association</li> <li>ICAO: International Civil Aviation Organisation</li> <li>COD: Chemical Oxygen Demand</li> <li>BOD5: 5day biochemical oxygen demand</li> <li>BCF: Bioconcentration factor</li> <li>LD50: Lethal Dose 50</li> </ul> </li> </ul>	<b>Classification</b> Eye Irrit. 2: Calc Skin Irrit. 2: Calc	procedure: ulation method ulation method
Principal bibliographical sources:http://echa.europa.euhttp://eur-lex.europa.euAbbreviations and acronyms:ADR: European agreement concerning the international carriage of dangerous goods by roadIMDG: International maritime dangerous goods codeIATA: International Air Transport AssociationICAO: International Civil Aviation OrganisationCOD: Chemical Oxygen DemandBOD5: 5day biochemical oxygen demandBCF: Bioconcentration factorLD50: Lethal Dose 50	Training is recon	mended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and
http://echa.europa.eu http://eur-lex.europa.eu <b>Abbreviations and acronyms:</b> ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50		
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50	http://echa.euro	pa.eu
IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50		•
LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer	IMDG: Internation IATA: Internation ICAO: Internation COD: Chemical ( BOD5: 5day biod BCF: Bioconcent LD50: Lethal Do LC50: Lethal Con EC50: Effective of LogPOW: Octand Koc: Partition co UFI: unique form	inal maritime dangerous goods code nal Air Transport Association nal Civil Aviation Organisation Dxygen Demand hemical oxygen demand ration factor se 50 iccentration 50 oncentration 50 olwater partition coefficient efficient of organic carbon nula identifier

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.