MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing	: 09/03/2023	Date of compilation: 04/05/2022 Version: 1
SEC	TION 1: IDENTIF	FICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifi	ier: PF022968_IT21 CI022425_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3
	Other means of	identification:
	Non-applicable	
1.2	Relevant identi	fied uses of the substance or mixture and uses advised against:
	Relevant uses: H/	AIR COLOR TINT
	Uses advised aga	inst: All uses not specified in this section or in section 7.3
1.3	Details of the s	upplier of the safety data sheet:
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Is info@moroccanoi	
1.4	Emergency tele	phone number: 1-888-700-1817
L		
SE <u>C</u>	TION 2: HAZ <u>ARD</u>	DS IDENTIFICATION
2.1	Classification o	f the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 2-methylresorcinol, 5-amino-o-cresol.

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Acute Toxicity Estimate (ATE mix):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

34,1 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

Date of compilation: 04/05/2022

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	3055-94-5	2-[2-[2-(dodeciloxi)	etoxi]etoxi]etanol ⁽¹⁾ Self-classified	
	221-280-2 Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	2.5 - <10 %
CAS: EC:	61789-40-0 263-058-8	1-Propanaminium, 3 hydroxides, inner sal	-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., ts ⁽¹⁾	
	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	1 - <2.5 %
CAS: EC:	37310-83-1 253-455-4	9-Octadecen-1-ol, (Z)-, phosphate ⁽¹⁾ Self-classified	
Index:	Non-applicable 01-2119980737-21- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	1 - <2.5 %
CAS:	615-50-9	2-methyl-p-phenyler	rediamine sulfate ⁽¹⁾ Self-classified	
	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	<1 %
CAS:	1310-58-3	potassium hydroxide	(1) ATP CLP00	
	215-181-3 019-002-00-8 01-2119487136-33- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger	<1 %
CAS:	108-46-3	resorcinol ⁽¹⁾	ATP CLP00	
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - 🔶 🌘	<1 %
CAS:	123-30-8	4-aminophenol ⁽¹⁾	ATP CLP00	
	204-616-2 612-128-00-X 01-2119535388-31- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Muta. 2: H341 - Warning	<1 %
CAS:	608-25-3	2-methylresorcinol ⁽¹) Self-classified	
EC: Index: REACH:	210-155-8 Non-applicable 01-2120030526-64- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger	<1 %
CAS:	2835-95-2	5-amino-o-cresol ⁽¹⁾	Self-classified	
	220-618-6 Non-applicable 01-2120766272-54- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1A: H317 - Warning	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification	Specific concentration limit
	% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319
potassium hydroxide CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupational exposure limits			
resorcinol		IOELV (8h)	10 ppm	45 mg/m ³	
CAS: 108-46-3	EC: 203-585-2	IOELV (STEL)			

DNEL (Workers):

		Short e	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable
9-Octadecen-1-ol, (Z)-, phosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 37310-83-1	Dermal	Non-applicable	Non-applicable	55,6 mg/kg	Non-applicable
EC: 253-455-4	Inhalation	Non-applicable	Non-applicable	19,6 mg/m ³	Non-applicable
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³
4-aminophenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 123-30-8	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 204-616-2	Inhalation	Non-applicable	Non-applicable	2,1 mg/m ³	Non-applicable
2-methylresorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 608-25-3	Dermal	Non-applicable	Non-applicable	1,4 mg/kg	Non-applicable
EC: 210-155-8	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	3,226 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	6,601 mg/m ³	Non-applicable

DNEL (General population):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³
2-methylresorcinol	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
CAS: 608-25-3	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
EC: 210-155-8	Inhalation	Non-applicable	Non-applicable	0,87 mg/m ³	Non-applicable

PF022968_IT21 CI022425_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	g exposure
Identification		Systemic	Local	Systemic	Local
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	1,613 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	1,647 mg/m ³	Non-applicable
PNEC:		-			
Identification					
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0	,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0	,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh	water) 0	,219 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water) 0	,0219 mg/kg
9-Octadecen-1-ol, (Z)-, phosphate	STP	1,9 mg/L	Fresh water	Ν	Ion-applicable
CAS: 37310-83-1	Soil	Non-applicable	Marine water	Ν	Ion-applicable
EC: 253-455-4	Intermittent	Non-applicable	Sediment (Fresh	water)	Ion-applicable
	Oral	Non-applicable	Sediment (Marine	e water)	Ion-applicable
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0	,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0	,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh	water) 0	,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water) 0	,00112 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water	0	,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water	0	,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh	water) 0	,08 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water) 0	,008 mg/kg
4-aminophenol	STP	0,265 mg/L	Fresh water	0	,005 mg/L
CAS: 123-30-8	Soil	0,001 mg/kg	Marine water	0	mg/L
EC: 204-616-2	Intermittent	0,001 mg/L	Sediment (Fresh	water) 0	,019 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water) 0	mg/kg
2-methylresorcinol	STP	0,32 mg/L	Fresh water	0	,249 mg/L
CAS: 608-25-3	Soil	0,709 mg/kg	Marine water	0	,0249 mg/L
EC: 210-155-8	Intermittent	0,00605 mg/L	Sediment (Fresh	water) 4	,28 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water) 0	,428 mg/kg
5-amino-o-cresol	STP	1,5 mg/L	Fresh water	0	,024 mg/L
CAS: 2835-95-2	Soil	0,012 mg/kg	Marine water	0	,0024 mg/L
EC: 220-618-6	Intermittent	0,023 mg/L	Sediment (Fresh	water) 0	,129 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water) 0	,013 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Picto	gram	PPE	Labelling	CEN Standard	Remarks
Mano respirat	datory ory tract ection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
C Specific	protectio	n for the hands			
Non-ann	licablo				

Non-applicable

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

ıg:	09/03/2023 D	ate of co					
СТ	TION 8: EXPOSURE	CONTR	OLS/PERSON	AL PROTECT	ON (continued)		
	D Eye and face prot	ection					
	Pictogram		PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection		nic glasses against sh/projections.	CAT II	EN 166:2002 EN ISO 4007:2018		a daily and disinfect periodically according nanufacturer 's instructions. Use if there is risk of splashing.
	E Body protection						
	Pictogram		PPE	Labelling	CEN Standard		Remarks
		W	ork clothing	CATI		perio recom	ce before any evidence of deterioration. Fi ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulatio ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
			slip work shoes		EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007
	F Additional emerge	ency mea	isures				
	Emergency mea	asure	St	tandards	Emergency me	asure	Standards
	*		ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 Eyewash stations				
	spillage of both the p	posure c ne comm product a	ISO 3864-1:20 ontrols: unity legislation nd its container.	for the protecti	11 Eyewash sta	it is reco	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with th spillage of both the p Volatile organic co	posure c ne comm product au mpounc tive 2010, 20 °C: number:	ISO 3864-1:20 ontrols: unity legislation nd its container. ds: /75/EU, this proc 0 % v 0 kg/ Non-a	for the protecti For additional in	11 Eyewash sta	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
CT	Environmental exp In accordance with th spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n	posure c me comm product an mpounc tive 2010, 20 °C: number: ar weight	ISO 3864-1:20 ontrols: unity legislation nd its container. ds: /75/EU, this proc 0 % v 0 kg/ Non-a : Non-a	for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable	11 Eyewash sta	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
СТ	Environmental exp In accordance with th spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula TION 9: PHYSICAL A Information on base For complete information	oosure c ne comm product a mpound tive 2010 20 °C: number: ar weight AND CH sic phys	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES	11 Eyewash sta	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula TION 9: PHYSICAL A Information on base For complete information Appearance:	AND CH sic physical and see	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional i duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet.	11 Eyewash sta on of the environment nformation see subsect lowing characteristics:	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula TION 9: PHYSICAL A Information on base For complete information Appearance: Physical state at 20 °	AND CH sic physical and see	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional in duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui	11 Eyewash sta on of the environment nformation see subsect lowing characteristics:	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula TION 9: PHYSICAL A Information on base For complete informat Appearance: Physical state at 20 ° Appearance:	AND CH sic physical and see	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional i duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui	11 Eyewash sta on of the environment nformation see subsect lowing characteristics:	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula TION 9: PHYSICAL A Information on base For complete informat Appearance: Physical state at 20 ° Appearance: Colour:	AND CH sic physical and see	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional i duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui	11 Eyewash sta on of the environment nformation see subsect lowing characteristics:	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula TION 9: PHYSICAL / Information on base For complete informat Appearance: Physical state at 20 ° Appearance: Colour: Odour:	AND CH sic physical and see	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional in duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui Emu	11 Eyewash sta on of the environment nformation see subsect lowing characteristics:	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula TION 9: PHYSICAL / Information on base For complete informat Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold:	AND CH sic physical and see	ISO 3864-1:20 ontrols: unity legislation nd its container. Js: /75/EU, this proc 0 % v 0 kg/v Non-a : Non-a IEMICAL PROP sical and chemi	for the protecti For additional in duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui Emu	11 Eyewash sta on of the environment nformation see subsect lowing characteristics:	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula TION 9: PHYSICAL A Information on base For complete informat Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: Volatility:	AND CH sic phys	ISO 3864-1:20 ontrols: unity legislation ind its container. ds: /75/EU, this proc 0 % v 0 kg/i Non-a : Non-a : Non-a IEMICAL PROP ical and chemi the product data	for the protecti For additional i duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui Emu Char Non-	11 Eyewash sta on of the environment nformation see subsect lowing characteristics: s: d lsion Beige acteristic applicable *	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon in Average molecula TION 9: PHYSICAL A Information on base For complete informat Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmos	posure c me comm product an impound ive 2010, 20 °C: number: ar weight AND CH sic phys ation see PC:	ISO 3864-1:20 ontrols: unity legislation ind its container. ds: /75/EU, this proc 0 % v 0 kg/i Non-a : Non-a : Non-a IEMICAL PROP ical and chemi the product data	for the protecti For additional in duct has the fol weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui Emu Char Non- 100	11 Eyewash sta on of the environment nformation see subsect lowing characteristics: s: d lsion Beige acteristic applicable * - 1320 °C	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental
	Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon m Average molecula TION 9: PHYSICAL A Information on base For complete informat Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: Volatility:	posure c me comm product an inpounc ive 2010, 20 °C: number: ar weight AND CH sic phys ation see PC: spheric p 0 °C:	ISO 3864-1:20 ontrols: unity legislation ind its container. ds: /75/EU, this proc 0 % v 0 kg/i Non-a : Non-a : Non-a IEMICAL PROP ical and chemi the product data	for the protecti For additional i duct has the fol weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liqui Emu Char Non- 100 2327	11 Eyewash sta on of the environment nformation see subsect lowing characteristics: s: d lsion Beige acteristic applicable * - 1320 °C	it is reco	ISO 3864-1:2011, ISO 3864-4:2011 mmended to avoid environmental

PF022968_IT21 CI022425_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing	: 09/03/2023	Date of compilation: 04/05/2022	Version: 1
SEC	TION 9: PHYSI	CAL AND CHEMICAL PROPERTIE	IS (continued)
	Evaporation rat	e at 20 ºC:	Non-applicable *
	Product desci	ription:	
	Density at 20 o	C:	1010,2 kg/m³
	Relative density	/ at 20 °C:	0,975 - 1,015
	Dynamic viscos	ity at 20 °C:	Non-applicable *
	Kinematic visco	sity at 20 °C:	Non-applicable *
	Kinematic visco	sity at 40 °C:	>20,5 mm²/s
	Concentration:		Non-applicable *
	pH:		9 - 10,5
	Vapour density	at 20 °C:	Non-applicable *
	Partition coeffic	ient n-octanol/water 20 °C:	Non-applicable *
	Solubility in wat	ter at 20 °C:	Non-applicable *
	Solubility prope	rties:	Non-applicable *
	Decomposition	temperature:	Non-applicable *
	Melting point/fr	eezing point:	Non-applicable *
	Flammability:	1	
	Flash Point:		Non Flammable (>60 °C)
	Flammability (s	olid, gas):	Non-applicable *
	Autoignition ter	nperature:	327 °C
	Lower flammab	ility limit:	Non-applicable *
	Upper flammab	ility limit:	Non-applicable *
	Particle chara	cteristics:	
	Median equivale	ent diameter:	Non-applicable
9.2	Other informa	ation:	
	Information v	with regard to physical hazard clas	ises:
	Explosive prope	erties:	Non-applicable *
	Oxidising prope	erties:	Non-applicable *
	Corrosive to me	etals:	Non-applicable *
	Heat of combus	stion:	Non-applicable *
	components:	percentage (by mass) of flammable	Non-applicable *
	-	characteristics:	
	Surface tension	at 20 °C:	Non-applicable *
	Refraction inde	x:	Non-applicable *
	*Not relevant due	to the nature of the product, not providing info	prmation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

PF022968 IT21

	м	OROCCA		I022425_IT21 PSO DEMI-PERMAN	ENT CREAM COLOF	₹ 6.3
Printing:	09/03/2023	Date of o	compilation: 04/05/2022	Version: 1		
SECT	ION 10: STAB	ILITY AND	REACTIVITY (continu	ued)		
	Applicable for h	andling and	storage at room tempera	ture:		
	Shock and f	riction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applic	able	Not applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible	materials:				
	Acids		Water	Oxidising materials	Combustible materials	Others
	Avoid strong	g acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases
10.6	Hazardous de	compositio	n products:			
						decomposition conditions, other organic compounds.
SECT	ION 11: TOXI	COLOGICA	L INFORMATION			
11.1	Information o	on hazard c	lasses as defined in Re	gulation (EC) No 1272	/2008:	
	The experiment	al informatio	on related to the toxicolog	gical properties of the proc	duct itself is not available	
	Dangerous he	alth implic	ations:			
		on health m	ay result, depending on t		an the recommended occ	upational exposure limits,
	as dangerou	is for consur ty/Irritability g.	nption. For more informat The consumption of a co	lassification criteria are no tion see section 3. onsiderable dose can caus		
	as hazardou - Corrosivit classified as	s for inhalat ty/Irritability hazardous f	ion. For more information	, the classification criteria formation see section 3.		
	 Contact w 	with the eyes	: Produces skin inflamma : Produces eye damage a icity, mutagenicity and to	after contact.		
				lassification criteria are no information see section 3		tain substances classified

IARC: resorcinol (3); Sodium sulphite (3)

Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus	
2-methylresorcinol	LD50 oral	200 mg/kg	Rat	
CAS: 608-25-3	LD50 dermal	Non-applicable		
EC: 210-155-8	LC50 inhalation	Non-applicable		
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat	
CAS: 615-50-9	LD50 dermal	Non-applicable		
EC: 210-431-8	LC50 inhalation	Non-applicable		
potassium hydroxide	LD50 oral	388 mg/kg	Rat	
CAS: 1310-58-3	LD50 dermal	Non-applicable		
EC: 215-181-3	LC50 inhalation	Non-applicable		
resorcinol	LD50 oral	310 mg/kg	Rat	
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabbit	
EC: 203-585-2	LC50 inhalation	Non-applicable		
4-aminophenol	LD50 oral	393 mg/kg	Rat	
CAS: 123-30-8	LD50 dermal	10000 mg/kg	Rabbit	
EC: 204-616-2	LC50 inhalation	Non-applicable		
5-amino-o-cresol	LD50 oral	3600 mg/kg	Rat	
CAS: 2835-95-2	LD50 dermal	5688 mg/kg	Rat	
EC: 220-618-6	LC50 inhalation	Non-applicable		

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral 8518,61 mg/kg (Calculation method)		34,1 %
Dermal >2000 mg/kg (Calculation method)		Non-applicable
Inhalation >20 mg/L (4 h) (Calculation method)		Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts		>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0 EC: 263-058-8		>10 - 100 mg/L (48 h)		Crustacean
		>10 - 100 mg/L (72 h)		Algae
9-Octadecen-1-ol, (Z)-, phosphate		110 mg/L (96 h)	Danio rerio	Fish
CAS: 37310-83-1	EC50	110 mg/L (48 h)	Daphnia magna	Crustacean
EC: 253-455-4	EC50	110 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

PF022968_IT21 CI022425_IT21 NOTL COLOR CALYPSO DEMI-PERMANENT CREAM

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification		Concentration	Species	Genu
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crusta
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Alga
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fisł
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crusta
EC: 203-585-2	EC50	Non-applicable		
4-aminophenol	LC50	0,82 mg/L (96 h)	Oryzias latipes	Fisł
CAS: 123-30-8	EC50	0,18 mg/L (48 h)	Daphnia magna	Crusta
EC: 204-616-2	EC50	0,25 mg/L (72 h)	Selenastrum capricornutum	Alga
2-methylresorcinol	LC50	58 mg/L (96 h)	N/A	Fish
CAS: 608-25-3	EC50	0,6 mg/L (48 h)	Daphnia magna	Crusta
EC: 210-155-8	EC50	71 mg/L (72 h)	Pseudokirchneriella subcapitata	Alga
5-amino-o-cresol	LC50	25 mg/L (96 h)	Danio rerio	Fish
CAS: 2835-95-2	EC50	2,3 mg/L (48 h)	Daphnia magna	Crusta
EC: 220-618-6	EC50	17 mg/L (72 h)	Pseudokirchneriella subcapitata	Alga

Chronic toxicity:

Identification	Concentration		Species	Genus
resorcinol	NOEC Non-applicable			
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean
4-aminophenol	NOEC	0,049 mg/L	Oryzias latipes	Fish
CAS: 123-30-8 EC: 204-616-2	NOEC	0,206 mg/L	Daphnia magna	Crustacean
5-amino-o-cresol	NOEC Non-applicable			
CAS: 2835-95-2 EC: 220-618-6	NOEC 0,24 mg/L		Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	egradability	Biode	egradability
9-Octadecen-1-ol, (Z)-, phosphate	BOD5	Non-applicable	Concentration	3 mg/L
CAS: 37310-83-1	COD	0 g O2/g	Period	28 days
EC: 253-455-4	BOD5/COD	Non-applicable	% Biodegradable	26,1 %
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
4-aminophenol	BOD5	Non-applicable	Concentration	200 mg/L
CAS: 123-30-8	COD	Non-applicable	Period	5 days
EC: 204-616-2	BOD5/COD	Non-applicable	% Biodegradable	87 %
2-methylresorcinol	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 608-25-3	COD	Non-applicable	Period	28 days
EC: 210-155-8	BOD5/COD	Non-applicable	% Biodegradable	64 %
5-amino-o-cresol	BOD5	Non-applicable	Concentration	15 mg/L
CAS: 2835-95-2	COD	Non-applicable	Period	28 days
EC: 220-618-6	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
9-Octadecen-1-ol, (Z)-, phosphate	BCF	
CAS: 37310-83-1	Pow Log	7.42
EC: 253-455-4	Potential	

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

ION 12: ECOLOGICAL INFORMATION (continued)		
Identification	Bioa	cumulation potential
resorcinol	BCF	3
CAS: 108-46-3	Pow Log	0.8
EC: 203-585-2	Potential	Low
2-methylresorcinol	BCF	5
CAS: 608-25-3	Pow Log	1.6
EC: 210-155-8	Potential	Low
5-amino-o-cresol	BCF	
CAS: 2835-95-2	Pow Log	0.53
EC: 220-618-6	Potential	

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volat	tility
9-Octadecen-1-ol, (Z)-, phosphate	Кос	74000	Henry	Non-applicable
CAS: 37310-83-1	Conclusion	Immobile	Dry soil	Non-applicable
EC: 253-455-4	Surface tension	Non-applicable	Moist soil	Non-applicable
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mo
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No
4-aminophenol	Кос	3.85	Henry	0E+0 Pa·m ³ /mol
CAS: 123-30-8	Conclusion	Very High	Dry soil	No
EC: 204-616-2	Surface tension	Non-applicable	Moist soil	No
2-methylresorcinol	Кос	Non-applicable	Henry	0E+0 Pa·m ³ /mol
CAS: 608-25-3	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 210-155-8	Surface tension	Non-applicable	Moist soil	Non-applicable
5-amino-o-cresol	Кос	17.8	Henry	Non-applicable
CAS: 2835-95-2	Conclusion	Very High	Dry soil	Non-applicable
EC: 220-618-6	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022968_IT21 CI022425_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022968_IT21 CI022425_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.3

	MURUCCANUIL COLUR CALIPS	O DEMI-PERMANENT CREAM COLOR 6.3
Printing: 09/03/2023	Date of compilation: 04/05/2022	Version: 1
SECTION 16: OTH	HER INFORMATION (continued)	
individual con CLP Regulat Acute Tox. 3: Acute Tox. 4: Acute Tox. 4: Acute Tox. 4: Acute Tox. 4: Aquatic Acute Aquatic Chron Aquatic Chron Eye Dam. 1: Eye Irrit. 2: H Muta. 2: H34 Skin Corr. 1A: Skin Sens. 1: Skin Sens. 1:	hponents which appear in section 3 cion (EC) No 1272/2008: H301 - Toxic if swallowed. H302 - Harmful if swallowed. H302+H332 - Harmful if swallowed or if ir H312+H332 - Harmful in contact with skir 1: H400 - Very toxic to aquatic life. hic 1: H410 - Very toxic to aquatic life with hic 2: H411 - Toxic to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long his 3: H412 - Harmful to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 3: H412 - Harmful to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 4: H410 - Very toxic to aquatic life with long his 5: H412 - Harmful to aquatic life with long his 6: H411 - Toxic to aquatic life with long his 6: H411 - Toxic to aquatic life with long his 6: H411 - Toxic to aquatic life with long his 6: H411 - Toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic life with long his 7: H410 - Very toxic to aquatic	n or if inhaled. long lasting effects. lasting effects. ong lasting effects. e damage. n.
	1373 - May cause damage to organs throug	Jh prolonged or repeated exposure (Oral).
Skin Sens. 1A Aquatic Chror Skin Irrit. 2: (n procedure: : Calculation method nic 3: Calculation method Calculation method ialculation method	
'	ed to training:	
Training is rec interpretation	commended in order to prevent industrial r of this safety data sheet, as well as the la	isks for staff using this product and to facilitate their comprehension and bel on the product.
Principal bit http://echa.eu http://eur-lex		
Abbreviation	ns and acronyms:	
IMDG: Interna IATA: Interna ICAO: Interna COD: Chemica BOD5: 5day b BCF: Bioconce	an agreement concerning the international ational maritime dangerous goods code tional Air Transport Association ational Civil Aviation Organisation al Oxygen Demand piochemical oxygen demand entration factor	carriage of dangerous goods by road
EC50: Effectiv LogPOW: Oct. Koc: Partition UFI: unique fo	Dose 50 Concentration 50 ve concentration 50 anolwater partition coefficient coefficient of organic carbon ormula identifier itional Agency for Research on Cancer	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.