MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing	p: 09/03/2023 Date of compilation: 04/05/2022 Version: 1
SEC	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: PF022980_IT21 CI022437_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: HAIR COLOR TINT
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
1.4	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com Emergency telephone number: 1-888-700-1817
SEC	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009 CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9); 5-amino-o-cresol (CAS: 2835-95-2)

Acute Toxicity Estimate (ATE mix):

34,1 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

2.3 Other hazards:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration		
CAS: EC:	3055-94-5 221-280-2	2-[2-[2-(dodeciloxi)	etoxi]etoxi]etanol ⁽¹⁾	Self-classified			
Index:	Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	()	2.5 - <10 %		
CAS: EC: Index:	61789-40-0 263-058-8 Non-applicable	hydroxides, inner salts ⁽¹⁾					
	01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger		1 - <2.5 %		
CAS: EC:	37310-83-1	9-Octadecen-1-ol, (Z	?)-, phosphate ⁽¹⁾	Self-classified			
Index:	253-455-4 Non-applicable : 01-2119980737-21- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger		1 - <2.5 %		
CAS:	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33- XXXX	potassium hydroxide	(1)	ATP CLP00			
		Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger		<1 %		
CAS:	615-50-9 210-431-8 Non-applicable 01-2119962199-25- XXXX	2-methyl-p-phenyler	nediamine sulfate ⁽¹⁾	Self-classified			
		Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger		<1 %		
CAS:	2835-95-2	5-amino-o-cresol ⁽¹⁾		Self-classified			
	220-618-6 Non-applicable 01-2120766272-54- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1A: H317 - Warning	() ()	<1 %		
CAS:	123-30-8	4-aminophenol ⁽¹⁾		ATP CLP00			
	204-616-2 612-128-00-X 01-2119535388-31- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Muta 2: H341 - Warning	· (!) (\$ (\$	<1 %		
CAS:	108-46-3	resorcinol ⁽¹⁾		ATP CLP00			
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 Warning	- () (L)	<1 %		

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
	% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319
CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Version: 1

Printing: 09/03/2023

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Date of compilation: 04/05/2022

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
resorcinol	IOELV (8h)	10 ppm	45 mg/m ³
CAS: 108-46-3 EC: 203-585-2	IOELV (STEL)		

DNEL (Workers):

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022980_IT21 CI022437_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable
9-Octadecen-1-ol, (Z)-, phosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 37310-83-1	Dermal	Non-applicable	Non-applicable	55,6 mg/kg	Non-applicable
EC: 253-455-4	Inhalation	Non-applicable	Non-applicable	19,6 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	3,226 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	6,601 mg/m ³	Non-applicable
4-aminophenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 123-30-8	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 204-616-2	Inhalation	Non-applicable	Non-applicable	2,1 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³

DNEL (General population):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	1,613 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	1,647 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³

PNEC:

Identification				
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg
9-Octadecen-1-ol, (Z)-, phosphate	STP	1,9 mg/L	Fresh water	Non-applicable
CAS: 37310-83-1	Soil	Non-applicable	Marine water	Non-applicable
EC: 253-455-4	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

PF022980_IT21 CI022437_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00112 mg/kg
5-amino-o-cresol	STP	1,5 mg/L	Fresh water	0,024 mg/L
CAS: 2835-95-2	Soil	0,012 mg/kg	Marine water	0,0024 mg/L
EC: 220-618-6	Intermittent	0,023 mg/L	Sediment (Fresh water)	0,129 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg
4-aminophenol	STP	0,265 mg/L	Fresh water	0,005 mg/L
CAS: 123-30-8	Soil	0,001 mg/kg	Marine water	0 mg/L
EC: 204-616-2	Intermittent	0,001 mg/L	Sediment (Fresh water)	0,019 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water	0,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water	0,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh water)	0,08 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

	N 8: EXPOSURE C	CONT <u>RC</u>	LS/P <u>ERSON</u>	AL PROTECTI	ON (continued)		
	Pictogram		PPE	Labelling	CEN Standard		Remarks
		Anti-sli	o work shoes	CAT II	EN ISO 20347:2012	perio recon	ace before any evidence of deterioration. F ids of prolonged exposure to the product f professional/industrial users CE III is nmended, in accordance with the regulatic EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerger	ncy meas	ures				
	Emergency meas	ure	S	tandards	Emergency m	easure	Standards
	Emergency show	ver		ISI Z358-1 011, ISO 3864-4:20	11 Eyewash sta	tions	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
En	vironmental expo	sure co	ntrols:				
Vo	latile organic com	npounds /e 2010/7 0 °C: imber:	: /5/EU, this pro 0 % 0 kg/ Non-		nformation see subsec		
	formation on basi r complete informati				:		
-	pearance:						
Phy	ysical state at 20 °C	Physical state at 20 °C: Liquid					
Appearance: Emulsion							
				Emul	sion		
Co	lour:			Emul	lsion Beige		
Col Od	lour: lour:			Emul Emul Char	lsion Beige acteristic		
Col Od Od	lour: lour: lour threshold:			Emul Emul Char	lsion Beige		
Col Od Od Vo	lour: our: our threshold: l atility:		occure.	Emul Char Non-	lsion Beige acteristic applicable *		
Col Od Od Vo Boi	lour: lour: lour threshold: I latility: iling point at atmosp	oheric pre	essure:	Emul Char Non-	lsion Beige acteristic applicable * - 1320 °C		
Col Od Od Vo Boi Va	lour: our: our threshold: I latility: iling point at atmosp pour pressure at 20	oheric pre	essure:	Emul Char Non- 100 2327	lsion Beige acteristic applicable * - 1320 °C ' Pa		
Col Od Od Boi Va Va	lour: our: lour threshold: I latility: iling point at atmosp pour pressure at 20 pour pressure at 50	oc: °C:	essure:	Emul Char Non- 100 2327 1226	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa)		
Col Od Od Boi Va Va Eva	lour: our: our threshold: I latility: iling point at atmosp pour pressure at 20	oheric pre °C: °C: °C:	essure:	Emul Char Non- 100 2327 1226	lsion Beige acteristic applicable * - 1320 °C ' Pa		
Col Od Od Boi Vaj Vaj Eva Pr e	lour: lour: our threshold: Ilatility: iling point at atmosp pour pressure at 20 pour pressure at 50 aporation rate at 20	oheric pre °C: °C: °C:	essure:	Emul Char Non- 100 2327 1226 Non-	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa)		
Col Od Od Boi Vaj Eva Pro	lour: our: lour threshold: l latility: iling point at atmosp pour pressure at 20 pour pressure at 50 aporation rate at 20 oduct description	oheric pre °C: °C: °C: °C:	essure:	Emul Char Non- 100 - 2327 1226 Non- 1008	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable *		
Col Od Od Boi Vaj Eva Eva Pre Rel	lour: lour: lour threshold: latility: iling point at atmosp pour pressure at 20 pour pressure at 50 aporation rate at 20 oduct description: nsity at 20 °C:	oheric pre °C: °C: °C: :	essure:	Emul Char Non- 100 - 2327 1226 Non- 1008 0,97	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable *		
Col Od Od Boi Vaj Eva Eva De Rel Dy	lour: our: our threshold: olatility: iling point at atmosp pour pressure at 20 pour pressure at 20 pour pressure at 20 oduct description: nsity at 20 °C: lative density at 20 °	oheric pre °C: °C: °C: : °C: : °C:	essure:	Emul Char Non- 100 2327 1226 Non- 1008 0,975 Non-	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable * 5,1 kg/m ³ 5 - 1,015		
Col Od Od Boi Vaj Eva Eva De Rei Dy Kin	lour: Jour: Jour threshold: Jatility: Jour pressure at 20 pour pressure at 20 pour pressure at 50 aporation rate at 20 oduct descriptions nsity at 20 °C: Jative density at 20 ° namic viscosity at 20 °	oheric pre °C: °C: °C: °C: •C: 0 °C: 20 °C:	essure:	Emul Char Non- 100 - 2327 1226 Non- 1008 0,97! Non- Non-	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable * s,1 kg/m ³ 5 - 1,015 applicable *		
Col Od Od Boi Vaj Eva Eva Eva Rel De Rel Dy Kin	lour: lour: lour threshold: latility: iling point at atmosp pour pressure at 20 pour pressure at 20 oduct description nsity at 20 °C: lative density at 20 ° namic viscosity at 20 namic viscosity at 20	oheric pre °C: °C: °C: °C: •C: 0 °C: 20 °C:	essure:	Emul Emul Char Non- 100 - 2327 1226 Non- 1008 0,979 Non- Non- Non- Non-	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable * 5,1 kg/m ³ 5 - 1,015 applicable * applicable *		
Col Od Od Boi Vaj Eva Eva Eva Rel De Rel Dy Kin	lour: Jour: Jour threshold: Jatility: Jatility: Jour pressure at 20 pour pressure at 20 pour pressure at 20 oduct description: native density at 20 namic viscosity at 20 namic	oheric pre °C: °C: °C: °C: •C: 0 °C: 20 °C:	essure:	Emul Emul Char Non- 100 - 2327 1226 Non- 1008 0,979 Non- Non- Non- Non-	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable * - 1,015 applicable * applicable * 5 mm²/s applicable *		
Col Od Od Boi Vaj Eva Eva De Rel Dy Kin Kin Co	lour: Jour: Jour threshold: Jatility: Jatility: Jour pressure at 20 pour pressure at 20 pour pressure at 20 oduct description: native density at 20 namic viscosity at 20 namic	oheric pre °C: °C: °C: •C: •C: •C: 0 °C: 20 °C: 40 °C:	essure:	Emul Emul Char Non- 100 - 2327 1226 Non- 1008 0,97! Non- Non- >20, Non- 9 - 1	lsion Beige acteristic applicable * - 1320 °C ' Pa 0,06 Pa (12,26 kPa) applicable * - 1,015 applicable * applicable * 5 mm²/s applicable *		

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued) Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Metting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * 9.2 Other information: Information with regard to physical hazard classes: Explosive properties: Non-applicable * Oxidising properties: Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable * Geregenetic Non-applicable * Metat of combustion: Non-applicable * <t< th=""><th>Printing</th><th>: 09/03/2023 Date of compilation: 04/05/2022</th><th>2 Version: 1</th></t<>	Printing	: 09/03/2023 Date of compilation: 04/05/2022	2 Version: 1
Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Information: Information: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable * Surface tension at 20 °C: Non-applicable *	SEC	TION 9: PHYSICAL AND CHEMICAL PROPERT	IES (continued)
Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Verticle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Verticle characteristics: Non-applicable * Information: Non-applicable * Splosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Icorrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Heat of combustion: Non-applicable * Acrosols-total percentage (by mass) of flammable Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Frequencies: Sufface tension at 20 °C:		Solubility in water at 20 °C:	Non-applicable *
Melting point/freezing point: Non-applicable * Flammability: Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Other information: Von-applicable * Information with regard to physical hazard class: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Icorrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable Non-applicable * Other safety characteristics: Non-applicable * Other safety characteristics: Non-applicable * Function: Non-applicable * Function: Non-applicable * Surface tension at 20 °C: Non-applicable *		Solubility properties:	Non-applicable *
Flammability: Non Flammable (>60 °C) Flash Point: Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable Median equivalent diameter: Non-applicable Information: Information: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Surface tension at 20 °C:		Decomposition temperature:	Non-applicable *
Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Information: Non-applicable * Faplosive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Vert of combustion: Non-applicable * Heat of combustion: Non-applicable * Kerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable * Surface tension at 20 °C: Non-applicable *		Melting point/freezing point:	Non-applicable *
Flammability (solid, gas):Non-applicable *Autoignition temperature:327 °CLower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable *Other information:Non-applicable *Information with regard to physical hazard classes:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Flammability:	
Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable Median equivalent diameter: Non-applicable Information: Information: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Surface tension at 20 °C:		Flash Point:	Non Flammable (>60 °C)
Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Flammability (solid, gas):	Non-applicable *
Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes: Information with regard to physical hazard classes: Explosive properties: Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Non-applicable * Surface tension at 20 °C: Non-applicable *		Autoignition temperature:	327 °C
Particle characteristics:Median equivalent diameter:Non-applicable9.2Other information:Information:Information with regard to physical hazard classesExplosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Lower flammability limit:	Non-applicable *
Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Upper flammability limit:	Non-applicable *
9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Particle characteristics:	
Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Median equivalent diameter:	Non-applicable
Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *	9.2	Other information:	
Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Information with regard to physical hazard cl	lasses:
Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Explosive properties:	Non-applicable *
Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Oxidising properties:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 20 °C:Non-applicable *		Corrosive to metals:	Non-applicable *
components: Other safety characteristics: Surface tension at 20 °C: Non-applicable *		Heat of combustion:	Non-applicable *
Surface tension at 20 °C: Non-applicable *		components:	Non-applicable *
		•	
Refraction index: Non-applicable *			
		Refraction index:	Non-applicable *

ECTION 1	l0: STABILI	ITY AND R	REACTIVIT
----------	-------------	-----------	-----------

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023 Date of compilation: 04/05/2022 Ve

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: resorcinol (3); Sodium sulphite (3)

- Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ac	Acute toxicity		
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat	
CAS: 615-50-9	LD50 dermal	Non-applicable		
EC: 210-431-8	LC50 inhalation	Non-applicable		
potassium hydroxide	LD50 oral	388 mg/kg	Rat	
CAS: 1310-58-3	LD50 dermal	Non-applicable		
EC: 215-181-3	LC50 inhalation	Non-applicable		

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification	A	cute toxicity	Genu
5-amino-o-cresol	LD50 oral	3600 mg/kg	Rat
CAS: 2835-95-2	LD50 dermal	5688 mg/kg	Rat
EC: 220-618-6	LC50 inhalation	Non-applicable	
4-aminophenol	LD50 oral	393 mg/kg	Rat
CAS: 123-30-8	LD50 dermal	10000 mg/kg	Rabb
EC: 204-616-2	LC50 inhalation	Non-applicable	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabb
EC: 203-585-2	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	12844,08 mg/kg (Calculation method)	34,1 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0	EC50	>10 - 100 mg/L (48 h)		Crustacear
EC: 263-058-8	EC50	>10 - 100 mg/L (72 h)		Algae
9-Octadecen-1-ol, (Z)-, phosphate	LC50	110 mg/L (96 h)	Danio rerio	Fish
CAS: 37310-83-1	EC50	110 mg/L (48 h)	Daphnia magna	Crustacear
EC: 253-455-4	EC50	110 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacear
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
5-amino-o-cresol	LC50	25 mg/L (96 h)	Danio rerio	Fish
CAS: 2835-95-2	EC50	2,3 mg/L (48 h)	Daphnia magna	Crustacear
EC: 220-618-6	EC50	17 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
4-aminophenol	LC50	0,82 mg/L (96 h)	Oryzias latipes	Fish
CAS: 123-30-8	EC50	0,18 mg/L (48 h)	Daphnia magna	Crustacear
EC: 204-616-2	EC50	0,25 mg/L (72 h)	Selenastrum capricornutum	Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacea
EC: 203-585-2	EC50	Non-applicable		

PF022980_IT21 CI022437_IT21 OLOP CALVESO DEMI-DEPMANENT

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)						
Identification		Concentration	Species	Genus		
5-amino-o-cresol	NOEC	Non-applicable				
CAS: 2835-95-2 EC: 220-618-6	NOEC	0,24 mg/L	Daphnia magna	Crustacean		
4-aminophenol	NOEC	0,049 mg/L	Oryzias latipes	Fish		
CAS: 123-30-8 EC: 204-616-2	NOEC	0,206 mg/L	Daphnia magna	Crustacean		
resorcinol	NOEC	Non-applicable				
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean		

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	egradability	Biode	gradability
9-Octadecen-1-ol, (Z)-, phosphate	BOD5	Non-applicable	Concentration	3 mg/L
CAS: 37310-83-1	COD	0 g O2/g	Period	28 days
EC: 253-455-4	BOD5/COD	Non-applicable	% Biodegradable	26,1 %
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
5-amino-o-cresol	BOD5	Non-applicable	Concentration	15 mg/L
CAS: 2835-95-2	COD	Non-applicable	Period	28 days
EC: 220-618-6	BOD5/COD	Non-applicable	% Biodegradable	0 %
4-aminophenol	BOD5	Non-applicable	Concentration	200 mg/L
CAS: 123-30-8	COD	Non-applicable	Period	5 days
EC: 204-616-2	BOD5/COD	Non-applicable	% Biodegradable	87 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential		
9-Octadecen-1-ol, (Z)-, phosphate	BCF	F		
CAS: 37310-83-1	Pov	w Log	7.42	
EC: 253-455-4	Pot	tential		
5-amino-o-cresol	BCF	F		
CAS: 2835-95-2	Pov	w Log	0.53	
EC: 220-618-6	Pot	tential		
resorcinol	BCF	F	3	
CAS: 108-46-3	Pov	w Log	0.8	
EC: 203-585-2	Pot	tential	Low	

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
9-Octadecen-1-ol, (Z)-, phosphate	Кос	74000	Henry	Non-applicable	
CAS: 37310-83-1	Conclusion	Immobile	Dry soil	Non-applicable	
EC: 253-455-4	Surface tension	Non-applicable	Moist soil	Non-applicable	
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable	
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable	
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable	
5-amino-o-cresol	Кос	17.8	Henry	Non-applicable	
CAS: 2835-95-2	Conclusion	Very High	Dry soil	Non-applicable	
EC: 220-618-6	Surface tension	Non-applicable	Moist soil	Non-applicable	
4-aminophenol	Кос	3.85	Henry	0E+0 Pa·m ³ /mol	
CAS: 123-30-8	Conclusion	Very High	Dry soil	No	
EC: 204-616-2	Surface tension	Non-applicable	Moist soil	No	
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mol	
CAS: 108-46-3	Conclusion	High	Dry soil	No	
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No	

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023 Date of compilation: 04/05/2022 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022980_IT21 CI022437_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Toute of the logiciptive shrees a

Texts of the legislative phrases mentioned in section 2: H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Muta. 2: H341 - Suspected of causing genetic defects.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

Classification procedure:

Skin Sens. 1A: Calculation method Aquatic Chronic 3: Calculation method Skin Irrit. 2: Calculation method Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.5

Printing: 09/03/2023 Date of compilation: 04/05/2022 V	Version: 1
SECTION 16: OTHER INFORMATION (continued)	
ADR: European agreement concerning the international carria IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier	age of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.