MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

| Printing | : 12/03/2023 D | Date of compilation: 04/05/2022 Version: 1 |
|----------|--|--|
| SEC | TION 1: IDENTIFICA | ATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING |
| 1.1 | Product identifier: | PF022982_IT21 CI022457_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7 |
| | Other means of ide | entification: |
| | Non-applicable | |
| 1.2 | Relevant identified | d uses of the substance or mixture and uses advised against: |
| | Relevant uses: HAIR | COLOR TINT |
| | Uses advised against | : All uses not specified in this section or in section 7.3 |
| 1.3 | Details of the supp | plier of the safety data sheet: |
| | MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israe info@moroccanoil.coi | |
| 1.4 | Emergency telepho | one number: 1-888-700-1817 |
| | | |
| SEC | TION 2: HAZARDS I | IDENTIFICATION |
| 2.1 | Classification of th | ne substance or mixture: |
| | | not apply to substances and mixtures in the following forms, which are in the finished state, intended for the products as defined in REGULATION (EC) No 1223/2009 |

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction. **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts, 2-(2,4-diaminophenoxy)ethanol dihydrochloride.

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Acute Toxicity Estimate (ATE mix):

32,27 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture of colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | | Chemical name/Classification | | Concentration |
|---|--|--|--|---|---------------|
| CAS: | C: 221-280-2 | 2-[2-[2-(dodeciloxi) | etoxi]etoxi]etanol ⁽¹⁾ | Self-classified | |
| Index: | Non-applicable Non-applicable | Regulation 1272/2008 | Eye Irrit. 2: H319 - Warning | \diamondsuit | 2.5 - <10 % |
| CAS: EC: | 61789-40-0 263-058-8 | 1-Propanaminium, 3 hydroxides, inner sal | -amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., ts ⁽¹⁾ | Self-classified | |
| Index: Non-applicable REACH: 01-2120770501-61- XXXX | 01-2120770501-61- | Regulation 1272/2008 | Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H31 | 7 - Warning 🔶 | 1 - <2.5 % |
| CAS: EC: | 37310-83-1 253-455-4 | 9-Octadecen-1-ol, (Z |)-, phosphate ⁽¹⁾ | Self-classified | |
| Index: REACH: | Non-applicable 01-2119980737-21- XXXX | Regulation 1272/2008 | Eye Dam. 1: H318 - Danger | | 1 - <2.5 % |
| CAS: EC: | 1310-58-3 215-181-3 | potassium hydroxide | (1) | ATP CLP00 | |
| Index: REACH: | 215-181-3 019-002-00-8 01-2119487136-33- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger | | <1 % |
| CAS: | 66422-95-5 | 2-(2,4-diaminophend | oxy)ethanol dihydrochloride ⁽¹⁾ | Self-classified | |
| REACH: | 266-357-1 Non-applicable 01-2120011817-60- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Sens. 1B: H317 - Danger | | <1 % |
| CAS: | 615-50-9 | 2-methyl-p-phenyler | nediamine sulfate ⁽¹⁾ | Self-classified | |
| REACH: | 210-431-8 Non-applicable 01-2119962199-25- XXXX | Regulation 1272/2008 | Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger | | <1 % |
| | 68259-00-7 | I17-60- Regulation 1272/2008 H317 - Danger 2-methyl-p-phenylenediamine sulfate(1) Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: |) | Self-classified | |
| | 269-503-2 Non-applicable 01-2120817619-46- XXXX | Regulation 1272/2008 | Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning | () () | <1 % |

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|---------------------|--|
| potassium hydroxide | % (w/w) >=5: Skin Corr. 1A - H314 |
| CAS: 1310-58-3 | 2<= % (w/w) <5: Skin Corr. 1B - H314 |
| EC: 215-181-3 | 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 |
| | % (w/w) >=2: Eye Dam. 1 - H318 |
| | 0.5<= % (w/w) <2: Eye Irrit. 2 - H319 |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023 Date of compilation: 04/05/2022

Version: 1

SECTION 4: FIRST AID MEASURES (continued)

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

| | | Short e | xposure | Long exposure | |
|--|------------|----------------|----------------|------------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 61789-40-0 | Dermal | Non-applicable | Non-applicable | 2,33 mg/kg | Non-applicable |
| EC: 263-058-8 | Inhalation | Non-applicable | Non-applicable | 8,22 mg/m ³ | Non-applicable |
| 9-Octadecen-1-ol, (Z)-, phosphate | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 37310-83-1 | Dermal | Non-applicable | Non-applicable | 55,6 mg/kg | Non-applicable |
| EC: 253-455-4 | Inhalation | Non-applicable | Non-applicable | 19,6 mg/m ³ | Non-applicable |

PF022982_IT21 CI022457_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| | | Short | exposure | Long exposure | |
|---|------------|------------------------|----------------|------------------------|---------------------|
| Identification | | Systemic | Local | Systemic | Local |
| potassium hydroxide | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 1310-58-3 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 215-181-3 | Inhalation | Non-applicable | Non-applicable | Non-applicable | 1 mg/m ³ |
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 66422-95-5 | Dermal | Non-applicable | Non-applicable | 23,81 mg/kg | Non-applicable |
| EC: 266-357-1 | Inhalation | Non-applicable | Non-applicable | 0,7 mg/m ³ | Non-applicable |
| 2-methyl-p-phenylenediamine sulfate | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 615-50-9 | Dermal | Non-applicable | Non-applicable | 0,1 mg/kg | Non-applicable |
| EC: 210-431-8 | Inhalation | 2,75 mg/m ³ | Non-applicable | 0,49 mg/m ³ | Non-applicable |

DNEL (General population):

| | | Short e | xposure | Long exposure | |
|--|------------|----------------|----------------|------------------------|---------------------|
| Identification | | Systemic | Local | Systemic | Local |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Oral | Non-applicable | Non-applicable | 0,833 mg/kg | Non-applicable |
| CAS: 61789-40-0 | Dermal | Non-applicable | Non-applicable | 0,833 mg/kg | Non-applicable |
| EC: 263-058-8 | Inhalation | Non-applicable | Non-applicable | 1,45 mg/m ³ | Non-applicable |
| potassium hydroxide | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 1310-58-3 | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| EC: 215-181-3 | Inhalation | Non-applicable | Non-applicable | Non-applicable | 1 mg/m ³ |

PNEC:

| Identification | | | | |
|--|--------------|----------------|-------------------------|----------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | STP | 300 mg/L | Fresh water | 0,0032 mg/L |
| CAS: 61789-40-0 | Soil | 0,0419 mg/kg | Marine water | 0,00032 mg/L |
| EC: 263-058-8 | Intermittent | 0,02 mg/L | Sediment (Fresh water) | 0,219 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,0219 mg/kg |
| 9-Octadecen-1-ol, (Z)-, phosphate | STP | 1,9 mg/L | Fresh water | Non-applicable |
| CAS: 37310-83-1 | Soil | Non-applicable | Marine water | Non-applicable |
| EC: 253-455-4 | Intermittent | Non-applicable | Sediment (Fresh water) | Non-applicable |
| | Oral | Non-applicable | Sediment (Marine water) | Non-applicable |
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | STP | 50,1 mg/L | Fresh water | 0,043 mg/L |
| CAS: 66422-95-5 | Soil | 0,021 mg/kg | Marine water | 0,004 mg/L |
| EC: 266-357-1 | Intermittent | 0,65 mg/L | Sediment (Fresh water) | 0,231 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,023 mg/kg |
| 2-methyl-p-phenylenediamine sulfate | STP | 0,177 mg/L | Fresh water | 0,0126 mg/L |
| CAS: 615-50-9 | Soil | 0,00259 mg/kg | Marine water | 0,00126 mg/L |
| EC: 210-431-8 | Intermittent | 0,7 mg/L | Sediment (Fresh water) | 0,0112 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,00112 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

PF022982_IT21

CI022457_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

| | 8: FXPOSURE | CONTROLS/PERSONA | AL PROTECT | ION (continued) | | |
|-----------------|--|--|--------------------------------|---------------------------------|-------------------------|--|
| | | CONTROLS/TERSON | LINGILCI. | | | |
| | Pictogram | PPE | Labelling | CEN Standard | | Remarks |
| | Mandatory respiratory tract protection | Filter mask for gases and vapours | | EN 405:2002+A1:2010 | Ċ | place when there is a taste or smell of th contaminant inside the face mask. If the contaminant comes with warnings it is ecommended to use isolation equipment |
| C S | pecific protection | n for the hands | | • | | |
| Ν | Ion-applicable | | | | | |
| D E | ye and face prot | ection | | | | |
| | Pictogram | PPE | Labelling | CEN Standard | | Remarks |
| | Mandatory face protection | Panoramic glasses against splash/projections. | | EN 166:2002 EN ISO 4007:2018 | | n daily and disinfect periodically accordin nanufacturer 's instructions. Use if there risk of splashing. |
| E B | ody protection | | | | | |
| | Pictogram | PPE | Labelling | CEN Standard | | Remarks |
| | | Work clothing | CATI | | perio recon in EN | ace before any evidence of deterioration. Ids of prolonged exposure to the product professional/industrial users CE III is nmended, in accordance with the regulal ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994. |
| | | Anti-slip work shoes | | EN ISO 20347:2012 | perio recom | ace before any evidence of deterioration. ds of prolonged exposure to the produce professional/industrial users CE III is nmended, in accordance with the regular EN ISO 20345:2012 y EN 13832-1:2003 |
| F A | dditional emerge | ency measures | | | | |
| | Emergency mea | asure Sta | andards | Emergency me | easure | Standards |
| | Emergency sho | ISO 3864-1:202 | 5I Z358-1 11, ISO 3864-4:20 |)11 Eyewash sta | tions | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201 |
| In ac spilla | cordance with th | roduct and its container. | | | | mmended to avoid environmenta |
| | - | ive 2010/75/EU, this proc | luct has the fol | llowing characteristics: | | |
| ٧ | .O.C. (Supply): | 0 % v | veight | | | |
| V | .O.C. density at | 20 °C: 0 kg/ı | m³ (0 g/L) | | | |
| A | verage carbon n | umber: Non-a | applicable | | | |
| А | verage molecula | ır weight: Non-a | applicable | | | |
| | | | | | | |
| TION | 9. PHYSICAL A | AND CHEMICAL PROP | FRTIFS | | | |
| | | | | | | |
| | | sic physical and chemi | | S: | | |
| For c | • | tion see the product data | isneet. | | | |
| - | | | | | | |
| | earance: | C. | المراجعة المراجع | id | | |
| | earance: ical state at 20 º | C: | Liqui | id | | |
| Phys | | С: | | id Ilsion | | |

*Not relevant due to the nature of the product, not providing information property of its hazards.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

| rinting: | 12/03/2023 | Date of compilation: 04/05/2022 | Version: 1 |
|----------|---------------------|---|-----------------------------------|
| SECT | rion 9: Physic | CAL AND CHEMICAL PROPERTIE | S (continued) |
| | Colour: | | Yellow |
| | Odour: | | Characteristic |
| | Odour threshold | l: | Non-applicable * |
| | Volatility: | | |
| | Boiling point at | atmospheric pressure: | 100 - 1320 °C |
| | Vapour pressure | e at 20 °C: | 2327 Pa |
| | Vapour pressure | e at 50 °C: | 12262,11 Pa (12,26 kPa) |
| | Evaporation rate | e at 20 °C: | Non-applicable * |
| | Product descri | iption: | |
| | Density at 20 °C | C: | 1003,9 kg/m ³ |
| | Relative density | at 20 °C: | 0,975 - 1,015 |
| | Dynamic viscosi | ty at 20 °C: | Non-applicable * |
| | Kinematic viscos | sity at 20 °C: | Non-applicable * |
| | Kinematic viscos | sity at 40 °C: | >20,5 mm²/s |
| | Concentration: | | Non-applicable * |
| | pH: | | 9 - 10,5 |
| | Vapour density | at 20 ºC: | Non-applicable * |
| | Partition coeffici | ent n-octanol/water 20 °C: | Non-applicable * |
| | Solubility in wat | er at 20 ºC: | Non-applicable * |
| | Solubility proper | ties: | Non-applicable * |
| | Decomposition t | emperature: | Non-applicable * |
| | Melting point/fre | eezing point: | Non-applicable * |
| | Flammability: | | |
| | Flash Point: | | Non Flammable (>60 °C) |
| | Flammability (so | blid, gas): | Non-applicable * |
| | Autoignition terr | nperature: | 307 °C |
| | Lower flammabi | lity limit: | Non-applicable * |
| | Upper flammabi | lity limit: | Non-applicable * |
| | Particle chara | cteristics: | |
| | Median equivale | ent diameter: | Non-applicable |
| 9.2 | Other informa | tion: | |
| | Information w | vith regard to physical hazard clas | sses: |
| | Explosive prope | rties: | Non-applicable * |
| | Oxidising proper | rties: | Non-applicable * |
| | Corrosive to me | tals: | Non-applicable * |
| | Heat of combus | tion: | Non-applicable * |
| | components: | ercentage (by mass) of flammable | Non-applicable * |
| | - | haracteristics: | |
| | Surface tension | | Non-applicable * |
| | Refraction index | | Non-applicable * |
| | *Not relevant due t | o the nature of the product, not providing info | ormation property of its hazards. |

SECTION 10: STABILITY AND REACTIVITY

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022982 IT21 CI022457 IT21

| | MOR | KOCCANOIL CO | LOR CALYPSO | DEMI-PERMAN | ENT CREAM COLOR | . /./ |
|-----------|---------------------|----------------------|-----------------------|----------------------|---------------------------|-------------------------------|
| Printing: | 12/03/2023 | Date of compilation | : 04/05/2022 | Version: 1 | | |
| SECT | ION 10: STABILI | TY AND REACTIV | /ITY (continued) | | | |
| 10.1 | Reactivity: | | | | | |
| | No hazardous react | tions are expected t | ecause the product | is stable under reco | mmended storage condition | ons. See section 7. |
| 10.2 | Chemical stabilit | y: | | | | |
| | Chemically stable u | Inder the indicated | conditions of storag | e, handling and use. | | |
| 10.3 | Possibility of haz | ardous reactions | : | | | |
| | Under the specified | l conditions, hazard | ous reactions that le | ad to excessive tem | peratures or pressure are | not expected. |
| 10.4 | Conditions to avo | oid: | | | | |
| | Applicable for hand | lling and storage at | room temperature: | | | |
| | Shock and friction | on Contac | t with air Inc | rease in temperature | Sunlight | Humidity |
| | Not applicable | Not a | pplicable | Not applicable | Not applicable | Not applicable |
| 10.5 | Incompatible ma | iterials: | | | | |
| | Acids | N | /ater | Oxidising materials | Combustible materials | Others |
| | Avoid strong aci | ds Not a | pplicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |
| 10.6 | Hazardous decor | nposition product | s: | | | |
| | | | | | lucts. Depending on the c | |
| | complex mixtures o | of chemical substand | ces can be released | carbon dioxide (CO | 2), carbon monoxide and | other organic compounds. |
| | | | | | | |
| SECT | ION 11: TOXICO | LOGICAL INFOR | MATION | | | |
| | | | | | | |

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Sodium sulphite (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

| | 2/03/2023 | Date of compilat | ion: 04/05/2022 | Version: 1 | | | |
|---------------|--|---|---|---|--------------------------|---|-----------------|
| CTIC | ON 11: TOXIO | COLOGICAL INFC | RMATION (conti | nued) | | | |
| G | this effect. F | ailable data, the clas for more information et organ toxicity (ST | see section 3. | · | es not contai | n substances classified a | s hazardous for |
| | However, it o - Skin: Base hazardous fo | does contain substan ed on available data or this effect. For mo | nces classified as ha , the classification c | zardous for this effortities are not met, | ect. For more | a, the classification criteri e information see section ot contain substances cla | 3. |
| | | ailable data, the clas for more information | | e not met, as it doe | es not contai | n substances classified a | s hazardous for |
| N | Ion-applicable | | | | | | |
| | | logy information | on the substance | | | | |
| 3 | | ology information | | 5. | | | |
| | | Iden | tification | | | Acute toxicity | Genus |
| 2 | 2-methyl-p-phenyle | enediamine sulfate | | | LD50 oral | 102 mg/kg | Rat |
| C | CAS: 615-50-9 | | | | LD50 dermal | Non-applicable | |
| E | EC: 210-431-8 | | | | LC50 inhalatio | n Non-applicable | |
| | 1-Propanaminium, hydroxides, inner s | 3-amino-N-(carboxymet | hyl)-N,N-dimethyl-, N-co | oco acyl derivs., | LD50 oral | >5000 mg/kg | Rat |
| | CAS: 61789-40-0 | ans | | | LD50 dermal | Non-applicable | |
| | EC: 263-058-8 | | | | LC50 inhalatio | | |
| r | potassium hydroxide CAS: 1310-58-3 EC: 215-181-3 | | | | LD50 oral | 388 mg/kg | Rat |
| | | | | | LD50 dermal | Non-applicable | |
| | | | | | LC50 inhalatio | | |
| - H | | -(2,4-diaminophenoxy)ethanol dihydrochloride | | | | 1000 mg/kg | Rat |
| | CAS: 66422-95-5 | | | | LD50 oral LD50 dermal | 45450 mg/kg | Rat |
| | EC: 266-357-1 | | | | LC50 inhalatio | | |
| <u> </u> | C.I.Basic Yellow 87 | , | | | LD50 oral | 1000 mg/kg | Rat |
| | CAS: 68259-00-7 | | | | LD50 dermal | Non-applicable | |
| | EC: 269-503-2 | | | | LC50 inhalatio | | |
| L | | Estimate (ATE m | | | | non applicable | |
| | Acute Toxicity | Estimate (ATE m | | | | | |
| | | | ATE mix | | | Ingredient(s) of unk | nown toxicity |
| _ | Oral | | 56572,49 mg/kg (Calcu | , | | 32,27 % | |
| | Dermal | | >2000 mg/kg (Calculat | | | Non-applicable | |
| | Inhalation | n other hazards: | >20 mg/L (4 h) (Calcu | lation method) | | Non-applicable | |
| Е О | | rupting properties oting properties: The tion | | eet the criteria. | | | |
| CTIC | ON 12: ECOLO | OGICAL INFORM | ATION | | | | |
| expe | | mation related to the | e eco-toxicological p | properties of the pro | oduct itself is | not available | |
| .1 T | oxicity: | | | | | | |

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

| Identification | | Concentration | Species | Genus |
|--|------|-------------------|---------------------------------|---------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts | LC50 | Non-applicable | | |
| CAS: 61789-40-0 | EC50 | Non-applicable | | |
| EC: 263-058-8 | EC50 | 30 mg/L (72 h) | N/A | Algae |
| 9-Octadecen-1-ol, (Z)-, phosphate | LC50 | 110 mg/L (96 h) | Danio rerio | Fish |
| CAS: 37310-83-1 | EC50 | 110 mg/L (48 h) | Daphnia magna | Crustac |
| EC: 253-455-4 | EC50 | 110 mg/L (72 h) | Pseudokirchneriella subcapitata | Alga |
| potassium hydroxide | LC50 | 80 mg/L (48 h) | Gambussia afinis | Fish |
| CAS: 1310-58-3 | EC50 | Non-applicable | | |
| EC: 215-181-3 | EC50 | Non-applicable | | |
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | LC50 | 400 mg/L (96 h) | Danio rerio | Fish |
| CAS: 66422-95-5 | EC50 | 6,49 mg/L (48 h) | Daphnia magna | Crustac |
| EC: 266-357-1 | EC50 | 37,4 mg/L (72 h) | Pseudokirchneriella subcapitata | Alga |
| 2-methyl-p-phenylenediamine sulfate | LC50 | 1,08 mg/L (96 h) | Brachydanio rerio | Fish |
| CAS: 615-50-9 | EC50 | 1,19 mg/L (48 h) | Daphnia magna | Crustac |
| EC: 210-431-8 | EC50 | 0,653 mg/L (72 h) | Desmodesmus subspicatus | Alga |
| C.I.Basic Yellow 87 | LC50 | Non-applicable | | |
| CAS: 68259-00-7 | EC50 | 1,6 mg/L (48 h) | Daphnia magna | Crustac |
| EC: 269-503-2 | EC50 | 0,28 mg/L (72 h) | Pseudokirchneriella subcapitata | Alga |

Chronic toxicity:

| Identification | Concentration | | Species | Genus |
|--|---------------|----------------|---------------------|------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts | NOEC | 0,16 mg/L | Oncorhynchus mykiss | Fish |
| CAS: 61789-40-0 EC: 263-058-8 | NOEC | 0,9 mg/L | Daphnia magna | Crustacean |
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | NOEC | Non-applicable | | |
| CAS: 66422-95-5 EC: 266-357-1 | NOEC | 0,43 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | De | gradability | Biodegradability | |
|---|----------|----------------|------------------|---------|
| 9-Octadecen-1-ol, (Z)-, phosphate | BOD5 | Non-applicable | Concentration | 3 mg/L |
| CAS: 37310-83-1 | COD | 0 g O2/g | Period | 28 days |
| EC: 253-455-4 | BOD5/COD | Non-applicable | % Biodegradable | 26,1 % |
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | BOD5 | Non-applicable | Concentration | 30 mg/L |
| CAS: 66422-95-5 | COD | Non-applicable | Period | 28 days |
| EC: 266-357-1 | BOD5/COD | Non-applicable | % Biodegradable | 0 % |
| 2-methyl-p-phenylenediamine sulfate | BOD5 | Non-applicable | Concentration | 6 mg/L |
| CAS: 615-50-9 | COD | Non-applicable | Period | 28 days |
| EC: 210-431-8 | BOD5/COD | Non-applicable | % Biodegradable | 17 % |
| C.I.Basic Yellow 87 | BOD5 | Non-applicable | Concentration | 25 mg/L |
| CAS: 68259-00-7 | COD | Non-applicable | Period | 28 days |
| EC: 269-503-2 | BOD5/COD | Non-applicable | % Biodegradable | 21,6 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential | |
|--|---------------------------|----------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | BCF | 71 |
| CAS: 61789-40-0 | Pow Log | |
| EC: 263-058-8 | Potential | Moderate |
| 9-Octadecen-1-ol, (Z)-, phosphate | BCF | |
| CAS: 37310-83-1 | Pow Log | 7.42 |
| EC: 253-455-4 | Potential | |

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Bioacc | Bioaccumulation potential | |
|---|-----------|---------------------------|--|
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | BCF | | |
| CAS: 66422-95-5 | Pow Log | -0.98 | |
| EC: 266-357-1 | Potential | | |
| C.I.Basic Yellow 87 | BCF | | |
| CAS: 68259-00-7 | Pow Log | -1.69 | |
| EC: 269-503-2 | Potential | | |

12.4 Mobility in soil:

| Identification | Absorp | Absorption/desorption | | Volatility | |
|--|-----------------|-----------------------|------------|----------------|--|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Кос | 648 | Henry | Non-applicable | |
| CAS: 61789-40-0 | Conclusion | Moderate | Dry soil | Non-applicable | |
| EC: 263-058-8 | Surface tension | Non-applicable | Moist soil | Non-applicable | |
| 9-Octadecen-1-ol, (Z)-, phosphate | Кос | 74000 | Henry | Non-applicable | |
| CAS: 37310-83-1 | Conclusion | Immobile | Dry soil | Non-applicable | |
| EC: 253-455-4 | Surface tension | Non-applicable | Moist soil | Non-applicable | |
| 2-(2,4-diaminophenoxy)ethanol dihydrochloride | Кос | 17.8 | Henry | Non-applicable | |
| CAS: 66422-95-5 | Conclusion | Very High | Dry soil | Non-applicable | |
| EC: 266-357-1 | Surface tension | Non-applicable | Moist soil | Non-applicable | |
| 2-methyl-p-phenylenediamine sulfate | Кос | 17.3 | Henry | Non-applicable | |
| CAS: 615-50-9 | Conclusion | Very High | Dry soil | Non-applicable | |
| EC: 210-431-8 | Surface tension | Non-applicable | Moist soil | Non-applicable | |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|------|---|---|
| | It is not possible to assign a specific code, as it depends on the intended use by the user | Non dangerous |

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022982_IT21 CI022457_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

Printing: 12/03/2023

Version: 1

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

Date of compilation: 04/05/2022

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022982_IT21 CI022457_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.7

| Printing: 12/03/2023 | Date of compilation: 04/05/2022 | Version: 1 |
|--|--|---|
| SECTION 16: OTHE | R INFORMATION (continued) | |
| Acute Tox. 4: H Acute Tox. 4: H Aquatic Tox. 4: H Aquatic Acute 1 Aquatic Chronic Aquatic Chronic Eye Dam. 1: H3 Eye Irrit. 2: H3 Skin Corr. 1A: H Skin Sens. 1: H Skin Sens. 1: H Skin Sens. 18: I STOT RE 2: H3 Classification | procedure: | long lasting effects. J lasting effects. ong lasting effects. e damage. n. |
| Skin Irrit. 2: Cal Eye Irrit. 2: Cal | | |
| | - | isks for staff using this product and to facilitate their comprehension and bel on the product. |
| Principal bibli | ographical sources: | |
| http://echa.euro http://eur-lex.eu | uropa.eu | |
| | and acronyms: agreement concerning the international | |
| IMDG: Internation IATA: Internation ICAO: Internation COD: Chemical BOD5: 5day bion BCF: Bioconcent LD50: Lethal Doc LC50: Lethal Doc EC50: Effective LogPOW: Octant Koc: Partition control | onal maritime dangerous goods code anal Air Transport Association onal Civil Aviation Organisation Oxygen Demand chemical oxygen demand tration factor ose 50 ncentration 50 concentration 50 olwater partition coefficient pefficient of organic carbon | |

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.