MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

		Date of compilation: 04/05/2022 Version: 1
SECT	TON 1: IDENTIFIC	CATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier	r: PF022984_IT21 CI022450_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1
	Other means of id	Jentification:
	Non-applicable	
1.2	Relevant identifie	ed uses of the substance or mixture and uses advised against:
	Relevant uses: HAIF	R COLOR TINT
	Uses advised agains	st: All uses not specified in this section or in section 7.3
1.3	Details of the sup	pplier of the safety data sheet:
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Isra info@moroccanoil.co	
1.4	Emergency teleph	hone number: 1-888-700-1817

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts.

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Acute Toxicity Estimate (ATE mix):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

32,27 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

Date of compilation: 04/05/2022

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration	
CAS:	3055-94-5	2-[2-[2-(dodeciloxi)	etoxi]etoxi]etanol ⁽¹⁾	Self-classified		
EC: Index: REACH:	221-280-2 Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	¢	2.5 - <10 %	
CAS: EC:	61789-40-0 263-058-8	1-Propanaminium, 3 hydroxides, inner sal	-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., Its ⁽¹⁾	Self-classified		
	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H31	.7 - Warning 🔶	1 - <2.5 %	
CAS: EC:	37310-83-1 253-455-4	9-Octadecen-1-ol, (Z	?)-, phosphate ⁽¹⁾	Self-classified		
Index:	Non-applicable 01-2119980737-21- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger		1 - <2.5 %	
CAS:	1310-58-3	potassium hydroxide ⁽¹⁾ ATP CLP00				
Index:	215-181-3 019-002-00-8 01-2119487136-33- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger		<1 %	
CAS:	615-50-9	2-methyl-p-phenyler	nediamine sulfate ⁽¹⁾	Self-classified		
	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	<u>ک</u> ک	<1 %	
CAS:	123-30-8	4-aminophenol ⁽¹⁾		ATP CLP00		
	204-616-2 612-128-00-X 01-2119535388-31- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Muta 2: H341 - Warning	a. 🜔 🚸 🏟	<1 %	
CAS:	108-46-3	resorcinol ⁽¹⁾		ATP CLP00		
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 Warning	-	<1 %	

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1

SECTION 4: FIRST AID MEASURES (continued)

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023 Date of compilation: 04/05/2022

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification		tional exposure lin	nits
resorcinol		IOELV (8h)	10 ppm	45 mg/m ³
CAS: 108-46-3	EC: 203-585-2	IOELV (STEL)		

DNEL (Workers):

PF022984_IT21 CI022450_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable
9-Octadecen-1-ol, (Z)-, phosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 37310-83-1	Dermal	Non-applicable	Non-applicable	55,6 mg/kg	Non-applicable
EC: 253-455-4	Inhalation	Non-applicable	Non-applicable	19,6 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
4-aminophenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 123-30-8	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 204-616-2	Inhalation	Non-applicable	Non-applicable	2,1 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³

DNEL (General population):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³

PNEC:

Identification				
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg
9-Octadecen-1-ol, (Z)-, phosphate	STP	1,9 mg/L	Fresh water	Non-applicable
CAS: 37310-83-1	Soil	Non-applicable	Marine water	Non-applicable
EC: 253-455-4	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00112 mg/kg
4-aminophenol	STP	0,265 mg/L	Fresh water	0,005 mg/L
CAS: 123-30-8	Soil	0,001 mg/kg	Marine water	0 mg/L
EC: 204-616-2	Intermittent	0,001 mg/L	Sediment (Fresh water)	0,019 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0 mg/kg

PF022984_IT21 CI022450_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

	I	dentification						
	resorcinol		STP	0,79 mg/L	Fresh water	0,017 mg/L		
	CAS: 108-46-3		Soil	10 mg/kg	Marine water	0,002 mg/L		
	EC: 203-585-2		Intermittent	Non-applicable	Sediment (Fresh wa	ater) 0,08 mg/kg		
			Oral	Non-applicable	Sediment (Marine v	vater) 0,008 mg/kg		
-	Exposure controls	:						
	A Individual protect	tion measures, such as pe	ersonal protecti	ve equipment				
	marking>> in ac use, cleaning, ma information see s	aintenance, class of protect subsection 7.1. All informative revention services as it is n	(EU) 2016/425 ction,) consul ation contained	. For more information t the information lea herein is a recommo	on on Personal Pro flet provided by the endation which ne	otective Equipment (storag ne manufacturer. For more eds some specification fror		
	Pictogram	PPE	Labelling	CEN Standard		Remarks		
	Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:20	10 contamir contami	nen there is a taste or smell of th nant inside the face mask. If the inant comes with warnings it is nded to use isolation equipment.		
	C Specific protectio	n for the hands			-			
	Non-applicable							
	D Eye and face protection							
	Pictogram	PPE	Labelling	CEN Standard		Remarks		
	Tictogram		Labening	CEN Standard		Remarks		
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	the manufact	nd disinfect periodically according turer´s instructions. Use if there risk of splashing.		
	E Body protection							
	Pictogram	PPE	Labelling	CEN Standard		Remarks		
		Work clothing	CATI		periods of profess profess recommended in EN ISO 652	re any evidence of deterioration. olonged exposure to the product sional/industrial users CE III is d, in accordance with the regulat 29:2013, EN ISO 6530:2005, EN 3688:2013, EN 464:1994.		
		Anti-slip work shoes		EN ISO 20347:201	2 periods of pr 2 profess recommended	re any evidence of deterioration. olonged exposure to the product sional/industrial users CE III is d, in accordance with the regulat 20345:2012 y EN 13832-1:2007		
	F Additional emerg	ency measures						
	Emergency me	asure St.	andards	Emergency	measure	Standards		
	Emergency sh	ISO 3864-1:20	5I Z358-1 11, ISO 3864-4:20	11 Eyewash s	IS	DIN 12 899 O 3864-1:2011, ISO 3864-4:201:		
		oosure controls:						

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):

0 % weight

PF022984_IT21 CI022450_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

nting:	12/03/2023 Date of	compilation: 04/05/2022	Version: 1
SECT	TION 8: EXPOSURE CONT	ROLS/PERSONAL PROTE	ECTION (continued)
	V.O.C. density at 20 °C:	0 kg/m³ (0 g/L))
	, Average carbon number		
	Average molecular weig		
SECT	TION 9: PHYSICAL AND C	CHEMICAL PROPERTIES	
9.1	For complete information se	ysical and chemical prope	rues:
	Appearance:		
	Physical state at 20 °C:		Liquid
			Enquision
	Appearance: Colour:		
	Odour:		Beige Characteristic
	Odour threshold:		
			Non-applicable *
	Volatility:	proceuro	100 - 1320 °C
	Boiling point at atmospheric Vapour pressure at 20 °C:		2327 Pa
	Vapour pressure at 20 °C. Vapour pressure at 50 °C:		
	Evaporation rate at 20 °C:		12260,82 Pa (12,26 kPa) Non-applicable *
	Product description:		
	Density at 20 °C:		1007,2 kg/m³
	Relative density at 20 °C:		0,975 - 1,015
	Dynamic viscosity at 20 °C:		Non-applicable *
	Kinematic viscosity at 20 °C.		Non-applicable *
	Kinematic viscosity at 40 °C		$>20,5 \text{ mm}^2/\text{s}$
	Concentration:		Non-applicable *
			9 - 10,5
	pH: Vanaur dansity at 20.0Cr		
	Vapour density at 20 °C:		Non-applicable *
	Partition coefficient n-octan		Non-applicable *
	Solubility in water at 20 °C:		Non-applicable *
	Solubility properties:		Non-applicable *
	Decomposition temperature		Non-applicable * Non-applicable *
	Melting point/freezing point	•	
	Flammability: Flash Point:		Non Elammable (> 60.0C)
	Flammability (solid, gas):		Non Flammable (>60 °C) Non-applicable *
	Autoignition temperature:		307 °C
	Lower flammability limit:		Non-applicable *
	Upper flammability limit:		Non-applicable *
	Particle characteristics:		
	Median equivalent diameter		Non-applicable
9.2	Other information:		
J.L		to physical hazard classe	e.
	Explosive properties:		s: Non-applicable *
		f the product, not providing informa	

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023	Date of compilation: 04/05/2022	Version: 1	
SECTION 9: PHYSIC	AL AND CHEMICAL PROPERTIES	S (continued)	
Oxidising propert	ies:	Non-applicable *	
Corrosive to meta	als:	Non-applicable *	
Heat of combusti	on:	Non-applicable *	
Aerosols-total per components:	centage (by mass) of flammable	Non-applicable *	
Other safety ch	aracteristics:		
Surface tension a	t 20 ºC:	Non-applicable *	
Refraction index:		Non-applicable *	
*Not relevant due to	the nature of the product, not providing infor	mation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1

- SECTION 11: TOXICOLOGICAL INFORMATION (continued)
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
 - D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified
 - as hazardous for the effects mentioned. For more information see section 3.
 - IARC: resorcinol (3); Sodium sulphite (3)
 - Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
 - F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	Acute toxicity	
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat
CAS: 615-50-9	LD50 dermal	Non-applicable	
EC: 210-431-8	LC50 inhalation	Non-applicable	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LD50 oral	>5000 mg/kg	Rat
CAS: 61789-40-0	LD50 dermal	Non-applicable	
EC: 263-058-8	LC50 inhalation	Non-applicable	
potassium hydroxide	LD50 oral	388 mg/kg	Rat
CAS: 1310-58-3	LD50 dermal	Non-applicable	
EC: 215-181-3	LC50 inhalation	Non-applicable	
4-aminophenol	LD50 oral	393 mg/kg	Rat
CAS: 123-30-8	LD50 dermal	10000 mg/kg	Rabbit
EC: 204-616-2	LC50 inhalation	Non-applicable	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabbit
EC: 203-585-2	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	19096,33 mg/kg (Calculation method)	32,27 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023

Date of compilation: 04/05/2022 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	Non-applicable		
CAS: 61789-40-0	EC50	Non-applicable		
EC: 263-058-8	EC50	30 mg/L (72 h)	N/A	Algae
9-Octadecen-1-ol, (Z)-, phosphate	LC50	110 mg/L (96 h)	Danio rerio	Fish
CAS: 37310-83-1	EC50	110 mg/L (48 h)	Daphnia magna	Crustacean
EC: 253-455-4	EC50	110 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacean
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
4-aminophenol	LC50	0,82 mg/L (96 h)	Oryzias latipes	Fish
CAS: 123-30-8	EC50	0,18 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-616-2	EC50	0,25 mg/L (72 h)	Selenastrum capricornutum	Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-585-2	EC50	Non-applicable		

Chronic toxicity:

Identification	Concentration		Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	NOEC	0,16 mg/L	Oncorhynchus mykiss	Fish
CAS: 61789-40-0 EC: 263-058-8	NOEC	0,9 mg/L	Daphnia magna	Crustacean
4-aminophenol	NOEC	0,049 mg/L	Oryzias latipes	Fish
CAS: 123-30-8 EC: 204-616-2	NOEC	0,206 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	gradability	Biodegradability	
9-Octadecen-1-ol, (Z)-, phosphate	BOD5	Non-applicable	Concentration	3 mg/L
CAS: 37310-83-1	COD	0 g O2/g	Period	28 days
EC: 253-455-4	BOD5/COD	Non-applicable	% Biodegradable	26,1 %
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
4-aminophenol	BOD5	Non-applicable	Concentration	200 mg/L
CAS: 123-30-8	COD	Non-applicable	Period	5 days
EC: 204-616-2	BOD5/COD	Non-applicable	% Biodegradable	87 %

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	BCF	71	
CAS: 61789-40-0	Pow Log		
EC: 263-058-8	Potential	Moderate	
9-Octadecen-1-ol, (Z)-, phosphate	BCF		
CAS: 37310-83-1	Pow Log	7.42	
EC: 253-455-4	Potential		
resorcinol	BCF	3	
CAS: 108-46-3	Pow Log	0.8	
EC: 203-585-2	Potential	Low	

12.4 Mobility in soil:

Identification	Absorpt	Absorption/desorption		Volatility	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Кос	648	Henry	Non-applicable	
CAS: 61789-40-0	Conclusion	Moderate	Dry soil	Non-applicable	
EC: 263-058-8	Surface tension	Non-applicable	Moist soil	Non-applicable	
9-Octadecen-1-ol, (Z)-, phosphate	Кос	74000	Henry	Non-applicable	
CAS: 37310-83-1	Conclusion	Immobile	Dry soil	Non-applicable	
EC: 253-455-4	Surface tension	Non-applicable	Moist soil	Non-applicable	
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable	
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable	
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable	
4-aminophenol	Кос	3.85	Henry	0E+0 Pa·m ³ /mol	
CAS: 123-30-8	Conclusion	Very High	Dry soil	No	
EC: 204-616-2	Surface tension	Non-applicable	Moist soil	No	
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mol	
CAS: 108-46-3	Conclusion	High	Dry soil	No	
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No	

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

PF022984 IT21 CI022450 IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023

Date of compilation: 04/05/2022 Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes.

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

PF022984_IT21 CI022450_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 6.1

Printing: 12/03/2023	Date of compilation: 04/05/2022 Version: 1
SECTION 16: OTHE	INFORMATION (continued)
Acute Tox. 3: H3 Acute Tox. 4: H3 Acute Tox. 4: H3 Acute Tox. 4: H3 Acute Tox. 4: H3 Aquatic Acute 1 Aquatic Chronic Aquatic Chronic Eye Dam. 1: H3 Eye Irrit. 2: H31 Muta. 2: H341 - Skin Corr. 1A: H Skin Sens. 1: H3 Skin Sens. 1: H3 Skin Sens. 1A: H3 Stin Sens. 1A: H3 Stin Sens. 1A: H3 Stin Sens. 1A: H3 Stin Sens. 1A: H3 Classification Aquatic Chronic Skin Sens. 1A: C	: Calculation method Ilculation method
Skin Irrit. 2: Cal Eye Irrit. 2: Calc Advice related Training is recon	ulation method lation method
Principal biblic http://echa.euro http://eur-lex.eu	
IMDG: Internatio IATA: Internatio ICAO: Internatio COD: Chemical (BOD5: 5day bio BCF: Bioconcent LD50: Lethal Do LC50: Lethal Con EC50: Effective (LogPOW: Octand	greement concerning the international carriage of dangerous goods by road nal maritime dangerous goods code al Air Transport Association nal Civil Aviation Organisation xygen Demand hemical oxygen demand ation factor e 50 centration 50 poncentration 50 lwater partition coefficient fficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.