MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing	: 12/03/2023 Date of cor	npilation: 04/05/2022	Version: 1
SECT	TION 1: IDENTIFICATION C	F THE SUBSTANCE/MI	XTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	PF022993_IT21 CI022441_IT21 MOROCCANOIL	
	Other means of identificati	on:	
	Non-applicable		
1.2	Relevant identified uses of	the substance or mixtu	re and uses advised against:
	Relevant uses: HAIR COLOR T	NT	
	Uses advised against: All uses	not specified in this sectior	n or in section 7.3
1.3	Details of the supplier of the	e safety data sheet:	
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com		
1.4	Emergency telephone num	ber: 1-888-700-1817	
SECT	TION 2: HAZARDS IDENTIF	CATION	
2.1	Classification of the substa	nce or mixture:	
	This Regulation shall not apply final user: cosmetic products a CLP Regulation (EC) No 12	s defined in REGULATION	es in the following forms, which are in the finished state, intended for the (EC) No 1223/2009

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts, 5-amino-o-cresol.

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Acute Toxicity Estimate (ATE mix):

32,27 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration	
CAS:	3055-94-5	2-[2-[2-(dodeciloxi)	etoxi]etoxi]etanol ⁽¹⁾	Self-classified		
	221-280-2 Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	$\langle \mathbf{\hat{b}} \rangle$	2.5 - <10 %	
CAS: EC:	61789-40-0 263-058-8	1-Propanaminium, 3 hydroxides, inner sal	-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., its ⁽¹⁾	Self-classified		
	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H31	.7 - Warning 🔶	1 - <2.5 %	
CAS: EC:	37310-83-1 253-455-4	9-Octadecen-1-ol, (Z	?)-, phosphate ⁽¹⁾	Self-classified		
Index:	253-455-4 Non-applicable 01-2119980737-21- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger		1 - <2.5 %	
CAS:	1310-58-3	potassium hydroxide ⁽¹⁾ ATP CLP00				
REACH:	215-181-3 019-002-00-8 01-2119487136-33- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger		<1 %	
CAS:	615-50-9	2-methyl-p-phenyler	nediamine sulfate ⁽¹⁾	Self-classified		
	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	<u>ې کې کې چې د</u>	<1 %	
CAS:	2835-95-2	5-amino-o-cresol ⁽¹⁾		Self-classified		
	220-618-6 Non-applicable 01-2120766272-54- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1A: H317 - Warning	(!) (1)	<1 %	
CAS:	108-46-3	resorcinol ⁽²⁾ ATP CLP00				
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 Warning	-	<1 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1

SECTION 4: FIRST AID MEASURES (continued)

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupa	itional exposure lir	nits
resorcinol		IOELV (8h)	10 ppm	45 mg/m ³
CAS: 108-46-3	EC: 203-585-2	IOELV (STEL)		

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
9-Octadecen-1-ol, (Z)-, phosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 37310-83-1	Dermal	Non-applicable	Non-applicable	55,6 mg/kg	Non-applicable
EC: 253-455-4	Inhalation	Non-applicable	Non-applicable	19,6 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	3,226 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	6,601 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	1,613 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	1,647 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³

PNEC:

Identification				
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg
9-Octadecen-1-ol, (Z)-, phosphate	STP	1,9 mg/L	Fresh water	Non-applicable
CAS: 37310-83-1	Soil	Non-applicable	Marine water	Non-applicable
EC: 253-455-4	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00112 mg/kg
5-amino-o-cresol	STP	1,5 mg/L	Fresh water	0,024 mg/L
CAS: 2835-95-2	Soil	0,012 mg/kg	Marine water	0,0024 mg/L
EC: 220-618-6	Intermittent	0,023 mg/L	Sediment (Fresh water)	0,129 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg

PF022993_IT21 CI022441_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

		CONTROLS/PERSONA						
resorci			STP	0,79 mg/L	Fresh water	0,017 mg/L		
	08-46-3		Soil	10 mg/kg	Marine water	0,002 mg/L		
	3-585-2		Intermittent	Non-applicable	Sediment (Fresh water)	0,08 mg/kg		
			Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg		
Expos	sure controls:							
A Ind	lividual protection measures, such as personal protective equipment							
ma uso inf the	arking>> in acc e, cleaning, ma formation see s	measure it is recommend cordance with Regulation intenance, class of protec ubsection 7.1. All informa evention services as it is r ction	(EU) 2016/425 tion,) consult ition contained	. For more information the information lean herein is a recommo	on on Personal Protective flet provided by the man endation which needs sor	Equipment (storage ufacturer. For more me specification fro		
	Pictogram	PPE	Labelling	CEN Standard	R	emarks		
	Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:20	10 contaminant insid contaminant contaminant contamina	e is a taste or smell of t le the face mask. If the nes with warnings it is use isolation equipment		
	e and face prot	PPE	Labelling	CEN Standard	R	emarks		
	Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	the manufacturer's in	ect periodically accordin istructions. Use if there f splashing.		
E Bo	dy protection							
	Pictogram	PPE	Labelling	CEN Standard	R	emarks		
		Work clothing	CATI		periods of prolonged professional/inc recommended, in acco in EN ISO 6529:2013,	vidence of deterioration exposure to the produc lustrial users CE III is ordance with the regula EN ISO 6530:2005, EN 3, EN 464:1994.		
		Anti-slip work shoes		EN ISO 20347:201	2 periods of prolonged 2 professional/inc recommended, in acco	vidence of deterioration. exposure to the product lustrial users CE III is ordance with the regulat 012 y EN 13832-1:2003		
F Ad	ditional emerge							
	Emergency mea	asure Sta	andards	Emergency	measure	Standards		
	Emergency sho	ISO 3864-1:201	I Z358-1 .1, ISO 3864-4:20	11 Eyewash s	ISO 3864-1	DIN 12 899 :2011, ISO 3864-4:201		

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):

0 % weight

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022993 IT21 CI022441 IT21 **MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2** Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1 SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued) V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Non-applicable Average carbon number: Average molecular weight: Non-applicable SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. **Appearance:** Physical state at 20 °C: Liquid Emulsion Appearance: Colour: Beige Odour: Characteristic Odour threshold: Non-applicable * Volatility: 100 - 1320 °C Boiling point at atmospheric pressure: 2327 Pa Vapour pressure at 20 °C: Vapour pressure at 50 °C: 12262,19 Pa (12,26 kPa) Non-applicable * Evaporation rate at 20 °C: **Product description:** Density at 20 °C: 1005,5 kg/m³ Relative density at 20 °C: 0,975 - 1,015 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: >20,5 mm²/s Concentration: Non-applicable * pH: 9 - 10,5 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: 327 °C Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * **Particle characteristics:** Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes: Explosive properties: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023	Date of compilation: 04/05/2022	Version: 1	
SECTION 9: PHYSIC	CAL AND CHEMICAL PROPERTIES	S (continued)	
Oxidising prope	rties:	Non-applicable *	
Corrosive to me	tals:	Non-applicable *	
Heat of combus	tion:	Non-applicable *	
Aerosols-total p components:	ercentage (by mass) of flammable	Non-applicable *	
Other safety o	characteristics:		
Surface tension	at 20 °C:	Non-applicable *	
Refraction index	<:	Non-applicable *	
*Not relevant due	to the nature of the product, not providing info	mation property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1
SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: resorcinol (3); Sodium sulphite (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	Acute toxicity	
2-methyl-p-phenylenediamine sulfate	LD50 oral	102 mg/kg	Rat
CAS: 615-50-9	LD50 dermal	Non-applicable	
EC: 210-431-8	LC50 inhalation	Non-applicable	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LD50 oral	>5000 mg/kg	Rat
CAS: 61789-40-0	LD50 dermal	Non-applicable	
EC: 263-058-8	LC50 inhalation	Non-applicable	
potassium hydroxide	LD50 oral	388 mg/kg	Rat
CAS: 1310-58-3	LD50 dermal	Non-applicable	
EC: 215-181-3	LC50 inhalation	Non-applicable	
5-amino-o-cresol	LD50 oral	3600 mg/kg	Rat
CAS: 2835-95-2	LD50 dermal	5688 mg/kg	Rat
EC: 220-618-6	LC50 inhalation	Non-applicable	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabbit
EC: 203-585-2	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	36010,08 mg/kg (Calculation method)	32,27 %
Dermal >2000 mg/kg (Calculation method)		Non-applicable
inhalation >20 mg/L (4 h) (Calculation method)		Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	Non-applicable		
CAS: 61789-40-0	EC50	Non-applicable		
EC: 263-058-8	EC50	30 mg/L (72 h)	N/A	Algae
9-Octadecen-1-ol, (Z)-, phosphate	LC50	110 mg/L (96 h)	Danio rerio	Fish
CAS: 37310-83-1	EC50	110 mg/L (48 h)	Daphnia magna	Crustacean
EC: 253-455-4	EC50	110 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacean
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
5-amino-o-cresol	LC50	25 mg/L (96 h)	Danio rerio	Fish
CAS: 2835-95-2	EC50	2,3 mg/L (48 h)	Daphnia magna	Crustacean
EC: 220-618-6	EC50	17 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-585-2	EC50	Non-applicable		

Chronic toxicity:

Identification	Concentration		Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	NOEC	0,16 mg/L	Oncorhynchus mykiss	Fish
CAS: 61789-40-0 EC: 263-058-8	NOEC	0,9 mg/L	Daphnia magna	Crustacean
5-amino-o-cresol	NOEC	Non-applicable		
CAS: 2835-95-2 EC: 220-618-6	NOEC	0,24 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
9-Octadecen-1-ol, (Z)-, phosphate	BOD5	Non-applicable	Concentration	3 mg/L
CAS: 37310-83-1	COD	0 g O2/g	Period	28 days
EC: 253-455-4	BOD5/COD	Non-applicable	% Biodegradable	26,1 %
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %
5-amino-o-cresol	BOD5	Non-applicable	Concentration	15 mg/L
CAS: 2835-95-2	COD	Non-applicable	Period	28 days
EC: 220-618-6	BOD5/COD	Non-applicable	% Biodegradable	0 %
Bioaccumulative potential:				

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	BCF	71	
CAS: 61789-40-0	Pow Log		
EC: 263-058-8	Potential	Moderate	
9-Octadecen-1-ol, (Z)-, phosphate	BCF		
CAS: 37310-83-1	Pow Log	7.42	
EC: 253-455-4	Potential		
5-amino-o-cresol	BCF		
CAS: 2835-95-2	Pow Log	0.53	
EC: 220-618-6	Potential		
resorcinol	BCF	3	
CAS: 108-46-3	Pow Log	0.8	
EC: 203-585-2	Potential	Low	

12.4 Mobility in soil:

Identification	Absorpt	Absorption/desorption		ility
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Кос	648	Henry	Non-applicable
CAS: 61789-40-0	Conclusion	Moderate	Dry soil	Non-applicable
EC: 263-058-8	Surface tension	Non-applicable	Moist soil	Non-applicable
9-Octadecen-1-ol, (Z)-, phosphate	Кос	74000	Henry	Non-applicable
CAS: 37310-83-1	Conclusion	Immobile	Dry soil	Non-applicable
EC: 253-455-4	Surface tension	Non-applicable	Moist soil	Non-applicable
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable
5-amino-o-cresol	Кос	17.8	Henry	Non-applicable
CAS: 2835-95-2	Conclusion	Very High	Dry soil	Non-applicable
EC: 220-618-6	Surface tension	Non-applicable	Moist soil	Non-applicable
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mol
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)			
It is not possible to assign a specific code, as it depends on the intended use by the user Non dangerous					
Type of waste (Regulation (EU) No 1357/2014): Non-applicable					

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022993_IT21 CI022441_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 8.2

Printing: 12/03/2023	Date of compilation: 04/05/2022	Version: 1
SECTION 16: OTH	IER INFORMATION (continued)	
H317: May ca H315: Causes H319: Causes Texts of the The phrases in individual com CLP Regulat Acute Tox. 3: Acute Tox. 4: Acute Tox. 4: Aquatic Acute Aquatic Chror Aquatic Chror Aquatic Chror Eye Dam. 1: H Eye Irrit. 2: H Skin Corr. 1A: Skin Irrit. 2: F Skin Sens. 1: Skin Sens. 1A STOT RE 2: H	use an allergic skin reaction. skin irritation. serious eye irritation. legislative phrases mentioned in sect ndicated do not refer to the product itself; ponents which appear in section 3 ion (EC) No 1272/2008: H301 - Toxic if swallowed. H302 - Harmful if swallowed. H312+H332 - Harmful in contact with skin 1: H400 - Very toxic to aquatic life. tic 1: H410 - Very toxic to aquatic life with hic 2: H411 - Toxic to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hic 3: H412 - Harmful to aquatic life with long hit - Causes serious eye damage. 319 - Causes serious eye irritation. H314 - Causes severe skin burns and eye H315 - Causes skin irritation. H317 - May cause an allergic skin reaction 373 - May cause damage to organs throug	they are present merely for informative purposes and refer to the n or if inhaled. long lasting effects. lasting effects. ong lasting effects. damage.
Skin Sens. 1A Skin Irrit. 2: C	n procedure: : Calculation method Calculation method alculation method	
	ed to training:	
	ommended in order to prevent industrial ri of this safety data sheet, as well as the lat	isks for staff using this product and to facilitate their comprehension and bel on the product.
Principal bib http://echa.eu http://eur-lex.		
• • • •	ns and acronyms:	
IMDG: Interna IATA: Interna ICAO: Interna COD: Chemica BOD5: 5day b BCF: Bioconce LD50: Lethal I LC50: Lethal 0 EC50: Effectiv LogPOW: Octa	Concentration 50 e concentration 50 anolwater partition coefficient	carriage of dangerous goods by road
UFI: unique fo	coefficient of organic carbon ormula identifier tional Agency for Research on Cancer	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.