MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

inting:	: 12/03/2023 Date of compi	lation: 04/05/2022	Version: 1				
SECT	TION 1: IDENTIFICATION OF	THE SUBSTANCE/M	IXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier:	PF022996_IT2 CI022440_IT2 MOROCCANOI					
	Other means of identification	:					
	Non-applicable						
1.2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant uses: HAIR COLOR TINT	-					
	Uses advised against: All uses not	specified in this section	n or in section 7.3				
1.3	Details of the supplier of the s	safety data sheet:					
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com						
1.4	Emergency telephone number	r: 1-888-700-1817					

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts.

Substances that contribute to the classification

2-methyl-p-phenylenediamine sulfate (CAS: 615-50-9)

Acute Toxicity Estimate (ATE mix):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

32,27 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

Date of compilation: 04/05/2022

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acqueous mixture with Ammonia and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration	
CAS:	3055-94-5 221-280-2	2-[2-[2-(dodeciloxi)	etoxi]etoxi]etanol ⁽¹⁾	Self-classified		
	Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	$\langle \mathbf{I} \rangle$	2.5 - <10 %	
CAS: EC: Index:	61789-40-0 263-058-8	1-Propanaminium, 3 hydroxides, inner sal	- amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., Its ⁽¹⁾	Self-classified		
REACH:	Non-applicable 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H31	7 - Warning 🔶	1 - <2.5 %	
CAS: EC:	37310-83-1	9-Octadecen-1-ol, (Z	;)-, phosphate ⁽¹⁾	Self-classified		
Index: REACH:	253-455-4 Non-applicable 01-2119980737-21- XXXX	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	A Contraction of the second se	1 - <2.5 %	
	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33- XXXX	potassium hydroxide ⁽¹⁾ ATP CLP00				
REACH:		Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger		<1 %	
	615-50-9	2-methyl-p-phenyler	nediamine sulfate ⁽¹⁾	Self-classified		
	210-431-8 Non-applicable 01-2119962199-25- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Acute Tox. 4: H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1A: H317; STOT RE 2: H373 - Danger	 Image: A transmission of the second se	<1 %	
CAS:	108-46-3	resorcinol ⁽¹⁾		ATP CLP00		
	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 Warning		<1 %	

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit			
potassium hydroxide CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319			

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:**

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1

SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023 Date of compilation: 04/05/2022

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupational exposure limits			
resorcinol	resorcinol		10 ppm	45 mg/m ³	
CAS: 108-46-3	EC: 203-585-2	IOELV (STEL)			

DNEL (Workers):

	Short e	xposure	Long exposure		
Identification	Systemic	Local	Systemic	Local	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

	Short	exposure	Long exposure		
Identification		Systemic	Local	Systemic	Local
9-Octadecen-1-ol, (Z)-, phosphate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 37310-83-1	Dermal	Non-applicable	Non-applicable	55,6 mg/kg	Non-applicable
EC: 253-455-4	Inhalation	Non-applicable	Non-applicable	19,6 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
2-methyl-p-phenylenediamine sulfate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 615-50-9	Dermal	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
EC: 210-431-8	Inhalation	2,75 mg/m ³	Non-applicable	0,49 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³

DNEL (General population):

	Short e	xposure	Long exposure		
Identification		Systemic	Local	Systemic	Local
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³

PNEC:

Identification				
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg
9-Octadecen-1-ol, (Z)-, phosphate	STP	1,9 mg/L	Fresh water	Non-applicable
CAS: 37310-83-1	Soil	Non-applicable	Marine water	Non-applicable
EC: 253-455-4	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
2-methyl-p-phenylenediamine sulfate	STP	0,177 mg/L	Fresh water	0,0126 mg/L
CAS: 615-50-9	Soil	0,00259 mg/kg	Marine water	0,00126 mg/L
EC: 210-431-8	Intermittent	0,7 mg/L	Sediment (Fresh water)	0,0112 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00112 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water	0,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water	0,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh water)	0,08 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

inting: 12/0	03/2023 Da		mpilation: 04/05		Versior ION (
	Respiratory protect		OLS/TERSON	ALTROTEON.					
	Pictogram		PPE	Labelling		CEN Standard		Remarks	
	Mandatory respiratory tract protection		ask for gases and vapours		EN	405:2002+A1:2010	Replace when there is a taste or smell contaminant inside the face mask. I contaminant comes with warnings recommended to use isolation equip		
	Specific protection	n for the	hands						
	Non-applicable								
D	Eye and face prot	ection							
	Pictogram		PPE	Labelling		CEN Standard		Remarks	
	Mandatory face protection		nic glasses against sh/projections.		E	EN 166:2002 EN ISO 4007:2018		daily and disinfect periodically according t anufacturer's instructions. Use if there is risk of splashing.	
E	Body protection	on							
	Pictogram		PPE	Labelling		CEN Standard	Remarks		
		W	ork clothing	CATI			period recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.	
			slip work shoes		E	EN ISO 20347:2012		ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007	
F	Additional emerge	ency mea	isures						
	Emergency mea	asure	St	andards		Emergency measu	ire	Standards	
	Emergency sho	ower		5I Z358-1 11, ISO 3864-4:20	Z Z358-1 1, ISO 3864-4:2011 Eyewash stations		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:		
In a spil		ne comm product ar	unity legislation nd its container.			the environment it i ation see subsectior		nmended to avoid environmental	
Wit	th regard to Direct	ive 2010,	/75/EU, this proc	luct has the fol	lowing	characteristics:			
	V.O.C. (Supply):	D.C. (Supply): 0 % weight							
	V.O.C. density at	20 °C:		m³ (0 g/L)					
	Average carbon n			applicable					
			· Non-z	applicable					
	Average molecula	ir weignt							
	Average molecula	-							

Appearance:

Physical state at 20 °C:

- CONTINUED ON NEXT PAGE -

Liquid

PF022996_IT21 CI022440_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

	12/03/2023 Date of compilation: 04/05/2022	Version: 1				
ECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)				
	Appearance:	Emulsion				
	Colour:	Beige				
	Odour:	Characteristic				
	Odour threshold:	Non-applicable *				
	Volatility:					
	Boiling point at atmospheric pressure:	100 - 1320 °C				
	Vapour pressure at 20 °C:	2327 Pa				
	Vapour pressure at 50 °C:	12261,02 Pa (12,26 kPa)				
	Evaporation rate at 20 °C:	Non-applicable *				
	Product description:					
	Density at 20 °C:	1007 kg/m³				
	Relative density at 20 °C:	0,975 - 1,015				
	Dynamic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 20 °C:	Non-applicable *				
	Kinematic viscosity at 40 °C:	>20,5 mm ² /s				
	Concentration:	Non-applicable *				
	pH:	9 - 10,5				
	Vapour density at 20 ºC:	Non-applicable *				
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *				
	Solubility in water at 20 °C:	Non-applicable *				
	Solubility properties:	Non-applicable *				
	Decomposition temperature:	Non-applicable *				
	Melting point/freezing point:	Non-applicable *				
	Flammability:					
	Flash Point:	Non Flammable (>60 °C)				
	Flammability (solid, gas):	Non-applicable *				
	Autoignition temperature:	307 °C				
	Lower flammability limit:	Non-applicable *				
	Upper flammability limit:	Non-applicable *				
	Particle characteristics:					
	Median equivalent diameter:	Non-applicable				
.2	Other information:					
-	Other Information: Information with regard to physical hazard classes:					
	Explosive properties:	Non-applicable *				
	Oxidising properties:	Non-applicable *				
	Corrosive to metals:	Non-applicable *				
	Heat of combustion:	Non-applicable *				
	Aerosols-total percentage (by mass) of flammable	Non-applicable *				
	components: Other safety characteristics:					
	Surface tension at 20 °C:	Non-applicable *				
	Refraction index:	Non-applicable *				
	*Not relevant due to the nature of the product, not providing info					

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF022996_IT21 CI022440_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing:	12/03/2023	Date of compilati	on: 04/05/2022	Version: 1		
SECT	ION 10: STABI	LITY AND REACT	IVITY			
10.1	Reactivity:					
	No hazardous rea	actions are expected	d because the prod	duct is stable under reco	mmended storage conditi	ons. See section 7.
10.2	Chemical stabi	lity:				
	Chemically stable	e under the indicate	d conditions of sto	brage, handling and use.		
10.3	Possibility of h	azardous reactior	าร:			
	Under the specifi	ed conditions, haza	rdous reactions th	at lead to excessive tem	peratures or pressure are	not expected.
10.4	Conditions to a	void:				
	Applicable for ha	ndling and storage	at room temperatu	Jre:		
	Shock and fri	ction Con	tact with air	Increase in temperature	Sunlight	Humidity
	Not applica	ble Not	t applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible r	naterials:				
	Acids		Water	Oxidising materials	Combustible materials	Others
	Avoid strong	acids No	t applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: resorcinol (3); Sodium sulphite (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/202	3 Date of compilation: 04/05/2022	Ve	rsion: 1			
SECTION 11:	TOXICOLOGICAL INFORMATION (cont	inued)				
this e	on available data, the classification criteria a fect. For more information see section 3. rc target organ toxicity (STOT)-repeated expo		et, as it doe	s not contair	n substances classified a	s hazardous for
Howe - Ski hazar	ecific target organ toxicity (STOT)-repeated ex ver, it does contain substances classified as ha n: Based on available data, the classification of dous for this effect. For more information see ition hazard:	azardous criteria a	for this effe re not met,	ect. For more	information see sectior	n 3.
this e	on available data, the classification criteria a fect. For more information see section 3.	re not m	et, as it doe	s not contair	n substances classified a	s hazardous for
Other in	formation:					
Non-appli	cable					
Specific	toxicology information on the substance	es:				
	Identification				Acute toxicity	Genus
2-methyl-n	-phenylenediamine sulfate			LD50 oral	102 mg/kg	Rat
CAS: 615-5				LD50 dermal	Non-applicable	
EC: 210-43	1-8			LC50 inhalatio	n Non-applicable	
	ninium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-co , inner salts	oco acyl de	erivs.,	LD50 oral	>5000 mg/kg	Rat
CAS: 6178) -40-0			LD50 dermal	Non-applicable	
EC: 263-05	8-8			LC50 inhalation	n Non-applicable	
potassium	hydroxide			LD50 oral	388 mg/kg	Rat
CAS: 1310				LD50 dermal	Non-applicable	
EC: 215-18	1-3			LC50 inhalation	n Non-applicable	
resorcinol				LD50 oral	310 mg/kg	Rat
CAS: 108-4				LD50 dermal	2830 mg/kg	Rabbit
EC: 203-58				LC50 inhalation	n Non-applicable	
Acute 10	oxicity Estimate (ATE mix):					
	ATE mix				Ingredient(s) of unk	nown toxicity
Oral Dermal	15810 mg/kg (Calcula >2000 mg/kg (Calcula		-		32,27 %	
Inhalation	>20 mg/kg (Calcula >20 mg/L (4 h) (Calcu		;	Non-applicable Non-applicable		
	tion on other hazards:		liouy			
Endocrir	e disrupting properties					
	e-disrupting properties: The product fails to m	oot the	ritoria			
	formation					
Non-appli	cable					
SECTION 12:	ECOLOGICAL INFORMATION					
The experiments	I information related to the eco-toxicological	proportic	s of the pro	duct itcolf ic	not available	
•	5	propertie	s or the pro			
12.1 Toxicity						
Acute to	-		_			
	Identification		Concentrat	ion	Species	Genus
	ninium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- lerivs., hydroxides, inner salts	LC50	Non-applicabl	e		
CAS: 6178		EC50	Non-applicabl	e		

30 mg/L (72 h)

EC50

EC: 263-058-8

Algae

N/A

PF022996_IT21 CI022440 IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

Identification		Concentration	Species	Genus
9-Octadecen-1-ol, (Z)-, phosphate	LC50	110 mg/L (96 h)	Danio rerio	Fish
CAS: 37310-83-1	EC50	110 mg/L (48 h)	Daphnia magna	Crustacea
EC: 253-455-4	EC50	110 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
2-methyl-p-phenylenediamine sulfate	LC50	1,08 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 615-50-9	EC50	1,19 mg/L (48 h)	Daphnia magna	Crustacea
EC: 210-431-8	EC50	0,653 mg/L (72 h)	Desmodesmus subspicatus	Algae
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crustacea
EC: 203-585-2	EC50	Non-applicable		

Chronic toxicity:

Identification	Concentration		Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts		0,16 mg/L	Oncorhynchus mykiss	Fish
CAS: 61789-40-0 EC: 263-058-8	NOEC	0,9 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability: Substance-specific information:

Identification	Degr	adability	Biodegradability	
9-Octadecen-1-ol, (Z)-, phosphate	BOD5	Non-applicable	Concentration	3 mg/L
CAS: 37310-83-1	COD	0 g O2/g	Period	28 days
EC: 253-455-4	BOD5/COD	Non-applicable	% Biodegradable	26,1 %
2-methyl-p-phenylenediamine sulfate	BOD5	Non-applicable	Concentration	6 mg/L
CAS: 615-50-9	COD	Non-applicable	Period	28 days
EC: 210-431-8	BOD5/COD	Non-applicable	% Biodegradable	17 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	BCF	71
CAS: 61789-40-0	Pow Log	
EC: 263-058-8	Potential	Moderate
9-Octadecen-1-ol, (Z)-, phosphate	BCF	
CAS: 37310-83-1	Pow Log	7.42
EC: 253-455-4	Potential	
resorcinol	BCF	3
CAS: 108-46-3	Pow Log	0.8
EC: 203-585-2	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Кос	648	Henry	Non-applicable
CAS: 61789-40-0	Conclusion	Moderate	Dry soil	Non-applicable
EC: 263-058-8	Surface tension	Non-applicable	Moist soil	Non-applicable
9-Octadecen-1-ol, (Z)-, phosphate	Кос	74000	Henry	Non-applicable
CAS: 37310-83-1	Conclusion	Immobile	Dry soil	Non-applicable
EC: 253-455-4	Surface tension	Non-applicable	Moist soil	Non-applicable

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility	
2-methyl-p-phenylenediamine sulfate	Кос	17.3	Henry	Non-applicable
CAS: 615-50-9	Conclusion	Very High	Dry soil	Non-applicable
EC: 210-431-8	Surface tension	Non-applicable	Moist soil	Non-applicable
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mol
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 ⁰C)	Moist soil	No

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023 Date of compilation: 04/05/2022 Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eve Dam. 1: H318 - Causes serious eve damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).

Classification procedure:

Skin Sens. 1A: Calculation method Aquatic Chronic 3: Calculation method Skin Irrit. 2: Calculation method Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT CREAM COLOR 7.21

Printing: 12/03/2023	Date of compilation: 04/05/2022	Version: 1
SECTION 16: OTHE	ER INFORMATION (continued)	
ADR: European IMDG: Internati IATA: Internatio ICAO: Internatio COD: Chemical BOD5: 5day bio BCF: Bioconcen LD50: Lethal Do LC50: Lethal Do EC50: Effective LogPOW: Octar Koc: Partition co UFI: unique for	agreement concerning the international c ional maritime dangerous goods code onal Air Transport Association onal Civil Aviation Organisation Oxygen Demand ochemical oxygen demand tration factor ose 50 oncentration 50 concentration 50 nolwater partition coefficient oefficient of organic carbon	carriage of dangerous goods by road

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.