MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing	12/03/2023 Date of compilation: 04/05/2022 Version: 1
SEC	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: PF023007_IT21 CI022250_IT21 MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: HAIR COLOR TINT
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
1.4	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com Emergency telephone number: 1-888-700-1817
SEC	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009 CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
2.2	Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Label elements:
	CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing: 12/03/2023

Version: 1

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Date of compilation: 04/05/2022

Chemical description: Acqueous mixture of colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:	1310-58-3	potassium hydroxide	2(1)	ATP CLP00			
	215-181-3 019-002-00-8 01-2119487136-33- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger	(1)	<1 %		
CAS:	68259-00-7	C.I.Basic Yellow 87(1	.)	Self-classified			
EC: Index: REACH:	269-503-2 Non-applicable 01-2120817619-46- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	(!) (L)	<1 %		

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF023007_IT21 CI022250_IT21

MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing: 12/03/2023

Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

7.2 Conditions for safe storage, including any incompatibilities:

Date of compilation: 04/05/2022

A.- Technical measures for storage

Minimum Temp.: 5 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

	Short e	xposure	Long ex	xposure	
Identification		Systemic	Local	Systemic	Local
ootassium hydroxide Oral		Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3 Dermal		Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³

DNEL (General population):

	Short e	xposure	Long ex	kposure	
Identification	Systemic	Local	Systemic	Local	
potassium hydroxide Oral		Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogr	am PPE	Labelling	CEN Standard	Remarks
Mandatory	hand polyethylene (LLDPE), Breakthrough time: > 480 min. Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

PF023007_IT21 CI022250_IT21 MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

ung: 12	2/03/2023 D	acc 01 c01	npilation: 04/05		ersion: 1		
	ON 8: EXPOSURE	CONTR	OLS/PERSON	AL PROTECTI	ON (continued)		
	Pictogram		PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection		ic glasses against n/projections.	CAT II	EN 166:2002 EN ISO 4007:2018		daily and disinfect periodically according to nanufacturer´s instructions. Use if there is a risk of splashing.
E	E Body protection						
	Pictogram		PPE	Labelling	CEN Standard		Remarks
		Wo	ork clothing	CATI		perio recom	ce before any evidence of deterioration. Fo ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
		Anti-s	lip work shoes		EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. Fo ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerge	ency mea	sures				
	Emergency measure		Standards		Emergency meas	ure	Standards
	*			SI Z358-1 111, ISO 3864-4:201			DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Ir sj V	pillage of both the p /olatile organic co	bosure co he commu product ar propund	ontrols: Inity legislation Id its container. S:	for the protectic For additional ir	Eyewash station	is recor	nmended to avoid environmental
Ir sj V	Environmental exp n accordance with the pillage of both the p /olatile organic co	bosure commu broduct ar broduct ar broound tive 2010/ 20 °C:	ontrols: Inity legislation Id its container. s: 75/EU, this prod 0 % 0 kg/	for the protectic For additional ir	Eyewash station	is recor	nmended to avoid environmental
Ir sj V	Environmental exp in accordance with the pillage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at	bosure commu broduct ar broduct a	ontrols: unity legislation id its container. s: 75/EU, this prod 0 % 0 kg/ Non-a	for the protectic For additional ir duct has the foll weight 'm ³ (0 g/L)	Eyewash station	is recor	nmended to avoid environmental
In SJ V	Environmental exp in accordance with the pollage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula	bosure co he commu product ar mpound tive 2010/ 20 °C: number: ar weight:	ontrols: unity legislation d its container. s: 75/EU, this prod 0 % 0 kg/ Non-a	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable	Eyewash station	is recor	nmended to avoid environmental
In S W W	Environmental exp in accordance with the pollage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula	bosure commu product ar mpound tive 2010/ 20 °C: number: ar weight:	ontrols: unity legislation id its container. s: 75/EU, this prod 0 % 0 kg/ Non-a Non-a	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable	Eyewash station	is recor	nmended to avoid environmental
ECTIC	Environmental exp in accordance with the pollage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula	bosure commu product ar product ar product ar product ar product ar product ar 20 °C: product ar product ar pr	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES	Eyewash station	is recor	nmended to avoid environmental
ECTIC .1 I A	Environmental exp in accordance with the pollage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Enformation on ba	bosure commu broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar 20 °C: number: ar weight: AND CHI sic physi ation see f	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES	Eyewash station	is recor	nmended to avoid environmental
II S V W ECTIC .1 I F A P	Environmental exp in accordance with the pollage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Information on ba	bosure commu broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar 20 °C: number: ar weight: AND CHI sic physi ation see f	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet.	Eyewash station	is recor	nmended to avoid environmental
ECTIC .1 A A	Environmental exp in accordance with the pillage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Conformation on ba For complete information Appearance: Physical state at 20 °	bosure commu broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar 20 °C: number: ar weight: AND CHI sic physi ation see f	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional ir duct has the foll weight 'm ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquic Gel	Eyewash station	is recor	nmended to avoid environmental
ECTIC .1 I A A C	Environmental exp in accordance with the pillage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Information on ba For complete information Appearance: Physical state at 20 C	bosure commu broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar 20 °C: number: ar weight: AND CHI sic physi ation see f	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquic Gel	Eyewash station on of the environment it formation see subsectio owing characteristics:	is recor	nmended to avoid environmental
ECTIC .1 I A C C	Environmental exp in accordance with the polatile organic co Volatile organic co Vith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Information on ba For complete information Appearance: Physical state at 20 C Appearance: Colour:	bosure commu broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar 20 °C: number: ar weight: AND CHI sic physi ation see f	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional in duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquid Gel	Eyewash station on of the environment it iformation see subsectio owing characteristics:	is recor	nmended to avoid environmental
ECTIC .1 I A A C C C C	Environmental exp in accordance with the pollatile organic co Volatile organic co Vith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Enformation on ba For complete informat Appearance: Physical state at 20 ° Appearance: Colour: Ddour:	bosure commu broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar broduct ar 20 °C: number: ar weight: AND CHI sic physi ation see f	ontrols: inity legislation id its container. s: 75/EU, this prod 0 kg/ 0 kg/ Non-a Non-a EMICAL PROF	for the protectic For additional in duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquid Gel	Eyewash station on of the environment it formation see subsectio owing characteristics:	is recor	nmended to avoid environmental
ECTIC .1 I A CC C C C C C	Environmental exp in accordance with the pollage of both the pollage of both the pollage (olatile organic co Nith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Conformation on ba For complete informat Appearance: Physical state at 20 C Appearance: Colour: Ddour: Ddour threshold:	AND CHI sic physic	ontrols: Inity legislation id its container. 5: 75/EU, this prod 0 kg/ Non-a Non-a EMICAL PROF cal and chemi the product data	for the protectic For additional in duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquid Gel	Eyewash station on of the environment it formation see subsectio owing characteristics:	is recor	nmended to avoid environmental
ECTIC .1 I A C C V B	Environmental exp in accordance with the pillage of both the p /olatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Conformation on ba For complete informat Appearance: Physical state at 20 C Appearance: Colour: Ddour: Ddour threshold: /olatility:	posure compu- product ar product	ontrols: Inity legislation id its container. 5: 75/EU, this prod 0 kg/ Non-a Non-a EMICAL PROF cal and chemi the product data	for the protectic For additional in duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquid Gel	Eyewash station on of the environment it formation see subsectio owing characteristics:	is recor	nmended to avoid environmental
ECTIC .1 I A P A C C C V B V	Environmental exp in accordance with the pollatile organic co Volatile organic co Vith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Conformation on ba For complete informat Appearance: Physical state at 20 C Appearance: Colour: Dodour: Dodour threshold: /olatility: Boiling point at atmo	posure control of the communication of the communic	ontrols: Inity legislation id its container. 5: 75/EU, this prod 0 kg/ Non-a Non-a EMICAL PROF cal and chemi the product data	for the protectic For additional ir duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquid Gel Chara Non-2	Eyewash station on of the environment it formation see subsectio owing characteristics:	is recor	nmended to avoid environmental
ECTIC J.1 I A C C C C C C C C C C C C C C C C C C	Environmental exp in accordance with the pollatile organic co Vith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon r Average molecula DN 9: PHYSICAL / Information on ba For complete informat Appearance: Physical state at 20 C Appearance: Colour: Ddour threshold: /olatility: Boiling point at atmo /apour pressure at 2	spheric pr 0 °C: 0 °C: 0 °C: 0 °C: 0 °C: 0 °C:	ontrols: Inity legislation id its container. 5: 75/EU, this prod 0 kg/ Non-a Non-a EMICAL PROF cal and chemi the product data	for the protectic For additional in duct has the foll weight (m ³ (0 g/L) applicable applicable PERTIES ical properties asheet. Liquid Gel Chara Non-a 100 - 2306 1215	Eyewash station	is recor	nmended to avoid environmental

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PF023007_IT21 CI022250_IT21 MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing	: 12/03/2023	Date of compilation: 04/05/2022	Version: 1
SEC	TION 9: PHYSIC	CAL AND CHEMICAL PROPERTIE	ES (continued)
	Product descri	iption:	
	Density at 20 °C		1037,6 kg/m ³
	Relative density	at 20 °C:	1 - 1,04
	Dynamic viscosi	ty at 20 °C:	Non-applicable *
	Kinematic viscos	sity at 20 °C:	Non-applicable *
	Kinematic viscos	sity at 40 °C:	Non-applicable *
	Concentration:		Non-applicable *
	pH:		9 - 10,5
	Vapour density a	at 20 ºC:	Non-applicable *
	Partition coeffici	ent n-octanol/water 20 ºC:	Non-applicable *
	Solubility in wate	er at 20 ºC:	Non-applicable *
	Solubility proper	ties:	Non-applicable *
	Decomposition t	emperature:	Non-applicable *
	Melting point/fre	eezing point:	Non-applicable *
	Flammability:		
	Flash Point:		Non Flammable (>60 °C)
	Flammability (so	olid, gas):	Non-applicable *
	Autoignition terr	nperature:	370 °C
	Lower flammabi	lity limit:	Non-applicable *
	Upper flammabi	lity limit:	Non-applicable *
	Particle chara	cteristics:	
	Median equivale	nt diameter:	Non-applicable
9.2	Other informa	tion:	
	Information w	vith regard to physical hazard clas	sses:
	Explosive proper	rties:	Non-applicable *
	Oxidising proper	ties:	Non-applicable *
	Corrosive to me	tals:	Non-applicable *
	Heat of combust	tion:	Non-applicable *
	components:	ercentage (by mass) of flammable	Non-applicable *
	-	haracteristics:	
	Surface tension		Non-applicable *
	Refraction index		Non-applicable *
	*Not relevant due to	o the nature of the product, not providing info	prmation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

PF023007_IT21 CI022250_IT21 MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

SECTION 10: STABILITY AND REACTIVITY (continued)									
-	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
.0.5 I	Incompatible materials	5:							
[Acids	Water	Oxidising materials	Combustible materials	Others				
Avoid strong acids Not applicable Precaution Not applicable Avoid alkalis or strong bases									

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing: 12/03/2023

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Date of compilation: 04/05/2022

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	Genus	
potassium hydroxide	LD50 oral	388 mg/kg	Rat
CAS: 1310-58-3	LD50 dermal	Non-applicable	
EC: 215-181-3	LC50 inhalation	Non-applicable	
C.I.Basic Yellow 87	LD50 oral	1000 mg/kg	Rat
CAS: 68259-00-7	LD50 dermal	Non-applicable	
EC: 269-503-2	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	Non-applicable	
Dermal	Dermal >2000 mg/kg (Calculation method)	
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
C.I.Basic Yellow 87	LC50	Non-applicable		
CAS: 68259-00-7	EC50	1,6 mg/L (48 h)	Daphnia magna	Crustacean
EC: 269-503-2	EC50	0,28 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
C.I.Basic Yellow 87	BOD5	Non-applicable	Concentration	25 mg/L
CAS: 68259-00-7	COD	Non-applicable	Period	28 days
EC: 269-503-2	BOD5/COD	Non-applicable	% Biodegradable	21,6 %

12.3 Bioaccumulative potential:

Substance-specific information:

	Identification	Bioaccumulation potential	
	C.I.Basic Yellow 87	BCF	
	CAS: 68259-00-7	Pow Log	-1.69
	EC: 269-503-2	Potential	
4	Mobility in soil:		

12.4 Mobility in soil:

MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing: 12/03/2023 Date of compilation: 04/05/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

MOROCCANOIL COLOR INFUSION PURE COLOR MIXER ORANGE

Printing: 12/03/2023

Date of compilation: 04/05/2022

Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Classification procedure:

Skin Irrit. 2: Calculation method

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50 LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.