MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing	: 12/03/2023	Date of compilation: 06/12/2022	Version: 1		
SEC	TION 1: IDENTIF	TICATION OF THE SUBSTANCE/M	IXTURE AND OF THE COMPANY/UNDERTAKING		
1.1	Product identifi	CI024824_IT21			
	Other means of	identification:			
	Non-applicable				
1.2	Relevant identi	fied uses of the substance or mixtu	re and uses advised against:		
	Relevant uses: Co	osmetics			
	Uses advised against: All uses not specified in this section or in section 7.3				
1.3	Details of the su	upplier of the safety data sheet:			
	MOROCCANOIL 1 Moshe Levi st' Rishon Lezion - Israel info@moroccanoil.com				
1.4	Emergency tele	phone number: 1-888-700-1817			

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user: cosmetic products as defined in REGULATION (EC) No 1223/2009

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Dam. 1: Serious eye damage, Category 1, H318 Flam. Liq. 3: Flammable liquids, Category 3, H226 Skin Corr. 1B: Skin corrosion, Category 1B, H314

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/face protection/protective clothing/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

EUH208: Contains 5-amino-o-cresol, p-phenylenediamine. May produce an allergic reaction.

Substances that contribute to the classification

Undecan-1-ol, ethoxylated (CAS: 34398-01-1); potassium hydroxide (CAS: 1310-58-3)

Acute Toxicity Estimate (ATE mix):

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued)

31,83 % (oral), 43,58 % (dermal), 43,58 % (inhalation) of the mixture consists of ingredient(s) of unknown toxicity

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

Date of compilation: 06/12/2022

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of alcohols and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	34398-01-1	Undecan-1-ol, ethox	ylated ⁽¹⁾ Self-classified	
	500-084-3 Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318 - Danger	10 - <25 %
CAS:	64-17-5	ethanol ⁽²⁾	Self-classified	
	200-578-6 603-002-00-5 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	10 - <25 %
CAS:	1310-58-3	potassium hydroxide	(1) ATP CLP00	
	215-181-3 019-002-00-8 01-2119487136-33- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger	1 - <2.5 %
CAS:	112-02-7 203-928-6	Cetrimonium chlorid	e ⁽¹⁾ Self-classified	
EC: 203-928-6 Index: Non-applicable REACH: 01-2119970558-23- XXXX		Regulation 1272/2008	Acute Tox. 3: H311; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: 🛞 🔗 🏝 H410; Eye Dam. 1: H318; Skin Corr. 1C: H314 - Danger	<1 %
CAS:	66455-14-9	Alcohols, C12-13, et	noxylated ⁽¹⁾ Self-classified	
Index:	EC: 500-165-3 Index: Non-applicable REACH: 01-2119488045-35- XXXX		Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Warning	<1 %
CAS:	106-50-3	p-phenylenediamine	(1) ATP CLP00	
	203-404-7 612-028-00-6 01-2119471483-36- XXXX	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1: H317 - Danger	<1 %
CAS: EC:	108-46-3 203-585-2	resorcinol ⁽¹⁾	ATP CLP00	
Index:	203-585-2 604-010-00-1 01-2119480136-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - 🔶 🏵 Warning	<1 %
CAS:	2835-95-2	5-amino-o-cresol ⁽¹⁾	Self-classified	
	220-618-6 Non-applicable 01-2120766272-54- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1A: H317 - Warning	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification			M-factor		
Cetrimonium chloride		Acute	10		
CAS: 112-02-7	EC: 203-928-6	Chronic	1		

PF026199_IT21 CI024824_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

Identification	Specific concentration limit
ethanol CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319
potassium hydroxide CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

- Minimum Temp.: 5 °C
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

PF026199_IT21 CI024824_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification		Occupational exposure limits			
resorcinol		IOELV (8h)	10 ppm	45 mg/m ³		
CAS: 108-46-3	EC: 203-585-2	IOELV (STEL)				

DNEL (Workers):

	Short exposure		Long exposure		
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
Cetrimonium chloride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-02-7	Dermal	Non-applicable	Non-applicable	4,7 mg/kg	Non-applicable
EC: 203-928-6	Inhalation	Non-applicable	Non-applicable	3,32 mg/m ³	Non-applicable
p-phenylenediamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 106-50-3	Dermal	Non-applicable	Non-applicable	0,32 mg/kg	Non-applicable
EC: 203-404-7	Inhalation	Non-applicable	Non-applicable	0,23 mg/m ³	Non-applicable
resorcinol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	5,6 mg/m ³	132,8 mg/m ³
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	3,226 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	6,601 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m ³	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³
Cetrimonium chloride	Oral	Non-applicable	Non-applicable	2,83 mg/kg	Non-applicable
CAS: 112-02-7	Dermal	Non-applicable	Non-applicable	2,83 mg/kg	Non-applicable
EC: 203-928-6	Inhalation	Non-applicable	Non-applicable	0,98 mg/m ³	Non-applicable
p-phenylenediamine	Oral	Non-applicable	Non-applicable	0,16 mg/kg	Non-applicable
CAS: 106-50-3	Dermal	Non-applicable	Non-applicable	0,16 mg/kg	Non-applicable
EC: 203-404-7	Inhalation	Non-applicable	Non-applicable	0,06 mg/m ³	Non-applicable

PF026199_IT21 CI024824_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	exposure	Long e	xposure
Identification	Systemic	Local	Systemic	Local	
resorcinol	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 108-46-3	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-585-2	Inhalation	Non-applicable	Non-applicable	1,394 mg/m ³	33 mg/m ³
5-amino-o-cresol	Oral	Non-applicable	Non-applicable	0,9 mg/kg	Non-applicable
CAS: 2835-95-2	Dermal	Non-applicable	Non-applicable	1,613 mg/kg	Non-applicable
EC: 220-618-6	Inhalation	Non-applicable	Non-applicable	1,647 mg/m ³	Non-applicable

PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
Cetrimonium chloride	STP	0,4 mg/L	Fresh water	0,001 mg/L
CAS: 112-02-7	Soil	7 mg/kg	Marine water	0 mg/L
EC: 203-928-6	Intermittent	0,001 mg/L	Sediment (Fresh water)	9,27 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,927 mg/kg
p-phenylenediamine	STP	0,334 mg/L	Fresh water	0,001 mg/L
CAS: 106-50-3	Soil	0 mg/kg	Marine water	0 mg/L
EC: 203-404-7	Intermittent	0,003 mg/L	Sediment (Fresh water)	0,002 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0 mg/kg
resorcinol	STP	0,79 mg/L	Fresh water	0,017 mg/L
CAS: 108-46-3	Soil	10 mg/kg	Marine water	0,002 mg/L
EC: 203-585-2	Intermittent	Non-applicable	Sediment (Fresh water)	0,08 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg
5-amino-o-cresol	STP	1,5 mg/L	Fresh water	0,024 mg/L
CAS: 2835-95-2	Soil	0,012 mg/kg	Marine water	0,0024 mg/L
EC: 220-618-6	Intermittent	0,023 mg/L	Sediment (Fresh water)	0,129 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

PF026199_IT21 CI024824_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

_	N 8: EXPOSURE	CONTROLS/PERSON/	AL PROTECTI	ION (continued)		
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection	Face shield		EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018		daily and disinfect periodically according aanufacturer's instructions. Use if there i risk of splashing.
E	Body protection					
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties		EN 1149-1,2,3 EN 13034:2005+A1:200 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	Fo	r professional use only. Clean periodically ording to the manufacturer's instruction
	Mandatory foot protection	Safety footwear for protection against chemical risk, with antistatic and heat resistant properties		EN ISO 13287:2020 EN ISO 20345:2011 EN 13832-1:2019	R	eplace boots at any sign of deterioration.
F	- Additional emerge	ency measures		1		
	Emergency mea	asure St	andards	Emergency me	asure	Standards
	Emergency sho	ISO 3864-1:20	SI Z358-1 11, ISO 3864-4:20	11 Eyewash sta	ions	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
En	ivironmental exp	USULE COLLIUIS.				
In spi Vo	illage of both the pi blatile organic co ith regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this proc 12 % 20 °C: 118,5 number: 2	For additional in duct has the fol weight 55 kg/m³ (118,	nformation see subsect lowing characteristics:		
In spi Vo Wi	accordance with th illage of both the p blatile organic con ith regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this proc 12 % 20 °C: 118,5 iumber: 2 ir weight: 46,1 g	For additional in duct has the fol weight 55 kg/m ³ (118, g/mol	nformation see subsect lowing characteristics:		
In spi Va Wi	accordance with the illage of both the pi blatile organic con ith regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this proc 12 % 20 °C: 118,5 iumber: 2 ir weight: 46,1 g	For additional in duct has the fol weight 55 kg/m ³ (118, g/mol PERTIES	nformation see subsect lowing characteristics: 55 g/L)		
In spi Va Wi	accordance with the illage of both the pro- platile organic con ith regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this proc 12 % 20 °C: 118,5 iumber: 2 ir weight: 46,1 g	For additional in duct has the fol weight 55 kg/m ³ (118, g/mol PERTIES	nformation see subsect lowing characteristics: 55 g/L)		
In spi Va Wi CTIOI In Fo	accordance with the illage of both the pro- platile organic con- ith regard to Directi V.O.C. (Supply): V.O.C. density at 1 Average carbon n Average molecula N 9: PHYSICAL A offormation on base or complete information opearance:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this prod 12 % 20 °C: 118,5 number: 2 ar weight: 46,1 g AND CHEMICAL PROP sic physical and chemi tion see the product data	For additional in duct has the fol weight 55 kg/m ³ (118, g/mol PERTIES	nformation see subsect lowing characteristics: 55 g/L)		nmended to avoid environmental
In spi Va Wi CTIOI In Fo	accordance with the probatile organic control of both the probatile organic control of the regard to Direction V.O.C. (Supply): V.O.C. (Supply): V.O.C. density at a Average carbon n Average carbon n Average molecula	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this prod 12 % 20 °C: 118,5 number: 2 ar weight: 46,1 g AND CHEMICAL PROP sic physical and chemi tion see the product data	For additional in duct has the fol weight 55 kg/m ³ (118, g/mol PERTIES	nformation see subsect lowing characteristics: 55 g/L) s:		

Appearance:	Fluid		
Colour:	Light yellow		
Odour:	Characteristic		
Odour threshold:	Non-applicable *		
Volatility:			
Boiling point at atmospheric pressure:	78 - 1320 °C		
Vapour pressure at 20 °C:	2621 Pa		
Vapour pressure at 50 °C:	13435,34 Pa (13,44 kPa)		
*Not relevant due to the nature of the product, not providing information property of its hazards.			

PF026199_IT21 CI024824_IT21 MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printina	: 12/03/2023	Date of compilation: 06/12/2022	Version: 1
-		CAL AND CHEMICAL PROPERTIE	
JEC			
	Evaporation rate		Non-applicable *
	Product description:		
	Density at 20 °C		987,9 kg/m ³
	Relative density		0,98 - 1
	Dynamic viscosit		Non-applicable *
	Kinematic viscos		Non-applicable *
	Kinematic viscos	ity at 40 °C:	Non-applicable *
	Concentration:		Non-applicable *
	pH:		9,5 - 10,5
	Vapour density a		Non-applicable *
		ent n-octanol/water 20 °C:	Non-applicable *
	Solubility in wate		Non-applicable *
	Solubility proper		Non-applicable *
	Decomposition to		Non-applicable *
	Melting point/fre	ezing point:	Non-applicable *
	Flammability:		27.00
	Flash Point:		37 °C
	Flammability (so		Non-applicable *
	Autoignition tem	•	225 °C
	Lower flammabil		Not available
	Upper flammabil		Not available
	Particle charac		
	Median equivale		Non-applicable
9.2	Other informat		
		ith regard to physical hazard clas	
	Explosive proper		Non-applicable *
	Oxidising proper		Non-applicable *
	Corrosive to met		Non-applicable *
	Heat of combust		Non-applicable *
	Aerosols-total pe components: Other safety cl	ercentage (by mass) of flammable	Non-applicable *
	Surface tension		Non-applicable *
	Refraction index	:	Non-applicable *
	*Not relevant due to	the nature of the product, not providing info	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

	MORO	CCANOIL COLOR	CALTPSU DEMI-PERI	-ANEINI GE0337.3	•
nting: 1	12/03/2023 Date of	compilation: 06/12/2022	2 Version: 1		
SECTI	ION 10: STABILITY AND	D REACTIVITY (conti	nued)		
	Applicable for handling and	storage at room tempe	rature:		
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable
10.5	Incompatible materials:				
	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases
	Hazardous decomposition See subsection 10.3, 10.4 a complex mixtures of chemi	on products: and 10.5 to find out the	specific decomposition prod	lucts. Depending on the	decomposition conditions,
	Hazardous decomposition See subsection 10.3, 10.4 a complex mixtures of chemi	on products: and 10.5 to find out the cal substances can be re	specific decomposition prod	lucts. Depending on the	decomposition conditions,
SECTI	Hazardous decomposition See subsection 10.3, 10.4 a	on products: and 10.5 to find out the cal substances can be re	specific decomposition prod leased: carbon dioxide (CO	lucts. Depending on the 2), carbon monoxide and	decomposition conditions,
SECTI 11.1	Hazardous decomposition See subsection 10.3, 10.4 a complex mixtures of chemi ION 11: TOXICOLOGIC/	on products: and 10.5 to find out the cal substances can be re AL INFORMATION classes as defined in F	specific decomposition prod leased: carbon dioxide (CO Regulation (EC) No 1272	lucts. Depending on the 2), carbon monoxide and /2008:	decomposition conditions, other organic compounds
SECTI 11.1	Hazardous decomposition See subsection 10.3, 10.4 a complex mixtures of chemi ION 11: TOXICOLOGIC/ Information on hazard of	on products: and 10.5 to find out the cal substances can be re AL INFORMATION classes as defined in F on related to the toxicolo	specific decomposition prod leased: carbon dioxide (CO Regulation (EC) No 1272	lucts. Depending on the 2), carbon monoxide and /2008:	decomposition conditions, other organic compounds

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

Contact with the eyes: Produces serious eye damage after contact.

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Eugenol (3); Coumarin (3); p-phenylenediamine (3); resorcinol (3); Sodium sulphite (3); ethanol (1)

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
p-phenylenediamine	LD50 oral	137 mg/kg	Rat
CAS: 106-50-3	LD50 dermal	300 mg/kg (ATEi)	
EC: 203-404-7	LC50 inhalation	3 mg/L (ATEi)	
Cetrimonium chloride	LD50 oral	861 mg/kg	Rat
CAS: 112-02-7	LD50 dermal	627 mg/kg	Rabbit
EC: 203-928-6	LC50 inhalation	Non-applicable	
ethanol	LD50 oral	6200 mg/kg	Rat
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat
potassium hydroxide	LD50 oral	388 mg/kg	Rat
CAS: 1310-58-3	LD50 dermal	Non-applicable	
EC: 215-181-3	LC50 inhalation	Non-applicable	
resorcinol	LD50 oral	310 mg/kg	Rat
CAS: 108-46-3	LD50 dermal	2830 mg/kg	Rabbit
EC: 203-585-2	LC50 inhalation	Non-applicable	
5-amino-o-cresol	LD50 oral	3600 mg/kg	Rat
CAS: 2835-95-2	LD50 dermal	5688 mg/kg	Rat
EC: 220-618-6	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	9679,56 mg/kg (Calculation method)	31,83 %
Dermal	41362,87 mg/kg (Calculation method)	43,58 %
Inhalation	995,71 mg/L (4 h) (Calculation method)	43,58 %

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

Identification		Concentration	Species	Genu
Cetrimonium chloride	LC50	0,1 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 112-02-7	EC50	0,012 mg/L (48 h)	Daphnia magna	Crustac
EC: 203-928-6	EC50	Non-applicable		
Alcohols, C12-13, ethoxylated	LC50	Non-applicable		
CAS: 66455-14-9	EC50	Non-applicable		
EC: 500-165-3	EC50	0,282 mg/L (72 h)	Pseudokirchneriella subcapitata	Alga
p-phenylenediamine	LC50	0,5 mg/L (96 h)	Leuciscus idus	Fish
CAS: 106-50-3	EC50	Non-applicable		
EC: 203-404-7	EC50	Non-applicable		
resorcinol	LC50	29,5 mg/L (96 h)	Pimephales promelas	Fish
CAS: 108-46-3	EC50	1 mg/L (48 h)	Daphnia magna	Crusta
EC: 203-585-2	EC50	Non-applicable		
5-amino-o-cresol	LC50	25 mg/L (96 h)	Danio rerio	Fish
CAS: 2835-95-2	EC50	2,3 mg/L (48 h)	Daphnia magna	Crusta
EC: 220-618-6	EC50	17 mg/L (72 h)	Pseudokirchneriella subcapitata	Alga

Chronic toxicity:

Identification		Concentration	Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean
Cetrimonium chloride	NOEC	0,2737 mg/L	Pimephales promelas	Fish
CAS: 112-02-7 EC: 203-928-6	NOEC	0,0068 mg/L	Daphnia magna	Crustacean
p-phenylenediamine	NOEC	Non-applicable		
CAS: 106-50-3 EC: 203-404-7	NOEC	0,00501 mg/L	Daphnia magna	Crustacean
resorcinol	NOEC	Non-applicable		
CAS: 108-46-3 EC: 203-585-2	NOEC	0,172 mg/L	Daphnia magna	Crustacean
5-amino-o-cresol	NOEC	Non-applicable		
CAS: 2835-95-2 EC: 220-618-6	NOEC	0,24 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification Degra		adability Biodegradability		bility
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
p-phenylenediamine	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 106-50-3	COD	Non-applicable	Period	28 days
EC: 203-404-7	BOD5/COD	Non-applicable	% Biodegradable	5 %
5-amino-o-cresol	BOD5	Non-applicable	Concentration	15 mg/L
CAS: 2835-95-2	COD	Non-applicable	Period	28 days
EC: 220-618-6	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
ethanol	BCF	3
CAS: 64-17-5	Pow Log	-0.31
EC: 200-578-6	Potential	Low
Cetrimonium chloride	BCF	162
CAS: 112-02-7	Pow Log	3.21
EC: 203-928-6	Potential	High

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bio	Bioaccumulation potential	
p-phenylenediamine	BCF	0.3	
CAS: 106-50-3	Pow Log	-0.3	
EC: 203-404-7	Potential	Low	
resorcinol	BCF	3	
CAS: 108-46-3	Pow Log	0.8	
EC: 203-585-2	Potential	Low	
5-amino-o-cresol	BCF		
CAS: 2835-95-2	Pow Log	0.53	
EC: 220-618-6	Potential		

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		tility
ethanol	Кос	1	Henry	4,61E-1 Pa·m ³ /mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
Cetrimonium chloride	Кос	220000	Henry	2,938E-5 Pa·m ³ /mol
CAS: 112-02-7	Conclusion	Immobile	Dry soil	No
EC: 203-928-6	Surface tension	Non-applicable	Moist soil	No
p-phenylenediamine	Кос	16	Henry	6,789E-5 Pa·m ³ /mo
CAS: 106-50-3	Conclusion	Very High	Dry soil	No
EC: 203-404-7	Surface tension	1,754E-2 N/m (331,35 °C)	Moist soil	No
resorcinol	Кос	10	Henry	1,001E-5 Pa·m ³ /mo
CAS: 108-46-3	Conclusion	High	Dry soil	No
EC: 203-585-2	Surface tension	1,915E-2 N/m (318,43 °C)	Moist soil	No
5-amino-o-cresol	Кос	17.8	Henry	Non-applicable
CAS: 2835-95-2	Conclusion	Very High	Dry soil	Non-applicable
EC: 220-618-6	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

PF026199_IT21 CI024824 IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Date of compilation: 06/12/2022 Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:							
14.1 UN number or ID number: UN2920							
		UN proper shipping name:	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (potassium hydroxide; ethanol)				
	14.3	Transport hazard class(es):	8				
		Labels:	8, 3				
	14.4	Packing group:	II				
		Environmental hazards:	No				
	14.6	Special precautions for user					
		Special regulations:	274				
		Tunnel restriction code:	D/E				
		Physico-Chemical properties:	see section 9				
		Limited quantities:	1 L				
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable				
Transport of dangerous goods by sea:							
With regard to IMDG 40-20:							
	14.1	UN number or ID number:	UN2920				
Â. 🔺	14.2	UN proper shipping name:	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (potassium hydroxide;				
		T error (1) (1)	ethanol)				
	14.3	Transport hazard class(es):	8				
· · · · · · · · · · · · · · · · · · ·	144	Labels: Packing group:	8, 3 II				
		Packing group: Marine pollutant:	II No				
		Special precautions for user	INU				
	14.0	Special regulations:	274				
		EmS Codes:	F-E, S-C				
		Physico-Chemical properties:	see section 9				
		Limited quantities:	1 L				
		Segregation group:	Non-applicable				
	14.7	Maritime transport in bulk according to IMO	Non-applicable				
		instruments:					
Transport of dangerous goods by air:							
With regard to IATA/ICAO 2023:							
	14.1	UN number or ID number:	UN2920				
		UN proper shipping name:	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (potassium hydroxide; ethanol)				
	14.3	Transport hazard class(es):	8				
		Labels:	8, 3				
		Packing group:	II				
	-	Environmental hazards:	No				
	14.6	Special precautions for user	and partian 0				
		Physico-Chemical properties:	see section 9				
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable				

PF026199_IT21 CI024824_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023

Version: 1

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4)

Date of compilation: 06/12/2022

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements		
P5c	FLAMMABLE LIQUIDS	5000	50000		

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

H318: Causes serious eye damage.

H226: Flammable liquid and vapour.

H314: Causes severe skin burns and eye damage.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

PF026199_IT21 CI024824_IT21

MOROCCANOIL COLOR CALYPSO DEMI-PERMANENT GLOSS 7.9

Printing: 12/03/2023	Date of compilation: 06/12/2022	Version: 1					
SECTION 16: OTHE	R INFORMATION (continued)						
Acute Tox. 3: H3 Acute Tox. 4: H3 Aquatic Acute 1 Aquatic Acute 1 Aquatic Chronic Aquatic Chronic Eye Dam. 1: H3 Eye Irrit. 2: H31 Flam. Liq. 2: H2 Skin Corr. 1A: H Skin Corr. 1C: H Skin Sens. 1: H3 Skin Sens. 1A: H Classification Aquatic Chronic Eye Dam. 1: Cal	3: Calculation method culation method	long lasting effects. lasting effects. ng lasting effects. damage. damage.					
Skin Corr. 1B: Ca	Flam. Liq. 3: Calculation method (2.6.4.3) Skin Corr. 1B: Calculation method						
	Advice related to training:						
	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.						
•	ographical sources:						
http://echa.euro http://eur-lex.eu							
Abbreviations	and acronyms:						
IMDG: Internatio IATA: Internatio ICAO: Internatio COD: Chemical BOD5: 5day bio BCF: Bioconcent LD50: Lethal Do LC50: Lethal Co EC50: Effective LogPOW: Octan Koc: Partition co UFI: unique forr	ise 50 incentration 50 concentration 50 olwater partition coefficient pefficient of organic carbon						

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.