

BLONDE VOYAGE CREAM LIGHTENER CI02522

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: SM.2302002W
Product name: BLONDE VOYAGE CREAM LIGHTENER CI02522
UFI : 9CD0-U018-J00M-W09X

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Bleaching cream

Identified Uses	Industrial	Professional	Consumer
Hair product	-	✓	-

1.3. Details of the supplier of the safety data sheet

Name: MOROCCANOIL
Full address: 1 Moshe Levi st'
District and Country: Rishon LeZion
Israel
e-mail address of the competent person responsible for the Safety Data Sheet: info@moroccanoil.com

1.4. Emergency telephone number

For urgent inquiries refer to: + 1-888-700-1817

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Oxidising solid, category 3	H272	May intensify fire; oxidiser.
Skin corrosion, category 1	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure, category 3	H335	May cause respiratory irritation.
Respiratory sensitization, category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 2. Hazards identification ... / >>

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.

Precautionary statements:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust / fume / gas / mist / vapours / spray.
P220	Keep away from clothing and other combustible materials.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.

Contains: DISODIUM OXOSILANEDIOLATE
SODIUM HYDROXY(OXO)SILANOLATE
DIPOTASSIUM PEROXODISULPHATE
DISODIUM PEROXODISULPHATE
DIAMMONIUM PEROXODISULPHATE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
WHITE MINERAL OIL(PETROLEUM)		
INDEX	25 $\leq$ x < 50	Asp. Tox. 1 H304
EC	232-455-8	
CAS	8042-47-5	
REACH Reg.	01-2119487078-27	
DIPOTASSIUM PEROXODISULPHATE		
INDEX	25 $\leq$ x < 50	Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334, Skin Sens. 1 H317
EC	231-781-8	LD50 Oral: 1130 mg/kg
CAS	7727-21-1	
REACH Reg.	01-2119495676-19	

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 3. Composition/information on ingredients ... / >>

DIAMMONIUM PEROXODISULPHATEINDEX $5 \leq x < 10$ EC 231-786-5
CAS 7727-54-0
REACH Reg. 01-2119495973-19Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334, Skin Sens. 1 H317
LD50 Oral: 742 mg/kg**DISODIUM OXOSILANEDIOLATE**INDEX $5 \leq x < 10$ EC 229-912-9
CAS 6834-92-0
REACH Reg. 01-2119449811-37

Met. Corr. 1 H290, Skin Corr. 1 H314, Eye Dam. 1 H318, STOT SE 3 H335

SODIUM HYDROXY(OXO)SILANOLATEINDEX $5 \leq x < 10$ EC 215-687-4
CAS 1344-09-8
REACH Reg. 01-2119448725-31

Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

DISODIUM PEROXODISULPHATEINDEX $1 \leq x < 5$ EC 231-892-1
CAS 7775-27-1
REACH Reg. 01-2119495975-15-Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334, Skin Sens. 1 H317
LD50 Oral: 895 mg/kg**SULFURIC ACID, C12-14-ALKYL ESTERS, SODIUM SALTS**INDEX $1 \leq x < 5$ EC 287-809-4
CAS 85586-07-8
REACH Reg. 01-2119489463-28

Eye Dam. 1 H318

ARGININEINDEX $1 \leq x < 5$ EC 200-811-1
CAS 74-79-3
REACH Reg. 01-2119963927-1

Eye Irrit. 2 H319

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER/doctor.

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 4. First aid measures ... / >>

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Avoid excessively high temperatures (over 25°C).

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

BLONDE VOYAGE CREAM LIGHTENER CI02522

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

DISODIUM OXOSILANEDIOLATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	7,5	mg/l
Normal value in marine water	1	mg/l
Normal value for water, intermittent release	7,5	mg/l
Normal value of STP microorganisms	1000	mg/l

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					MED	NPI	MED	6,22 mg/m3
Skin					MED	NPI	MED	1,49 mg/kg bw/d

SODIUM HYDROXY(OXO)SILANOLATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	7,5	mg/l
Normal value in marine water	1	mg/l
Normal value for water, intermittent release	7,5	mg/l

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,80 mg/kg bw/d				
Inhalation				1,38 mg/m3				5,61 mg/m3
Skin				0,80 mg/kg bw/d				1,59 mg/kg bw/d

SULFURIC ACID, C12-14-ALKYL ESTERS, SODIUM SALTS

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,131	mg/l
Normal value in marine water	0,013	mg/l
Normal value for fresh water sediment	4,61	mg/kg
Normal value for marine water sediment	0,461	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				24 mg/kg bw/d				
Inhalation				85 mg/m3				285 mg/m3
Skin				2440 mg/kg bw/d				4060 mg/kg bw/d

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 8. Exposure controls/personal protection ... / >>

DIPOTASSIUM PEROXODISULPHATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,518	mg/l
Normal value in marine water	0,0502	mg/l
Normal value for fresh water sediment	2,03	mg/kg/d
Normal value for marine water sediment	0,203	mg/kg/d

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,55 mg/kg bw/d		0,52 mg/kg bw/d				
Inhalation			0,421 mg/m3				0,824 mg/m3	
Skin				5,2 mg/kg bw/d				10,3 mg/kg bw/d

DISODIUM PEROXODISULPHATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,518	mg/l
Normal value in marine water	0,052	mg/l
Normal value for fresh water sediment	2,03	mg/kg
Normal value for marine water sediment	0,203	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,37 mg/kg bw/d		0,46 mg/kg bw/d				
Inhalation			0,421 mg/m3				0,824 mg/m3	
Skin				4,6 mg/kg bw/d				9,1 mg/kg bw/d

WHITE MINERAL OIL(PETROLEUM)

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				40 mg/kg bw/d				
Inhalation				35 mg/kg				160 mg/kg
Skin				92 mg/kg bw/d				220 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN ISO 16321).

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 8. Exposure controls/personal protection ... / >>

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	Compact cream	
Colour	white	
Odour	characteristic as scent	
Melting point / freezing point	not available	
Initial boiling point	not applicable	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not applicable	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	10.40-11.40	Temperature: 20 °C
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1.250-1.400 g/ml	Temperature: 20 °C
Relative vapour density	not available	
Particle characteristics	not available	

Any variations of color or smell do not alter the quality and effectiveness of the product.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

10.5. Incompatible materials

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 10. Stability and reactivity ... / >>

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)

DISODIUM OXOSILANEDIOLATE

LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	1349 mg/kg

SODIUM HYDROXY(OXO)SILANOLATE

LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	3400 mg/kg
LC50 (Inhalation mists/powders):	> 2,06 mg/l/4h

SULFURIC ACID, C12-14-ALKYL ESTERS, SODIUM SALTS

LD50 (Dermal):	> 2000 mg/kg
LD50 (Oral):	1800 mg/kg

DIPOTASSIUM PEROXODISULPHATE

LD50 (Dermal):	> 10000 mg/kg
LD50 (Oral):	1130 mg/kg
LC50 (Inhalation mists/powders):	> 42,9 mg/l/4h

DISODIUM PEROXODISULPHATE

LD50 (Dermal):	> 2000 mg/kg
LD50 (Oral):	895 mg/kg
LC50 (Inhalation mists/powders):	> 5,1 mg/l/4h

WHITE MINERAL OIL(PETROLEUM)

LD50 (Dermal):	> 2000 mg/kg
LD50 (Oral):	> 5000 mg/kg
LC50 (Inhalation mists/powders):	> 5000 mg/l/4h

DIAMMONIUM PEROXODISULPHATE

LD50 (Dermal):	> 2000 mg/kg
LD50 (Oral):	742 mg/kg
LC50 (Inhalation mists/powders):	> 5,1 mg/l/4h

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 11. Toxicological information ... / >>

ARGININE

LD50 (Oral): > 5110 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Sensitising for the respiratory system

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

DISODIUM OXOSILANEDIOLATE

LC50 - for Fish 1108 mg/l/96h

EC50 - for Crustacea 1700 mg/l/48h

EC50 - for Algae / Aquatic Plants 207 mg/l/72h

SODIUM HYDROXY(OXO)SILANOLATE

LC50 - for Fish 310 mg/l/96h

EC50 - for Crustacea 1700 mg/l/48h

EC50 - for Algae / Aquatic Plants > 345,4 mg/l/72h

SULFURIC ACID, C12-14-ALKYL ESTERS, SODIUM SALTS

LC50 - for Fish 3,6 mg/l/96h

EC50 - for Crustacea 4,7 mg/l/48h

EC50 - for Algae / Aquatic Plants > 20 mg/l/72h

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 12. Ecological information ... / >>

DIPOTASSIUM PEROXODISULPHATE	
LC50 - for Fish	76,3 mg/l/96h
EC50 - for Crustacea	120 mg/l/48h
EC50 - for Algae / Aquatic Plants	320 mg/l/72h
DISODIUM PEROXODISULPHATE	
LC50 - for Fish	163 mg/l/96h
EC50 - for Crustacea	133 mg/l/48h
EC50 - for Algae / Aquatic Plants	116 mg/l/72h
DIAMMONIUM PEROXODISULPHATE	
LC50 - for Fish	107,6 mg/l/96h
EC50 - for Crustacea	120 mg/l/48h
EC50 - for Algae / Aquatic Plants	320 mg/l/72h

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: UN 3085

14.2. UN proper shipping name

ADR / RID: OXIDIZING SOLID, CORROSIVE, N.O.S. (DIPOTASSIUM PEROXODISULPHATE; DIAMMONIUM PEROXODISULPHATE)
IMDG: OXIDIZING SOLID, CORROSIVE, N.O.S. (DIPOTASSIUM PEROXODISULPHATE; DIAMMONIUM PEROXODISULPHATE ;DISODIUM OXOSILANEDIOLATE)
IATA: OXIDIZING SOLID, CORROSIVE, N.O.S. (DIPOTASSIUM PEROXODISULPHATE; DIAMMONIUM

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 14. Transport information ... / >>

PEROXODISULPHATE)

14.3. Transport hazard class(es)

ADR / RID: Class: 5.1 Label: 5.1 (8)

IMDG: Class: 5.1 Label: 5.1 (8)

IATA: Class: 5.1 Label: 5.1 (8)



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: not marine pollutant
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 58 Special provision: 274	Limited Quantities: 5 kg	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-Q	Limited Quantities: 5 kg	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 100 kg Maximum quantity: 25 kg A3	Packaging instructions: 563 Packaging instructions: 559

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P8Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006Product

Point 40

Contained substance

Point 75

Point 65

DIAMMONIUM PEROXODISULPHATE
REACH Reg.: 01-2119495973-19Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicableSubstances in Candidate List (Art. 59 REACH)On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 15. Regulatory information ... / >>

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3	Oxidising solid, category 3
Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Resp. Sens. 1	Respiratory sensitization, category 1
Skin Sens. 1	Skin sensitization, category 1
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds

BLONDE VOYAGE CREAM LIGHTENER CI02522

SECTION 16. Other information ... / >>

- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.